Vol. 90, Sect. 6, 1953

## **VERMES**

(1953)

COMPILED BY

STEPHEN PRUDHOE

LONDON

PUBLISHED BY

THE ZOOLOGICAL SOCIETY OF LONDON

PRICE TEN SHILLINGS April, 1956

## SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:—												
1.	Comprehens	ive Zoolo	gy			s. 2	d. 6					
2.	Protozoa					7	6					
3.	Porifera					2	0					
4.	Coelenterata					4	0					
5.	Echinoderma	a				2	6					
6.	Vermes	CINCERN.	11.700	4	4.0	10	0					
7.	Brachiopoda		11,			3	0					
8.	Bryozoa					2	0					
9.	Mollusca					10	0					
10.	Crustacea	11111				5	0					
11.	Trilobita					3	0					
12.	Arachnida					7	6					
*13.	Insecta					30	0					
14.	Protochorda	ta	W. 1			2	0					
15.	Pisces					7	0					
16a.	Amphibia					. 5	0					
16в.	Reptilia					6	0					
17.	Aves					7	6					
18.	Mammalia			2.4		7	6					
19.	List of New	Genera a	nd Subge	nera		3	0					

<sup>\*</sup> Obtainable only from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

## 6. VERMES

(1953)

COMPILED BY

## STEPHEN PRUDHOE

		CONT	ENTS									
TITLES (for all grou	•••				PAGE 2							
PLATYHELMINTHES, NEMERTINEA, MESOZOA												
Subject Index		100				55						
Systematic Index		•••				66						
NEMATHELMINTHES												
Subject Index			£ 13			87						
Systematic Index				- "		97						
CHAETOGNATHA, ECHINODERA, GASTROTRICHA												
ROTIFERA												
SUBJECT INDEX						108						
Systematic Index			•••			108						
ANNELIDA, GEPHYREA, CONODONTA												
	SC	COLECO	DONTA									
SUBJECT INDEX						109						
Systematic Index			•••	***	1.1	112						

- 1.—Abbott, P. H. & Spencer, H. Transverse myelitis due to ova of Schistosoma mansoni. Trans. R. Soc. trop. Med. Hyg. 47 3 1953: 221–223 2 figs.
- 2.—Abdel-Malek, E. T. Life history of Petasiger chandleri (Trematoda: Echinostomatidae) from the pied-billed grebe, Podilymbus podiceps podiceps, with some comments on other species of Petasiger. J. Parasit. 39 2 1953: 152–158 1 pl.
- 3.—Abdussalam, M. & Sarwar, M. M. A new criterion for the differentiation of male schistosomes. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 10–11. [Abstract].
- 4.—Abdussalam, M. & Sarwar, M. M. Occurrence of *Schistosoma nasalis* Rao in the Punjab. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 11. [Abstract].
- 5.—Abdussalam, M. & Sarwar, M. M. Occurrence of a schistosome in ducks in Pakistan. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 11. [Abstract].
- 6.—Abeloos, M. Régénération chez l'annélide Clymene oerstedii Clap. C.R. Soc. Biol., Paris 147 5-6 1953 : 436-437.
- 7.—Abeloos, M. La regeneration compensatrice chez *Hydroides norvegica* (Gann) et les mecanismes de la morphogenèse. Bull. Soc. zool. Fr. 77 1953: 462–470.
- 8.—Abeloos, M. Conditions de la stolonisation épigame provoquée chez Syllis prolifera Krohn. C.R. Acad. Sci. Paris 236 1953: 2445–2447.
- **9.**—[**Ablasov**, N. A.]. [A new trematode, *Notocotylus skrjabin* nov. sp., from the duck.] K.I. Skrjabin Anniv. Vol. 1953: 15–16 fig. [Russian].
- 9a.—Ackert, J. E. see Dewhirst, L. W.
  - 9b.—Ackert, J. E. see Gaafar, S. M.
- 9c.—Ackert, J. E. see Hansen, M. F.
- 10.—Adams, J. R. & Bendell, J. F. A high incidence of blood parasites in a population of sooty grouse. J. Parasit. 39 4 Sect. 2 1953: 11. [Abstract].

- 11.—Akhtar, S. A. Another new genus of nematodes, parasitic in the Pika. Trans. Amer. micr. Soc. 72 1953: 82–86 10 figs.
  - 11a .- Aldrich, L. E., Jr. see Pratt, I.
- 12.—Alexander, C. G. Tetraphyllidean cestodes from the eastern Pacific. J. Parasit. 39 4 Sect. 2 1953: 28–29. [Abstract].
- 13.—Alexander, C. G. Five new species of Acanthobothrium (Cestoda: Tetraphyllidea) from southern California ray. J. Parasit. 39 5 1953: 481–486 2 pls.
- 14.—[Alf, S. L.]. [Sanitary-helminthological control of ponds and water-reservoirs.] K.I. Skrjabin Anniv. Vol. 1953: 25–33. [Russian].
- 15.—Alicata, J. E. Human fascioliasis in the Hawaiian Islands. Hawaii Med. J. 12 3 1953: 196–201.
- **16.**—**Alicata,** J. E. Observations of the action of papain on experimental trichiniasis in rats. J. Parasit. **39** 2 1953: 222.
- 17.—Alicata, J. E. Observations on the lethal action of polyborate on swine kidney-worm (Stephanurus dentatus) larvae in soil. J. Parasit. 39 4 sect. 2 1953: 36. [Abstract].
- 18.—Alicata, J. E. The snails, Pseudosuccinea columella (Say), new intermediate hosts for the liver fluke Fasciola gigantica Cobbold. J. Parasit. 39 6 1953: 673–674.
  - 18a .- Allen, M. W. see Raski, D. J.
- 19.—Allen, R. W. & Kyles, P. M. The occurrence of the fringed tapeworm, *Thysansoma actinioides*, in the pronghorn antelope. Proc. Helminth. Soc. Wash. 20 1953: 96–97.
- 20.—Allgén, C. A. Über einige meistens neue oder seltene freilebende Nematoden aus dem Gullmarfjord (Bohuslän, Westküste Schwedens). Zool. Anz. 151 1953: 86–95 8 figs.
- 21.—Allgén, C. A. Über einen Fall von Hermaphroditismus in der Gattung *Desmodora* de Man. Zool. Anz. **151** 1953: 95–98 l fig.
- **22.—Allgén,** C. A. Die Pelagonemen der Schwedischen Südpolar-Expedition (1901–1903). Zool. Anz. **151** 1953: 316–322 3 figs.

- 23.—Allgén, C. Terrestrial nematodes from Jan Mayen. Ann. Mag. nat. Hist. (12) 6 1953: 665-688 11 figs.
- **24.**—[Altaev, A. H.] [Two new trichostrongyles from Dagestan sheep.] K. I. Skrjabin Anniv. Vol. 1953: 17–24 3 figs. [Russian].
  - 24a .- Alves, W. D. see Gelfand, M.
- 24b.—Alwar, V. S. see Ramanu-jachari, G.
- 25.—Amberson, J. M. On African schistosomiasis. Trans. R. Soc. trop. Med. Hyg. 47 6 1953: 451–502 8 pls. map.
- **26.**—Ameel, D. J., Van der Woude, A. & Cort, W. W. Studies on the miracidium of the genus *Trichobilharzia* with special reference to the germinal cells. Proc. Helminth. Soc. Washington **20** 1953: 40–42 3 figs.
  - 26a.-Ameel, D. J. see Cort, W. W.
- 26b.—Ameel, D. J. see Van der Woude, A.
  - 26c .- Amrein, Y. U. see Read, C. P.
- 27.—Anantaraman, M. The scope of helminthological research in India. Madras Vet. Coll. Ann. 1952-53 11: 22-23.
- 28.—Anantaraman, M. & Balasubramaniam, G. A strigeid, Diplostomum duboisi n.sp., from the Indian kite Milvus migrans govinda Sykes. Indian Vet. J. 29 6 1953: 465– 469 figs.
- 29.—Anderson, R. C. Dipetalonema spenti n. sp. from Castor canadensis Kuhl. Parasitology 43 1953: 215-221 13 figs.
- **30.—Andrássy,** I. Freilebende Nematoden aus einer Torf-Probe, Nematologische Notizen. 1. Zool. Anz. **150** 1953: 30–35 2 figs.
- **31.—Andrássy,** I. Eine neue Art der Gattung *Trilobus* Bastian (Nematologische Notizen. 2.). Ann. hist.-nat. Mus. hung. N.S. **4** 1953: 71–73 1 fig.
- 31a.—Andreeva, N. K. see Shultz, R. S.
- 32.—Andrews, J. S., Jones, D. J. & Sippel, W. L. Clinical parasitism in cattle in Georgia. J. Parasit. 39 4 sect. 2 1953: 38. [Abstract].

- 33.—Andrew, W. & Andrew, N. V. Some annelid and sipunculid worms of the Bimini region. Amer. Mus. Novit. No. 1617 1953: 1–16 4 figs.
- **34.—Angelier,** E. Recherches écologiques et biogéographiques sur la faune des sables submergés. Arch. Zool. exp. gén. **90** 1953: 37–161 36 figs.
- **35.—Anon.** Incidence of *C. bovis* infestation in Dorset cattle. Vet. Rec. **65** 37 1953 : 592.
- **36.—Armstrong,** E. A. Nidicoles and parasites of the wren. Irish Nat. J. **11** 3 1953: 57–64.
- 37.—[Artyukhovski, A. K.]. [Infection of the larvae of Porthetria dispar with the nematode Hexamermis albicans (Siebold, 1848) Steiner, 1924.] K.I. Skrjabin Anniv. Vol. 1953; 34–36 3 figs. [Russian].
- 38.—Arvy, I. Présence de Cercaria setifera (Monticelli, 1888 et 1914, nec John Muller, 1850) chez Phyllithae bucephala Per. et Les., a Villefranchesur-Mer. Ann. Parasit. hum. Comp. 28 4 1953: 289–299 10 figs.
- 39.—Ax, P. Proxenetes falcatus nov. spec. (Turbellaria Neorhabdocoela) aus dem Mesopsammal der Ostsee und der Mittelmeerküste. Kieler Meeresforsch. 9 1953: 238–240 l pl.
- 40.—Ax, P. Prognathorhynchus karlingi nov. spec., ein neues Turbellar der Familie Gnathorhynchidae aus der Kieler Bucht. Kieler Meeresforsch. 9 1953: 241–242 p. 23.
- 41.—Azevedo, J. F. de & Meira, M. T. V. de. Helmintos intestinais de macuos de Guiné Portuguesa. Tentativa de infestação experimental do homen. An. Asoc. exp. Progr. Cienc. 12 1 1947: 472–481.
- 42.—Babero, B. B. Studies on the helminth fauna of Alaska. XVI. A survey of the helminth parasites of Ptarmigan (*Lagopus* spp.), J. Parasit. 39 5 1953: 538-346 l pl. 1 fig.
- **43.—Babero**, B. B. Some helminth parasites of Alaskan beavers. J. Parasit. **39** 6 1953: 674–675.
- 44.—Babero, B. B. Studies on the helminth fauna of Alaska: XII, The experimental infection of Alaskan gulls (Larus glaucescens Naumann) with Diphyllobothrium sp. J. Wash. Acad. Sci. 43 1953: 166–168.

- 45.—Babero, B. B. & Rausch, R. Some observations on host relationships of *Diphyllobothrium* sp. in cats. J. Parasit. 39 1953: 226-227.
- 46.—Bacci, E. Diverzo comportamento sessuale delle *Ophryotrocha puerilis* di Napoli e di Plymouth. Bol. Soc. ital. Biol. sper. 28 7 1952 : 1296—1299.
- 47.—Bacci, G. & La Greca, M. Genetic and morphological evidence for subspecific differences between Naples and Plymouth populations of Ophryotrocha puerilis. Nature, Lond. 171 1953: 1115.
- **48.—Baer,** J. G. Bertiella douceti n. sp. cestode nouveaux de l'anomalure de Pel. Acta trop., Basel **10** 1 1953 : 79—82 3 figs.
- 49.—Baer, J. G. Zoological results of the Dutch New Guinea Expedition 1939. No. 4. Temnocephales. Zool. Meded. 32 1953: 119–140 1 pl. 12 figs.
  - 49a.—Baer, J. G. see Joyeux, C.
- 50.—Baez, M. M. Nuevos dato<sup>8</sup> acerca de la acción del Hetrazán sobre Onchocerca volvulus al estado adulto. Rev. Inst. Salubr. Enferm. trop., Méx. 13 1 1953: 71–75.
- 51.—Bailenger, J. & Neuzil, E. Nouvelles techniques d'examen des helminthes; fixation; coloration; montage. Ann. Parasit. hum. comp. 28 5-6 1953: 392-398 2 pls.
- 51a.—Bailey, W. S. see Shelton, G. C.
- **52.—Baker,** A. D. Rapid method for mounting Nematodes in glycerine. Canad. Ent. **85** 1953: 77–78.
- 53.—Balozet, L. Trématodes larvaires de l'Afrique du Nord cercaires cotylicerques. Arch. Inst. Pasteur Algér. 31 i 1953 : 75–83 2 figs.
- 54.—Balozet, L. Trématodes larvaires de l'Afrique du Nord. Larves de Strigeida. Arch. Inst. Pasteur Algér. 31 4 1953 : 381–396 2 pls.
- 55.—Baltazard, M., Chabaud, A.-G., Mofidi, C. & Minou, A. Une nouvelle filaire "de laboratoire." Ann. Parasit. hum. comp. 28 5-6 1953: 387-391.
- 56.—Barbosa, F. S., Dobbin, J. E., Jr. & Coelho, M. V. Infestação natural de Rattus rattus frugivorus por

- Schistosoma mansoni em Pernambuco. Publ. Aval. Inst. Agg. Magalh. Recife. 2 4 1953: 43-46. [English summary].
- 57.—[Barchenko, I. P.] [Some food-products as potential vectors in helminthiasis of the population.] K. I. Skrjabin Anniv. Vol. 1953: 39–43. [Russian].
- **58.—Basir,** K. M. A. Studies on the morphology and biology of *Strongyloides papillosus*. Proc. 7th Pacif. sci. Congr. **4** 1953: 74. [Abstract].
- **59.**—[**Bauer**, O. N.] [Influence of environment on the development of helminths in pond-fishes.] K. I. Skrjabin Anniv. Vol. 1953: 44–46. [Russian].
- 60.—Bazire, M. Cultures pures d'Hydatina senta: premiers résultats. C.R. Acad. Sci. Paris 236 1953: 855–857.
- **61.—Bearup,** A. J. Life history of a spirometrid tapeworm, causing sparganosis in feral pigs. Aust. vet. J. **29** 8 1953: 217–224 9 figs.
- **62.—Beaver,** P. C. Persistence of hookworm larvae in soil. Amer. J. Trop. Med. Hyg. **2** 1 1953: 102–108.
- 63.—Beaver, P. C. Infections resulting from three Necator americanus larvae. J. Parasit. 39 4 sect. 2 1953: 37 [Abstract].
- **64.—Beck,** J. W. Xenodiagnostic technic as an aid in diagnosis of trichinosis. Amer. J. Trop. Med. Hyg. **2** 1 1953: 97–101.
- **65.—Becker,** E. R. How parasites tolerate their hosts. J. Parasit. **39** 5 1953: 467–480.
- 65a.—Beckwith, A. C. see Johnston, T. H.
- 66.—[Beklemishev, K. V.] [Biology of feeding in some Nereids.] Trud. vsesoyuz. Gidrobiol. Obshch. Mosk. 53 1953: 283–298 3 figs. [Russian].
- **67.—Belloc,** G. Catalogue des types de polychètes du Musée Océanographique de Monaco. Bull. Inst. oceanogr. Monaco No. 1027 1953: 1–12.
- **68.**—[**Belopolskaya,** M. M.] [The helminths of Charadriiformes of USSR.] K. I. Skrjabin Anniv. Vol. 1953: 47–65 9 figs. [Russian].

- 69.—[Belopolskaya, M. M. & Uspenskaya, A. V.] [Some data on life-cycle of Spelotrema arenaria nov. sp.] G.R. Acad. Sci. URSS. N.S. 89 1953: 581–583 2 figs. [In Russian].
- 70.—Berberian, D. A., Paquin, H. O., Jr., & Fantauzzi, A. Longevity of Schistosoma hematobium [sic] and Schistosoma mansoni: observations based on a case. J. Parasit. 39 5 1953: 517–519 fig.
- 70a.—Berberian, J. A. see Mizelle, J. D.
- 71.—Berkeley, C. & Berkeley, E. Swarming of Nereis succinea (Leuckart) off the East coast of Canada. Nature, Lond. 171 1953: 847.
- 72.—Bertram, D. S. Laboratory studies on filariasis in the cotton rat. Trans. R. Soc. trop. Med. Hyg. 47 2 1953: 85–116 5 figs.
- 73.—Bērziņš, B. Professor T. Gislén's Expedition to Australia in 1951–1952. 4. Zur Kenntniss der Rotatorien aus West-Australien. Lunds Univ. Årsskr. N.F. (2) 49 4 1953: 1–12 9 figs.
- 74.—Bezubik, B. Digramma interrupta Rudolphi 1810 (Ligulidae f. n.). Acta Parasit. polon. 1 1-18 1953: 411-443 4 pls. [Polish, with English and Russian summaries.]
- 75.—Bhata, H. K. & Soofi, M. Arenicola—a polychaete from Karachi. Pakistan J. Sci. 1 2 1949: 76–77.
  - 75a.—Biggs, J. A. see Macy, R. W.
- 76.—Biocca, E. & Bronzini, E. "Uncinaria thapari" n. sp. parassita dell' "Ailurus fulgens". R.C. Accad. Lincei (8) 14 6 1953: 824—827 4 figs.
- 77.—Biocca, E. & Bronzini, E. Morphology of *Uncinaria thapari* Biocca and Bronzini, 1953, and some observations on the species of genus *Uncinaria*. G. S. Thapar Commemoration Volume, Lucknow, 1953: 1–8 5 figs.
- 78.—Biocca, E. & Le Roux, P. L. Osservazioni sul ciclo evolutivo di un nuevo Echinostomide. R.C. Accad. Lincei (3) 14 4 1953: 539–544 1 fig.
- **79.—Bishop,** D. D. Hatching the contents of cysts of *Heterodera rostochiensis* with alternating temperature conditions. Nature, Lond. **172** 1953: 1108.

- 80.—Blaschko, H. & Himino, J. M. Amine oxidase in the earthworm. J. Physiol. 120 1953: 445-448.
- 81.—Bläsing, I. Experimentelle Untersuchungen über den Umfang der ökologischen und physiologischen Toleranz von Planaria alpina Dana und Planaria ganocephala Duges. Zool. Jb. (Allg. Zool.) 64 1953: 112–152 31 figs.
- 82.—Bobin, G. & Durchon, M. Sur le cerveau d'une annélide en voie de transformation hétéronéréidienne (Perinereis cultrifera Grube) et sur le déroulement d'un phénomine de neurosécrétion. Arch. Anat. micr. Morph. exp. 42 2 1953: 112–126 7 figs.
- 83.—Bock, K. J. Linksgewundene Formen des Polychaeten *Spirobis spirillum* (L.). Zool. Anz. 150 1953: 200– 201 I fig.
- **84.—Boecker,** H. Die Entwicklung des Kaninchenoxyuren *Passalurus ambiguuss* Z. Parasitenk. **15** 1953: 491–518 8 figs.
- **85.**—**Böhm,** L. K. & **Supperer,** R. Beobachtungen über eine neue Filarie (Nematoda), *Wehrdikmansia rugosicauda* aus dem subkutanen Bindegewebe des Rehes. Anz. Akad. Wiss. Wien **90** 1953: 231–232.
- 86.—Böhm, L. K. & Supperer, R. Beobachtungen in eine neue Filarie (Nematoda), Wehrdikmansia rugosicauda Böhm und Supperer 1953, aus dem subkutanen Bindegewebe des Rehes. S.B. öst. Akad. Wiss. Abt. I 162 1–2 1953: 95–104 6 figs.
- **87.—Boie,** H.-J. Die Gonaden eines Hermaphroditen von *Lineus ruber* O. F. Müller (Nemertini). Zool. Anz. **150** 1953: 75–78 3 figs.
- **88.—Bolelli,** R. R. Ecto y endo parasitas de las gallinàs. Rev. chil. Hist. nat. **51–53** 1951 : 3–56.
- 89.—[Bondareva, V. I.] [To the problem of specific differentiation of various species of *Multiceps.*] K. I. Skrjabin Anniv. Vol. 1953: 66–71. [Russian].
- 90.—Bonhomme, Ch. Sur un mode particulier d'elimination des produits photogènes chez *Polycirrus caliendrum* Clap. et *Polycirrus aurantiacus* Grube. Bull. Soc. zool. Fr. 77 1953: 341–344 1 fig.

- 91.—Bonne, C., Bras, G. & Lie Kian Joe. Five echinostomes found in man in the Malayan Archipelago. Amer. J. Digest. Dis. 20 1 1953: 12–16.
- 92.—Bovien, P. Om Havreålen (Heterodera major) og resultateme of nogle forsøg på smittet jord. Tidsskr. Planteavl 56 4 1953: 581–591. [English summary].
- 92a.—Bozicevich, J. see Thomas, E. H.
- **93.—Brace,** C. E., et al. The frog Hyla aurea as a source of animal parasites. Tuatara. **5** 1 1953: 12–21 15 figs.
- 94.—Bradley, R. E. Observations on the development of *Dirofilaria immitis* in mosquitoes. J. Tenn. Acad. Sci. 28 3 1953: 176.
  - 94a.—Brand, T. see Olivier, L.
- 95.—Bravo, H., M. Dos especies nuevas de Cryptogonimidae Ciurea, 1933, de Puerto Vallarte, Jalisco. An. Inst. Biol. Méx. 24 1953: 137–145 3 figs.
- 95a.—Bravo, H., M. see Caballero y C., E.
- 96.—Brock, R. D. & Giles, J. E. Control of root knot nematode in tomatoes by soil fumigation. J. Aust. Inst. agric. Sci. 15 3-4 1949: 154-158 2 figs.
- 97.—Brody, G. The effect of pteroylglutanic acid, vitamin B<sub>12</sub> and related compounds on *Ascardia galli* infections in chicks. J. Parasit. 39 4 sect. 2 1953: 35–36. [Abstract].
- 98.—Brøndsted, A. & Brøndsted, H. V. The acceleration of regeneration in starved planarians by ribonucleic acid. J. Embryol. exp. Morph. 1 1953: 49-54 3 figs.
- 99.—Brøndsted, H. V. Rate of regeneration in Planarians after starvation. J. Embryol. exp. Morph. 1 1953: 43–47 3 figs.
  - 99a.—Bronzini, E. see Biocca, E.
- 100.—Brooks, C. P. A comparative study of Schistosoma mansoni in Tropicorbis havanensis and Australorbis glabratus. J. Parasit. 39 1953: 159–165 2 pls.
- 101.—Brown, H. W., Mann, P. H. & Fratta, I. The effectiveness of anti-

- biotics against intestinal helminths of the cat. Antibiot. & Chemoth. 3 3 1953: 243-248.
- 101a.—Brown, H. W. see Chan, K. F.
- 102.—Brown, T. G. Head organs and cephalic glands of *Cleidodiscus mirabilis*. Amer. Midl. Nat. 49 1953: 734–737 figs.
- 103.—[Brudnaya, S. M.]. [Allergic skin-reactions as a method in diagnostics of the migratory stage in Ascariasis.] K. I. Skrjabin Anniv. Vol. 1953: 72-84 2 diagrams. [Russian].
- 104.—Brumpt, L. C. Le mode d'action de la diéthylcarbamazine sur les filaires. C.R. Soc. Biol. Paris 146 1952: 209-211.
- 105.—Brumpt, L. C. & Sang, H. T. Diapause des ankylostomes chez les grands anémiques. C.R. Soc. Biol., Paris 147 1953: 1064–1066.
- 106.—Bueding, E. Formation of tiglic and n-valeric acids by bacteria-free *Ascaris lumbricoides*. J. biol. Chem. 202 2 1953: 505–512 4 figs.
- 107.—Bueding, E. & Most, H. Helminths: metabolism, nutrition, and chemotherapy. Annu. Rev. Microbiol. 7 1953: 295–326.
- 108.—Bull, P. C. Parasites of the wild rabbit, Oryctologus cuniculus (L.) in New Zealand. N.Z. J. Sci. Tech. 34B 5 1953: 341–372 3 figs.
- 109.—Bull, P. C. Distribution of the nematode *Trichostrongylus retortae*formis (Zeder, 1800) in the wild rabbit, Oryetolagus cuniculus (L.). N.Z. J. Sci. Tech. 34B 6 1953: 449-456 l fig.
- 110.—Bullock, T. H. Properties of some natural and quasi-artificial synapses in polychaetes. J. comp. Neurol. 98 1 1953: 37–68 13 figs.
- 111.—Bullock, W. L. Phosphatases in experimental *Trichinella spiralis* infections in the rat. Exp. Parasit. 2 1953: 150–162 3 pls.
- 111a.—Bullock, W. L. see Haley, A. J.
- 112.—Bumbalo, T. S., Gustina, F. J. & Oleksiak, R. E. The treatment of enterobiasis with thymyl-nisoamylcarbamate (Egressin). J. Parasit. 39 2 1953 : 166–168.

- 113.—[Burdelev, T. E.] [Study of seasonal dynamics of the more important helminth infections of predatory animals in Moscow Zoological Garden.] K. I. Skrjabin Anniv. Vol. 1953: 93–98. [Russian].
- 114.—Burns, W. C. & Pratt, I. The life cycle of Metagonimoides oregonensis Price (Trematoda: Heterophyidae). J. Parasit. 39 1 1953: 60-69 2 pls.
- 115.—Büsing, K.-H., Döll, W. & Freytag, K. Die Bakterienflora der medizinischen Blutegel. Arch. Mikrobiol. 19 1 1953: 52-86 18 figs.
- 116.—Butler, P. M. Earthworms (Lumbricidae). Naturalist No. 847 1953: 172.
- 117.—Buttner, A. Valeur évolutive de la progénèse chez les trematodes digénétiques. G. S. Thapar Commemoration Volume, Lucknow 1953 : 13-24.
- 118.—Buttner, A. Un curieux cas de phorésie: transport de 21 Ancylus fluviatilis Müller par un dytique ♀ (Dytiscus marginalis L.) et possibilité de diffusion des cercaires parasites de ces mollusques pulmonés. Ann. Parasit. hum. comp. 28 5-6 1953: 452-454 fig.
- 118a.—Buttner, A. see Dollfus, R. P.
- 119. [Bychovskaya-Pavlovskaya, I. E.] [Contribution to the knowledge of bird-trematodes in the Leningrad Province.] K. I. Skrjabin Anniv. Vol. 1953: 85–92 2 figs. [Russian].
- 120.—Bychovskaya-Pavlovskaya, I. E. La variabilité des signes morphologiques et son importance dans la classification des trématodes. XIV. Intern. Zool. Congr. Copenhagen 1953 [1 p.].
- 121.—Byrd, E. E. The number of sporocysts and cercariae resulting from exposures of physid snails to single and multiple ochetosomatid fluke eggs. J. Tenn. Acad. Sci. 28 3 1953: 177.
- 122.—Byrd, E. E. The pattern of cercarial liberation from physid snails infected with a single ochetosomatid fluke egg. J. Tenn. Acad. Sci. 28 3 1953: 177–178.

- 123.—Byrd, E. E. & Fite, F. W. Morphological observations on normal and triradiated *Taenia pisiformis* from the dog. J. Parasit. 39 4 Sect. 2 1953: 24. [Abstract].
- 124.—Caballero y C. E. Helminths from the Republic of Panama. A new trematode of the family Renticolidae [sic] Dollfus, 1939. G. S. Thapar Commemoration Volume, Lucknow 1953: 25–30 2 pls. 1 fig.
- 125.—Caballero y C., E. Estudios helmintológicos de la región oncocercosa de México y de la República de Guatemala. Nematoda. 7a parte. Nueva especie del género Spironoura Leidy, 1856. Anal. Esc. nat. cienc. biol. 7 1-4 1953: 145-150 figs.
- 126.—Caballero y C., E., Bravo H., M. & Grocott, R. G. Helmintos de la Republica de Panama. vii. Descripcion de algunos trematodos de peces marinos. An. Inst. Biol. Méx. 24 1953: 97-136 24 figs.
- 127.—Cable, R. M. The life cycle of Parvatrena borinqueñae gen. et sp. nov. (Trematoda: Digenea) and the systematic position of the subfamily Gymnophallinae. J. Parasit. 39 4 Sect. 1 1953: 408-421 2 pls.
- 128.—Cadenat, J. La collection de parasites de poissons de mer ouest africains de la Station de Biologie Marine de Goréc. Bull. Inst. franç. Afr. Noire 16a 1 1953: 300-301.
- 129.—Cairns, E. J. A culturereared, plant parasitic nematode suitable for teaching and research. Phytopathology 43 2 1953: 105-106.
- 130.—Campbell, C. H. The use of the collodion particle agglutination test for detecting antibodies formed in response to *Trichinella spiralis* infection.
  J. Parasit. 39 4 Sect. 2 1953; 41. [Abstract].
- 131.—Campbell, C. H. The effect of water starvation on the natural resistance of mice to *Trichinella spiralis*. J. Parasit. 39 4 Sect. 2 1953: 41. [Abstract].
- 131a.—Carney, B. H. see Meleney, H. E.
- 131b.—Carney, D. M. see Moore, D. V.
- 131c.—Carvalho, J. M. A. see Ruiz, J. M.

- 132.—Casanova, L. Les annelides du plancton dans le Golfe de Marseilles. Rec. Trav. Sta. mar. Endoume No. 8 1953: 29–36.
- 133.—Cates, S. S. The prevalence of pinworm infection among first graders of Tallahassee, Florida and vicinity. Quart. J. Fla. Acad. Sci. 16 4 1953: 239-242.
- 134.—Causey, D. Additional records of Arkansas earthworms. Proc. Ark. Acad. Sci. 6 1953: 47–48.
- 135.—Cauthen, G. E. The effect of small daily doses of phenothiazine on the development of larvae of the gastrointestinal parasites of cattle. Amer. J. Vet. Res. 14 50 1953: 30–32.
- 136.—Cauthen, G. E. The toxic effect of phenothiazine on cattle of the Gulf Coastal Plain area of Texas, and its efficacy in removing Ostertagia ostertagia and Trichostrongylus axei. Amer. J. Vet. Res. 14 50 1953: 33–34.
- 137.—Cavier, R. and Savel, J. Les conditions de vie de l'Ascaris du porc Ascaris lumbricoides Linne, 1758 hors de l'organisme de l'hôte en milieu aseptique. Ann. Sci. nat. (Zool.) (11) 15 1953: 57–70.
- 138.—Cavier, R. & Savel, J. Sur la présence d'une phosphorylase chez l'Ascaris du porc. Ascaris lumbricoides Linné, 1758. C.R. Acad. Sci. Paris 237 7 1953: 99–103.
- 139.—Chabaud, A.-G. Un nouveau Physaloptère parasite d'Agame. Ann. Parasit. hum. comp. 28 1953 : 305–311 2 figs.
- 140.—Chabaud, A. G. Sur un nématode Acuariidae parasite du martin-pécheur Alcedo atthis (L.). Ann. Parasit. hum. comp. 28 1953: 365–371 2 figs.
- 141.—Chabaud, A.-G. & Choquet, M.-T. Nouveau essai de classification des filaires (superfamille des Filarioïdea). Ann. Parasit. hum. comp. 28 1953: 172–192.
- 141a.—Chabaud, A. G. see Baltazard, M.
- 141b.—Chabaud, A. G. see Dollfus, R. P.
- 141c.—Chabaud, A.-G. see Galliard, H.

- 142.—Chan, K. F. The effect of storage at low temperatures on the infectivity of Aspiculuris tetraptera eggs. J. Parasit. 39 4 Sect. 2 1953: 42. [Abstract].
- 143.—Chan, K. F. & Brown, H. W. The treatment of pinworm (Enterobius vermicularis) infection with Bacitracin and Sulfasuxidine. J. Pediat. St. Louis 43 3 1953: 290–293.
- 144.—Chandler, A. C. Two new species of *Oocharistica* from Minnesota skunks. Amer. Midl. Nat. 48 1952: 69-73 5 figs.
- 145.—Chandler, A. C. An outbreak of *Prosthenorchis* (Acanthocephala) infection in primates in the Houston Zoological Garden, and a report of this parasite in *Nasua narica* in Mexico. J. Parasit. 39 1953: 226.
- 146.—Charles, L. J. A field experiment in residual control of the adults of *Culex fatigans* in British Guiana. Ann. Trop. Med. Parasit. 47 2 1953: 113–125.
- 146a.—Charmnarnkitch, C. see Sadun, E. H.
- 147.—Chaudebois, R. Déterminisme des anomalies de la régénération de la tête chez la planaire marine *Procerodes lobata* O. Schmidt. C.R. Acad. Sci. Paris 236 1953: 330–332 6 figs.
- 148.—Chauhan, B. S. A brief review of our knowledge of monogenetic trematodes of the Indian region. G.S. Thapar Commemoration Volume, Lucknow, 1953: 31-40.
- 149.—Chauhan, B. S. Studies on the trematoda fauna of India. Part i. Subclass Monogenea. Rec. Indian Mus. 51 2 1953: 113–208 39 figs.
- 150.—[Chechina, A. S., Malevitzkaya, M. A. & Kononova, N. E.] [Influence of acclimatization on parasitic fauna of Ameiurus nebulosus.] C.R. Acad. Sci. URSS N.S. 88 (1) 1953: 173–175. [Russian].
- 151.—Chernin, E. The length of the prepatent period in a filarial infection of ducks. J. Parasit. 39 5 1953: 574-575.
- 152.—[Chertkova, A. N.] [Tetrameres (Petrowineres) pavonis nov. subgen. nov. sp. parasite of peacock.] K. I. Skrjabin Anniv. Vol. 1953: 737–739 fig. [Russian].

- 153.—Chitwood, M. B. & Enzie, F. D. The domestic cat a new host for Capillaria plica in North America. Proc. Helminth. Soc. Washington 20 1953: 27–28 fig.
- 153a.—Christie, J. R. see Van Volkenberg, H. L.
- 154.—Clark, R. B. Lumbrinereis cluthensis n. sp. (Eunicidae), a new polychaete from the Firth of Clyde. Ann. Mag. nat. Hist. (12) 6 1953: 945-949 l fig.
- 155.—Clarke, A. S. Maturation of the plerocercoid of the pseudophyllidean cestode *Schistocephalus solidus* in alien hosts. Exp. Parasit. 2 3 1953: 223-229.
- 156.—Cobb, G. S. & Taylor, A. L. Heterodera leptonepia, n. sp., a cystforming nematode found in soil with stored potatoes. Proc. Helminth. Soc. Washington 20 1953: 13–15 fig.
- 157.—Coil, W. H. A new gorgoderid cercaria parasitic in *Lampsilis ventricosa* Barnes. J. Parasit. 39 1953: 183–186 pl.
- **158.—Coil,** W. H. Contributions to the life cycles of gorgoderid trematodes. J. Parasit. **39** 4 Sect. 2 1953: 31. [Abstract].
- 159.—Coleman, R. M. Histo-chemical demonstration of vitamin C in Hymenolepis nana var. fraterna. Proc. Ind. Acad. Sci. 62 1953: 321–322.
- 159a.—Colglazier, M. L. see Turner, J. H.
- 160.—Connor, R. S. A study of the seasonal cycle of a proteocephalan cestode, Proteocephalus stizostethi Hunter and Bangham, found in the yellow pikeperch, Stizostedion vitreum vitreum (Mitchill). J. Parasit. 39 6 1953: 621–624.
- 160a.—Copsey, J. E. see Johnson, W. F.
- 161.—Coronel Guevara, M. L. Observaciones sobre el ciclo biológico de *Moniliformis moniliformis* (Bremser, 1811). Thesis, Mexico 1953: 1–27 figs.
- **162.—Cort,** W. W. The germ cell cycle of the digenetic trematodes. G. S. Thapar Commemoration Volume, Lucknow 1953: 41-50.

- 163.—Cort, W. W., Ameel, D. J. & Van der Woude, A. Further studies on the early development of the daughter sporocysts of *Schistosomatium douthitti*. Proc. Helminth. Soc. Washington 20 1953: 43-49 10 fgs.
  - 163a .- Cort, W. W. see Ameel, D. J.
- 163b.—Cort, W. W. see Van der Woude, A.
  - 163c .- Cosio, H. F. see Yutuc, L. M.
- 164.—Coutinho, J. O., Croce, J., Campos, R., Neto, V. A. & Fonseca, L. C. Contribuição para o conhecimento da estrongiloidíase humana em São Paulo. Folia clin. biol., S. Paulo 20 3 1953: 141–176 16 pls.
- 165.—Couturier, A. Mode de formation d'un kyste simple chez Tunicamermis melolonthinarium Cout. Nématode parasite des larves de Melolonthinae (Coléoptères). C.R. Acad. Sci. Paris 236 1953: 1201–1203 1 fig.
- 166.—Cowper, S. G. Schistosomiasis in Mauritius. Trans. R. Soc. trop. Med. Hyg. 47 6 1953: 564-579 4 maps.
- 167.—Cox, L. R. Lower Cretaceous Gastropoda, Lamellibranchia and Annelida from Alexander I Land (Falkland Islands Dependencies). F.I.D.S. scient. Rep. No. 4 1953: 1–14 2 pls. map.
- 168.—Cram, E. B. Evidence concerning geographic strains of human schistosomes and their molluscan hosts. G. S. Thapar Commemoration Volume, Lucknow 1953: 51–62.
- 169.—Cresp, J. Thorax supplémentaire par morphallaxie chez l'annélide Salmacina incrustans (Clap.). C.R. Acad. Sci. Paris 236 1953 : 2441–2443.
- 170.—Cresp, J. Régénération et bourgeonnement chez la salmacine (Annélide Polychète). C.R. Soc. Biol., Paris 147 1953: 844-846.
- 170a.—Crewe, W. see Gordon, R. M.
- 170b.—Crofton, H. D. see Cunliffe, G.
- 171.—Cunliffe, G. & Crofton, H. D. Egg sizes and differential egg counts in relation to sheep nematodes. Parasitology 43 1953: 275–286 6 figs.

172.—Dacres, W. G., Nyberg, W. & Daugherty, J. Vitamin B<sub>12</sub> and desoxyribonucleic acid relationship in H. diminuta. J. Parasit. 39 4 Sect. 2. 1953: 27. [Abstract].

10

- 172a.—Das, E. N. see Moghe, M. A.
- 173.—Daugherty, J. The synthesis of amino acids from ammonia in *Hymenolepis diminuta*. J. Parasit. 39 4 Sect. 2 1953: 26–27. [Abstract].
  - 173a.—Daugherty, J. see Garson, S.
- 174.—Davenport, D. Studies in the physiology of commensalism III. The polynoid genera Acholoë, Gattyana and Lepidasthenia. J. Mar. biol. Ass. U.K. 33 1953: 161–173 1 fig.
- 175.—Davenport, D. Studies in the physiology of commensalism. IV. The polynoid genera *Polynoë*, *Lepidasthenia* and *Harmothoë*. J. Mar. biol. Ass. U.K. 32 1953: 273–288.
  - 175a.—Davis, B. S. see Voge, M.
- 176.—[Davtyan, E. A.] [Acute fascioliasis of sheep]. K. I. Skryabin Anniv. Vol. 1953: 205–210. [Russian].
- 177.—Dawydoff, C. Recherches sur la régénération chez les annélides primitifs, les Saccocirrus et les Polygordius. C.R. Acad. Sci. Paris 238 1954: 2378— 2381.
- 178.—Day, J. H. The polychaet fauna of South Africa. Part 2. Errant species from Cape shores and estuaries. Ann. Natal Mus. 12 3 1953: 397–441 6 figs. map.
- 179.—Dayal, J. & Gupta, S. P. A description of four new trematodes of the sub-family Haplorchinae (Looss, 1899) Poche, 1926 with a discussion of the systematics of the sub-family. Proc. Indian Sci. Congr. 40 3 1953: 188–189. [Abstract].
- 180.—Dayal, J. & Gupta, S. P. Two new trematode parasites of the family Opisthorchiidae Braun, 1901. Proc. Indian Sci. Congr. 40 3 1953: 189-190. [Abstract].
- 181.—Dayal, J. & Gupta, S. P. A new trematode, Brahamputrottema punctati n.g., n.sp., from a fresh-water fish, Ophicephalus punctatus (Bloch). Proc. Indian Sci. Congr. 40 3 1953: 190. [Abstract].

- 182.—Dayal, J. & Gupta, S. P. A new trematode, Gauhatinae batrachii n.g., n.sp., from the intestine of a fresh-water fish Clarias batrachus (Linn.) of the sub-family Haplocladinae Odhner, 1911. Proc. Indian Sci. Congr. 40 3 1953: 190. [Abstract].
- 183.—Dayal, J. & Gupta, S. P. On a new trematode, Oudhia horai n.g., n.sp., of the sub-family Reniferinae Pratt, 1902 from the intestine of a fresh-water fish Heteropneustes fossilis (Bloch.). Proc. Indian Sci. Congr. 40 3 1953: 191. [Abstract].
- 184.—Dayal, J. & Gupta, S. P. A new trematode, Ganeo gobindia n. sp. (Lecithodendriinae Odhner, 1911) from the intestine of a fresh-water fish, Wallago attu (Bloch.). G. S. Thapar Commemoration Volume, Lucknow 1953: 62–68 fig.
- 185.—Defretin, R. & Demailly, E. Sur quelques cara. tères histochimiques des divers types de cellules glandulaires du clitellum du lombric. C.R. Soc. Biol. Paris 147 13–14 1953: 1251–1253.
- 186.—de Graaf, F. Commensal organisms in the colonies of *Conchilus unicornis* Rousselet with a note on *Phormidum musicolas* Huber et Naumann. Hydrobiologia 5 4 1953: 390–399 7 figs.
- 187.—Deiana, S. Bronco-polmonite da *Schistosoma bovis* (Sonsino, 1876) nei ruminanti. Riv. Parassit. 14 1953: 181-190 4 figs.
- 188.—Delamare Deboutteville, C. La faune des eaux souterraines littorales des plages de Tunisie. Vie et Milieu 4 1953: 141–170 15 figs.
- 189.—Delamare Deboutteville, C. Description d'un appareil nouveau pour la capture de la faune des eaux souterraines littorales sous la mer. Premiers résultats. Vie et Milieu 4 1953: 411-421.
- 190.—Delamare Deboutteville, C. La faune des eaux souterraines littorales en Algérie. Vie et Milieu 4 1953: 470–503 14 figs. map.
- 191.—Delamare Deboutteville, C. Diurodrilus benazzi Gerlach, dans les eaux souterraines littorales de Canet-Plage. Vie et Milieu 4 1953: 747.

- 192.—Delavault, R. La teneur en acide désoxyribonucléique des noyaux sexuels chez un *Rhabditis* hermaphrodite. C.R. Acad. Sci. Paris 234 1952 : pp. 884–885.
- 193.—[Delyamure, S. L.] [Characteristics of helminthological fauna of pinnipeds and cetaceans in connection with their ecology and phylogeny.] K. I. Skrjabin Anniv. Vol. 1953: 211–218. [Russian].
- 194.—[Demidov, N. V.] [Application of CCl<sub>4</sub> in fascioliasis of sheep]. K. I. Skrjabin Anniv. Vol. 1953: 226–233. [Russian].
- 195.—[Demshin, N. I.] [Anatomical data on the structure of the genital conus of Trichonematina]. K. I. Skrjabin Anniv. Vol. 1953: 219-225 9 figs. [Russian].
- 196.—Deramee, O., Thienpont, D., Fain, A. & Jadin, J. Sur un foyer de bilharziose canine à Schistosoma rodhaini Brumpt au Ruanda-Urundi. Ann. Soc. Belge Med. Trop. 33 3 1953: 207-210.
  - 196a .- Deramee, O. see Fain, A.
- 196b.—Deramee, O. see Thienpont, D.
- 197.—de Roth, G. C. Some parasites from Maine fresh-water fishes. Trans. Amer. microsc. Soc. 72 1953: 49–50.
- 198.—Dewhirst, L. W., Hansen, M. F. & Ackert, J. E. Preliminary report on endoparasites of beef cattle in Kansas. J. Parasit. 39 4 Sect. 2 1953: 38-39. [Abstract].
- 199.—DeWitt, R. M. Some observations on the reproduction of the triclad Turbellarian *Procotyla fluviatilis* Leidy. Trans. Amer. microsc. Soc. **72** 1953: 151–152 l fig.
- 200.—DeWitt, W. B. Pulmonary manifestations of single sex Schistosoma mansoni infections in mice. J. Parasit. 39 4 Sect. 2 1953: 18.
- 201.—DeWitt, W. B. Influence of Schistosoma mansomi infections on the cosinophil level of adrenalectomized mice. Exp. Parasit. 2 1953: 358–365.
- 202.—Diaz, E. D. Profilaxis de la bronconeumonia verminosa y equinor-

- rincosis porcina. Rev. ibér. Parasit. 13 2 1953 : 193-198.
- 203.—Dineen, C. F. An ecological study of a Minnesota pond. Amer. Midl. Nat. 50 1953: 349-376.
- 203a.—Dineen, C. F. see Peckham, R. S.
- 204.—Dissanaike, A. S. Acephaline gregarines of the Ceylon earthworm, *Pheretima peguana*. Ceylon J. Sci. 25B 1953: 161–1662 pls.
- 205.—Djaenoedin, R. & Tandjung Adiwinata, R. Stephanofilariosis. ix. Stephanofilaria sp. pada kulit kerbau. Hemera Zoa. Buitenzorg 60 7–8 1953: 203–215. [English & German summaries.]
- **206.**—**Doan,** K. H. Control of the pike-whitefish tapeworm in Central Canada. Proc. 7th Pacif. sci. Congr. **4** 1953: 539-547.
- 207.—Doby, J. M. & Laurent, P. Mermithidés parasites de larves de simulies en provenance de l'Avre et de la Semoy. Ann. Parasit. hum. comp. 28 1953: 330–331.
- 208.—Dollfus, R. P. Métacercaire de trématode (Gasterostomata) enkystée chez des *Spartsoma*, *Rupiscartes* et *Blennius* de Gorée (Senegal). Bull. Inst. franç. Afr. noire 13 3 1951: 762–770 2 figs.
- 209.—Dollfus, R. P. Sulla forma adulta di un Echinostomide (Trematoda Digenea) ottenuta sperimentalmente nel ratto bianco di laboratorio. R.C. Accad. Lincei (8) 14 5 1953: 658-665 3 figs.
- 210.—Dollfus, R. P. Parasites animaux de la morue atlanto-arctique Gadus callarias L. Encycl. biol. 43 1953: 1–428 266 figs.
- 211.—Dollfus, R. P. & Buttner, A. Localisation anormale de *Metorchis xanthosomus* (Creplin 1846) chez du canard domestique (canard d'Inde). Ann. Parasit. hum. comp. 28 1953: 450–452 figs.
- 212.—Dollfus, R. P. & Chabaud, A. G. Distomum musculorum suis, H. C. J. Duncker 1896, mesocercaire d'Alaria alata (J. A. E. Goeze 1782), (Trematoda, Strigeata) chez un sanglier (Sus scrofa L. 1758, fera). Ann. Parasit. hum. comp. 28 1953: 352–364 figs.

- 213.—Doncaster, C. C. A study of The host-parasite relationships. potato-root eelworm (Heterodera rostochiensis) in black nightshade (Solanum nigrum) and tomato. J. Helminth. 27 1953: 1-8 2 figs.
- 214.—Donner. Trichocerca J. (Diurella) ruttneri nov. spec., ein Rädertier aus Insulinde, Indien und dem Neusiedlersee. Öst. zool. Z. 4 1953: 19-22 1 fig.
- 215.—Donner, J. Einige Fälle von Reduktion der Zehen zu einer Haftscheibe bei bdelloiden Rotatorien des Bodens. Öst. zool. Z. 4 1953: 346-
- 216.—Doran, D. J. New monogenetic trematodes from the shovelnose guitarfish, Rhinobatos productus (Ayres). J. Parasit. 39 2 1953: 145-151 3 pls.
- 217.—Doss, M. A. & Humphrey, J. M. Index-Catalogue of medical and veterinary zoology. Supplement I. Authors A to B. Washington (U.S. Dept. Agric.) 1953: pp. ii + 317.
- 218.—[Dotzenko, T. K.] [Lifecycle of the nematode Cheilospirura hamulosa, parasite of Gallidae.] C.R. Acad. Sci. URSS N.S. 88 (3) 1953: 583-584. [Russian].
- 219.—Dougherty, E. C. genera of the subfamily Rhabditinae Micoletzky, 1922 (Nematoda). G. S. Thapar Commemoration Volume, Lucknow, 1953: 69-76.
- 220.—Dougherty, E. C. The axenic cultivation of Rhabditis briggsae Dougherty and Nigon, 1949 (Nematoda: Ŕhabditidae). III. Liver preparations with various supplementation. J. Parasit. 39 4 Sect. 1 1953: 371–380.
- 221.—Dougherty, E. C. Some observations on the monoxenic cultivation of certain rhabditid nematodes. J. Parasit. 39 4 Sect. 2 1953: 32. [Abstract].
- 222.—Dougherty, E. C. Some observations on the axenic cultivation and attempted cultivation of certain rhabditid nematodes. J. Parasit. 39 4 Sect. 2 1953: 32. [Abstract].
- 223.—Dougherty, E. C. Axenizing and monoxenizing soil nematodes.

J. Parasit. 39 4 Sect. 2 1953: 33. [Abstract].

Vermes

- 224.—Dougherty, E. C. & Keith, D. F. The axenic cultivation of Rhabditis briggsae Dougherty and Nigon, 1949 (Nematoda: Rhabditidae). iv. Plasma protein fractions with various supplementation. J. Parasit. 39 4 Sect. 1 1953: 381-384.
- 225.—Dougherty, E. C. & Nigon, V. The effect of "acriflavine" (a mixture of 2, 8-diaminoacridine and 2, 8-diamino-10-methylacridinium chloride) on the growth of the nematode Rhabditis elegans. XIV. Intern. Zool. Congr. Copenhagen 1953 [2 pp.]
- 226.—Douglas, L. T. The spermatogenesis of two hematotaeniid [sic] cestodes. Virginia J. Sci N.S. 4 4 1953: 231-232.
- 226a.—Douvres, F. W. see Tromba, F. G.
- 227.—Dowell, A. M. Catenotaenia californica, sp. nov. a cestode of the kangaroo rat, Dipodomys panamintinus mohavensis. Amer. Midl. Nat. 49 3 1953: 738-742 figs.
- 228.—[Drabkin, B. S.] [Effect of benzyl aldehyde on some invertebrates.] C.R. Acad. Sci. Moscow N.S. 89 4 1953: 705-707. [Russian].
- 229.—Dropkin, V. H. Studies on the variability of anal plate patterns in pure lines of Meloidogyne spp. the rootknot nematode. Proc. helminth. Soc. Washington 20 1953: 32-39 4 figs.
- 230.—Dropkin, V. H. Infectivity and host response in root-knot nematode infections. J. Parasit. 39 4 Sect. 2 1953: 32. [Abstract].
- 231.—[Dubinin, V. B.] nematode from the milk-glands of Clethrionomys species, with some data on its biology.] Bull. Soc. Nat. Moscow 58 4 1953: 51–56 7 figs. [Russian].
- 232.—[Dubnitzki, A. D.] [Taenia pisiformis a facultative parasite of arctic fox.] K. I. Skrjabin Anniv. Vol. 1953: 234-236. [Russian].
- 233.—Dubois, F. S. Activation et migration des néoblastes dans la régénération caudale de Lumbriculus variegatus, à partir d'un territoire sain ou irradié. C.R. Soc. Biol., Paris 147 9-10 1953 : 887-890.

- 234.—Dubois, F. S. Evolution et régression du régénérat caudal de Lumbriculus variegatus, après irradiation régionale. C.R. Soc. Biol., Paris 147 9-10 1953: 890-892 fig.
- 235.—Dubois, G. Un parasite du guillemot, Diplostomum mahonae n. sp. Bull. Soc. neuchâtel, Soi. nat. (3) 76 1953: 59-61 l fig.
- 236.—Dubois, G. Liste systématique des Strigeida (Trematoda) de l'Inde. G. S. Thapar Commemoration Vol., Lucknow 1953: 77–88.
- 237.—Dubois, G. Systématique des Strigeida. Mém. Soc. neuchâtel. Sci. nat. 8 2 1953: 1–141.
- 238.—Dubois, G. & Pérez Vigueras, I. Notocotylus lopezneyrai n. sp. (Trematoda, Notocotylidae), parásito del intestino del Rosthramus sociabilis levis Friedman (Aves). Mem. Soc. cubana Hist. nat. 21 3 1953: 251-253 2 pls.
- 239.—du Bois-Reymond Marcus, E. Some South American triclads. An. Acad. bras. Sci. 25 1 1953: 65-78 12 figs.
- 240.—Duncan, N. Spawning in Arenicola marina L. Brit. J. Anim. Behav. 1 1953: 85-86.
- 241.—Durchon, M. Recherches expérimentelles sur deux aspects de la reproduction chez les annélides polychètes: l'épitoquie et la stolonisation. Année biol. (3) 29 1–2 1953: 31–37.
- 242.—Durchon, M. Recherches expérimentales sur deux aspects de la reproduction chez les annélides polychètes : l'epitoquie et la stolonisation. Ann. Sci. nat. (Zool.) Ser. 11, 14 Fasc. 1 1953 : 117-128.
- 243.—Durchon, M. Recherches expérimentales sur deux aspects de la reproduction chez les annélides polychètes: l'épitoquie et la stolonisation. (Suite). Ann. Sci. nat. (Zool.) Ser. 11, 14 Fasc. 2–4 1953: 129–207 1 pl. 36 figs.
  - 243a .- Durchon, M. see Bobin, G.
- 244.—Durie, P. H. The Paramphistomes (Trematoda) of Australian ruminants. II. The life history of Ceylonocotyle streptocoelium (Fischoeder) Näsmark and of Paramphistomam ichi-

- kawai Fukui. Aust. J. Zool. 1 1953: 193-222 2 pls. 14 figs.
- 245.—Dzieciolowski, Z. & Kuźmicki, R. Notes on clinical state of patients infested with *Taemiarhynchus* saginatus (Goeze). Acta Parasit. polon. 1 1–18 1953: 121–132. [Polish, with English and Russian summaries].
- 245a.--Edmonds, S. J. see Johnston, T. H.
- 246.—Edney, J. M., Arbogast, F. & Stepp, J. Productivity in gravid *Trichinella spiralis* (Owen, 1835) transplanted into laboratory rats. J. Tenn. Acad. sci. 28 1 1953: 62-68.
- 247.—Edney, J. M. & Kelley, G. W., Jr. Some studies on Galumna virginiensis and Moniezia expansa (Acarina, Oribatoidea; Cestoda: Anoplocephalidae). J. Tenn. Acad. Sci. 28 4 1953: 287–296 2 pls.
- 248.—Edwards, E. E. The rootknot eelworm on weeds and cultivated plants in the Gold Coast. J. Helminth. 27 1953: 181-184.
- 249.—Ehrenford, F. A. The incidence of some common canine intestinal parasites. J. Parasit. 39 4 Sect. 2 1953: 34. [Abstract].
- 250.—Elsea, J. R. Observations on the morphology and biology of *Longibueca eptesica* n. sp. (Nematoda; Cylindrocorporidae) parasitic in the bat. Proc. helminth. Soc. Wash. 20 1953: 65–76 3 figs.
- 251.—Enzie, F. D. & Colglazier, M. L. Toluene (methylbenzene) against intestinal nematodes in dogs and cats. J. Parasit. 39 4 Sect. 2 1953: 39. [Abstract].
- 251a.—Enzie, F. D. see Chitwood, M. B.
- 251b.—Enzie, F. D. see Sinclair, L. R.
- 252.—Erhardová, B. & Ryšavý, B. Einwirkung des äusseren Milieus auf die Praeinvasionslarven des Lungenwurmes Müllerius capillaris. Csl. Biol. 2 1 1953: 39–43 1 fig. [German summary].
- 253.—[Ermolaeva, E. N.] [Influence of treatment with phenothiazine on dictyocauliasis in sheep.] K. I. Skrjabin Anniv. Vol. 1953: 237–239. [Russian].

254.—[Ershov, V. S., Krikunov, M. S., Plakhotnya, R. A. & Gorobetz, A. D.] [New method of diagnostics of ascariasis in pig.] K. I. Skrjabin Anniv. Vol. 1953: 240–243. [Russian].

255.—Etges, F. J. Studies on the life histories of Maritema obstitum (Van Cleave and Mueller, 1932) and Levinseniella sp. (Trematoda: Microphallidae). J. Parasit. 39 4 Sect. 2

1953: 16. [Abstract].

256.—Etges, F. J. Studies on the life histories of Maritema obstipum (Van Cleave and Mueller, 1932) and Levinseniella amnicolae n. sp. (Trematoda: Microphallidae). J. Parasit. 39 6 1953: 643–662 2 pls. 1 fig.

- 257.—Etges, F. J. Observations on excystation of metacercariae of *Plagitura salamandra* Holl, 1928, with some notes on its morphology. J. Parasit. 39 5 1953: 568–569.
- 258.—Euzet, L. Cestodes tétraphyllides nouveaux ou peu connus de Dasyatis pastinaca (L.). Ann. Parasit, hum. comp. 28 5-6 1953: 239-351 7 figs.
- 259.—Euzet, L. Dicranobothrium, un nouveau genre de cestode Tétraphyllide, parasite de sélaciens. Bull. Soc. neuchâtel. Sci. nat. (3) 76 1953: 87-91 3 figs.
- 260.—Evans, A. S. Quantitative demonstration of hyaluronidase activity in cercariae of Schistosoma mansoni by the streptococcal decapsulation test. Exper. Parasit. 2 4 1953: 417–427.
- 260a.—Evans, A. S. see Stirewalt, M. A.
- 260b.—Evans, M. M. see Reynolds, H. W.
- 261.—Eyles, D. E., Jones, F. E. & Smith, C. S. A study of *Endamoeba histolytica* and other intestinal parasites in a rural West Tennessee community. Amer. J. Trop. Med. Hyg. 2 2 1953: 173–190.
- 261a.—Eyles, D. E. see Smith, C. S. 262.—Fain, A. Contribution à l'étude des formes larvaires de trématodes au Congo Belge et specialement de la larve de Schistosoma mansoni. Mém. Inst. colon. Belge 8° 22 5 1953 : 1–312 34 pls. 2 maps.
- 263.—Fain, A., Thienpont, D., Herin, V. & Deramee, O. Observa-

tions sur Schistosoma rodhaini Brumpt au Ruanda-Urundi et description de la cercaire de ce schistosome. Ann. Soc. Belge Med. Trop. **33** 5 1953 : 423–444 5 figs.

- 263a.—Fain, A. see Deramee, O.
- 263b.—Fain, A. see Thienpont, D.
- 264.—Fauré-Frémiet, E., Ebel, J.-P. & Colas, J. Les inclusions protéiques de l'oeuf de *Parascaris equorum*. C.R. Acad. Sci. Paris 237 12 1953 : 629-631.
- 265.—Faust, E. C. The control of schistosomiasis. An. Inst. Med. trop., Lisbon 9 4 1952: 1037–1059.
- **266.—Fauvel,** P. Métamorphoses et essaimages des annélides polychètes. Scientia **87** 3 1952 : 79–85.
- 267.—Fauvel, P. Sur quelques annélides polychètes d'Océanie. Bull. Mus. Hist. nat., Paris (2) 25 2 1953: 173-175.
- **268.—Fauvel**, P. Une petite collection d'Annélides Polychètes des Îles Kerguélen. Bull. Mus. Hist. nat., Paris (2) **25** 3 1953: 307–310.
- 269.—Fauvel, P. Annélides polychètes des Iles Kerguélen recueillies par M. Patrice Paulian, en 1951. Bull. Inst. océanogr. Monaco No. 1026 1953: 1–19.
- 270.—Fauvel, P. Annélides polychètes de la croissière du "Président Théodore Tissier" aux Antilles (1951). Bull. Inst. océanogr. Monaco No. 1033 1953: 1–23.
- 271.—[Fedyushin, A. V.] [To the study on Railletina (Paroniella) urogalli, parasite of Tetraonidae]. K. I. Skrjabin Anniv. Vol. 1953: 723–732 10 figs. [Russian].
- 272.—Feldmesser, J. & Taylor, A. L. A method for revealing cuticular structures of nematodes. J. Parasit. 39 4 Sect. 2 1953: 32. [Abstract].
- 273.—Fenwick, D. W., Peters, B. G. & Libbey, R. P. Effects of repeated field injections of D-D mixture against potato-root eel-worm. Ann. appl. Biol. 40 1 1953: 208-214.
- 274.—Fenwick, D. W. & Reid, E. Seasonal fluctuations in the degree of hatching from cysts of the potato root eelworm. Nature, Lond. 171 4340 1953: 47.

- 275.—Fenwick, D. W. & Reid, E. Population studies on the potato root celworm (*Heterodera rostochiensis* Woll.) J. Helminth. 27 1953: 119–128 3 figs.
- 276.—[Feoktistov, P. I.] [Destrobilization and other forms of seasonal adaptation in *Drepanidotaenia lanceolata.*] Zool. Zh., Moscow 32 1 1953: 49–52 [Russian].
- 277.—Fischer, O. Notes on the zooplankton of Israel fish ponds. Bull. Res. Counc. Israel 2 4 1953: 441-449
- 278.—Fischthal, J. H. Parasites of Northwest Wisconsin fishes. III. The 1946 survey. Trans. Wisc. Acad. Sci. 41 1952: 17–58.
- 279.—Fischthal, J. H. Parasites of Northwest Wisconsin fishes. IV. Summary and limnological relationships. Trans. Wisconsin Acad. Sci. 42 1953: 83–108.
- 280.—Fischthal, J. H. Hypocaryophyllaeus gilae n. sp. (Cestoda: Caryophyllaeidae) from the Utah Chub, Gila straria, in Wyoming. Proc. Helminth. Soc. Wash. 20 1953: 113–117 5 figs.
- 281.—Fischthal, J. H. Bialovarium nocomis n.g., n. sp. (Cestoda: Caryophyllaeidae) from the hornyhead chub, Nocomis biguttatus (Kirtland). J. Parasit. 39 4 Sect. 2 1953: 24. [Abstract].
- 282.—Fischthal, J. H. Cercaria tiogae, a new rhopalocercous form from the clam, Alasmidonia varicosa (Lamarck). J. Parasit. 39 4 Sect. 2 1953: 31. [Abstract].
- **283.—Fisher,** W. K. A new genus of bonelliid worms (Echiuroidea). J. Wash. Acad. Sci. **43** 8 1953 : 258–259 fig.
- 284.—Flores-Barroeta, L. Cestodes de vertebrados. I. Ciencia, Mex. 13 1–3 1953: 31–36 12 figs.
- 285.—Flores-Barroeta, I. & Grocott, R. G. Helmintos de la Republica de Panamá VIII. Sobre dos Trématodos del género Ochetosoma Braun, 1901. An. Esq. nac. Cienc. biol., Méx. 7 1-4 1953: 9-14 4 figs.
- 286.—Forsyth, B. A. Epidemiology studies on helminthosis of sheep in southern N.S.W. Austr. Vet. J. 29 12 1953: 349-356.

- 287.—Foulkes, R. H. Regeneration of the anterior end of Aulophorus furcatus (Naididae) with special reference to effect of X-rays. Biol. Bull. Woods Hole 105 1953: 30–86 6 figs.
- 288.—Franklin, M. A. & Ward, J. W. Echinococcus infection in Mississippi. A new record of a natural infection in dogs. J. Parasit. 39 5 1953: 574.
- 288a.—Franklin, M. A. see Ward, J. W.
  - 288b .- Fratta, I. see Mann, P. H.
- 289.—Freer, P. M. Observations on the early fate of the microfilariae of *Litomosoides carinii* (Travassos, 1919) filarial parasite of the cotton rat, after their ingestion by the vector *Bdellomyssus bacoti* (Hirst, 1913). Ann. trop. Med. Parasit. 47 1953: 13–25 2 figs.
- 290.—Fretter, V. Experiments with radioactive strontium (\*\*0Sr) on certain molluses and polychaetes. J. Mar. biol. Ass. U.K. 32 2 1953: 367–384 5 figs.
- 291.—Freytag, K. Untersuchungen über den Aufbau der Cuticula von Hirudo medicinalis L. Z. Zellforsch. 39 1 1953 : 85-93 3 figs.
- 292.—Fros, J. & Liqui Lung, M. A. V. Sheathless *Microfilaria bancrofti* and eosinophilic granulocytes. Docum. Med. geogr. trop. 5 2 1953: 116–122 5 figs.
- 293.—Furmaga, S. Spirometra janickii sp. n. (Diphyllobothriidae). Acta Parasit. polon. I 1–18 1953: 29–59 5 pls. [Polish, with English and Russian summaries].
- 294.—Furnestin, M.-L. Contribution à l'étude morphologique, biologique et systématique de Sagitta serrato-dentata Krohn des eaux atlantiqués du Maroc. Bull. Inst. océanogr. Monaco No. 1025 1953 : 1–39 11 figs.
- 295.—Furnestin, M.-L. Sur quelques chaetognathes d'Israel. Bull. Res. Counc. Israel 2 4 [Bull. Sea Fish. Res. Sta. Israel No. 6] 1953: 411–414 1 fig.
- 296.—Furr, J. W., Whitehurst, W. R. & Hansen, H. G. A study of intestinal parasites at Western State Hospital. Virginia Med. Month. 80 1953: 108-111.

- 297.—Fyfe, M. L. Land planarians from Auckland and Campbell Islands. Bull. Cape Exped. Ser. No. 12 1953: 1–20 4 pls. 3 figs.
- 298.—Fyfe, M. L. Otodistomum plunketi n. sp. a large trematode from a Lord Plunket's shark Scymnodon plunketi (Waite). Parasitology 43 1953: 187-190 3 figs.
- 299.—Gaafar, S. M. & Ackert, J. E. Studies on mineral deficient diets as factors in resistance of fowls to parasitism. Exp. Parasit. 2 2 1953: 185–208 10 figs.
- 300.—Gabe, M. Données histologiques sur la neuro-sécrétion chez quelques Sipunculiens. Bull. Lab. marit. Dinard No. 38 1953 : 3–15 l pl.
- 301.—Gadea, E. Freeliving nematodes of the high mountains of Spain. XIV. Intern. Zool. Congr. Copenhagen 1953 [1 p.].
- 302.—Gadea, E. Nematodos libres terrestres de la Serranía de Ronda. Publ. Inst. Biol. apl. Barcelona 13 1953: 129-153 l fig.
- 303.—Gadea, E. Nota sobre algunos nematodos muscicolas de Tagsut (Marruecos español). Publ. Inst. Biol. apl., Barcelona 12 1953: 123–128. [English summary].
- 304.—Galliard, H. & Berdonneau, R. Strongyloidose expérimentale chez le chien. Effets de la cortisone. Résultats du test de Thorn à l'hormone corticotrope (A.C.T.H.). Ann. Parasit. hum. comp. 28 3 1953: 163–171 3 figs.
- 305.—Galliard, H. & Chabaud, A.-G. Sur la morphologie de Wuchereria bancrofti (Cobbold) provenant du Tonkin et de Tahiti. Ann. Parasit. hum. comp. 28 3 1953: 237-239 fig.
- 306.—Galliard, H., Lapierre, J., Larivière, M. & Berdonneau, R. Test de Thorn a l'A.C.T.H. et autres épreuves du fonctionnement corticosurrénal dans des cas d'infestation par les helminthes. Ann. Parasit. hum. comp. 28 5–6 1953: 372–386.
- 307.—Galliard, H. & Lartvière, M. Recherches sur l'eosinophilie au cours de la filariose a Loa loa et de son traitement effets de l'A.C.T.H. et résultats des tests d'insuffisance sur-

- rénale. Ann. Parasit. hum. comp. 28 4 1953 : 312-320.
- 308.—Galliford, A. L. Notes on the distribution and ecology of the Rotifera and Cladocera of North Wales. Northw. Nat. N.S. 1 4 1953: 513–529 2 pls.
- 308a.—Galliford, A. L. see Lind, E. M.
  - 308b.—Gapinski, L. see Zaiman, H.
- 309.—Garson, S. & Daugherty, J. The metabolism of sulfur amino acids in *Hymenolepis diminuta*. J. Parasit. 39 4 Sect. 2 1953: 27. [Abstract].
- 310.—Gates, G. E. On the earthworms of the Arnold Arboretum, Boston. Bull. Mus. comp. Zool. Harv. 107 1953: 501-534.
- 311.—Gates, G. E. Further notes on the earthworms of the Arnold Arboretum, Boston. Breviora 15 1953: 1\_9
- 312.—Gavrilovič, S. L'infection du chien avec les cysticerques de la *Taenia hydaligena* exposés aux temperatures differentes avant l'ingestion. Arch. biol. Sci. Beograd 2 3-4 1950: 223-225.
- 312a.—Gefter, V. A. see Vasilkova,
- 313.—Gelfand, M. & Alves, W. D. Terramycin in schistosomiasis: a trial in six cases. Amer. J. Trop. Med. Hyg. 2 1 1953: 95–96.
- 314.—Gelfand, M. & Ross, W. F. I. The distribution of schistosome ova in the alimentary tract in subjects of bilharziasis. Trans. R. Soc. trop. Med. Hyg. 47 3 1953: 215-217.
- 315.—Gelfand, M. & Ross, W. F. II. The distribution of schistosome ova in the genito-urinary tract in subjects of bilharziasis. Trans. R. Soc. trop. Med. Hyg. 47 3 1953: 218–220.
- 316.—[Geller, E. R. & Babich, L. A.] [Biology of Contracaecum bidentatum (Linstow, 1899).] K. I. Skrjabin Anniv. Vol. 1953; 133–138 5 figs. [Russian].
- 317.—George, P. C. The marine plankton of the coastal waters of Calicut with observations on the hydrological conditions. J. zool. Soc. India 5 1953; 76–107 4 figs.

- 318.—[Gerbilski, V. I..] [Capacity of Ascaris migratory larvae to provoke clinical symptoms.] K. I. Skrjabin Anniv. Vol. 1953: 139–146 6 figs. [Russian].
- **319.—Gerlach**, S. A. Gastrotrichen aus dem Küstengrundwasser des Mittelmeeres. Zool. Anz. **150** 1953: 203–211 figs.
- 320.—Gerlach, S. A. Lauratonema nov. gen., Vertreter einer neuen Familie mariner Nematoden aus dem Küstengrundwasser. Zool. Anz. 151 1953: 43-52 19 figs.
- **321.**—**Gerlach**, S. A. Zur Kenntnis der Archianneliden des Mittelmeeres. Kieler Meeresforsch. **9** 1953 : 248–251 2 pls.
- 322.—Gerlach, S. A. Les nématodes marins libres des eaux souterraines littorales d'Esposende (Portugal). Vie et Milieu 4 1 1953: 83–94 5 figs.
- 323.—Gerlach, S. A. Nouveaux nématodes libres des eaux souterraines littorales françaises. Vie et Milieu 4 1 1953 : 95–110 6 figs.
- 324.—Gerlach, S. A. Nématodes marins libres des eaux souterraines littorales de Tunisie et d'Algérie. Vie et Milieu 4 2 1953 : 221-237 6 figs.
- 325.—Gerlach, S. Archianneliden von der französischen Mittelmeerküste. Vie et Milieu 4 4 1953: 745–747.
- 326.—Gerlach, S. A. Recherches sur la faune des eaux interstitielles de Madagascar. HII. Sur quelques nématodes libres des eaux souterraines littorales de Madagascar. Mém. Inst. Sci. Madagascar 8A 1953: 73–86 8 figs.
- 327.—Gerlach, S. A. Die biozönotische Gliederung der Nematodenfauna an den deutschen Küsten. Z. Morph. Ökol. Tiere 41 1953: 411–512 13 figs.
- **328.**—**Gerlach,** S. A. Die Nematodenfauna der Uferzonen und des Küstengrundwassers am Finnischen Meerbusen. Acta zool. fenn. **73** 1953: 1–32 12 figs.
  - 328a.—Gerlach, S. A. see Kinne, O.
- 329.—Gerritsen, T., Walker, A. R. P., De Meillon, B. & Yeo, R. M. Long term investigation of blood-loss

- and egg load in urinary schistosomiasis in the adult African Bantu. Trans. R. Soc. trop. Med. Hyg. **47** 2 1953: 134–140.
- 330.—[Gevondyan, S. A.] [Precipitin-reaction in vitro of the living larvae during Muelleriosis of sheep.] K. I. Skrjabin Anniv. Vol. 1953: 127–132. [Russian].
- 331.—Ghirardelli, E. Osservazioni sul determinante germinale (d.g.) e su altre formazioni citoplasmatiche nelle uova di *Spadella cephaloptera* Busch (Chaetognata). Pubbl. Staz. zool. Napoli 24 1953: 332–344 l pl.
- 332.—Ghirardelli, E. L'accoppiamento in *Spadella cephaloptera* Busch. Pubbl. Staz. zool. Napoli 24 1953: 345–354 1 fig.
- 333.—Ghirardelli, E. Appunti sulla morfologia dell' apparecchio riproduttore femminile e sulla biologia della riproduzione in *Pterosagitta draco* Krohn. Monit. zool. ital. 61 1953: 71–79 4 figs.
- 334.—Ghirardelli, E. Sul determinante germinale in "Spadella cephaloptera" Busch. R.C. Accad. Lincei (8) 14 1 1953: 150–153.
- 335.—Gibson, T. E. The effect of repeated anthelmintic treatment with phenothiazine on the faecal egg-counts of housed horses, with some observations on the life cycle of *Trichonema* spp. in the horse. J. Helminth. 27 1953: 29–40 3 tables.
- **336.—Gillet,** J. Les schistosomiasis humaines au Congo belge et au Ruanda-Urundi. Bull. Inst. colon. belge **24** 4 1953 : 1322–1334.
- 337.—[Ginetzinskaya, T. A.] [Importance of colour in sporocysts of trematodes belonging to the genus *Leucochloridium* for identification.] C.R. Acad. Sci. Moscow N.S. 38 1 1953: 177–179 fig. [Russian].
- 338.—[Ginetzinskaya, T. A.] [Helminths of migratory Charactriiformes in the Volga-delta.] K. I. Skrjabin Anniv. Vol. 1953: 147–156 fig. [Russian].
- 339.—Giuseppina, F. Ricerche sulla presenza di riboflavina in alcune specie di "Irudinei". Boll. Soc. ital. Biol. sper. 26 2 1950: 144-146.

Vermes

- 340.—[Gnedina, M. P.] [Therapy of onchocerciasis in cattle using ditrasine.] K. I. Skrjabin Anniv. Vol. 1953: 157–159. [Russian].
- **341.—Goldstein,** L. A study of the mechanism of activation and nuclear breakdown in the *Chaetopterus* egg, Biol. Bull. Woods Hole **105** 1953: 87–102 l fig.
- 342.—Gomberg, H. J. & Gould, S. E. Effect of irradiation with cobalt-60 on Trichina larvac. Science 118 3055 1953: 75-772 figs.
- 343.—González Castro, J. & Mañas Montalvo, J. Helmintiasis intestinales en poliomielitis. Estudio de 24 casos. Rev. Ibér. Parasit. 13 l 1953: 3–77. [English summary].
- 344.—Goodey, T. On two new species of nematodes associated with leaf-blotch in *Ecodia roxburghiana* an Indian evergreen tree. G. S. Thapar Commemoration Vol., Lucknow 1953: 95-102 2 pls.
- 345.—Goodey, T. On certain eelworms, including Bütschli's Tylenchus fungorum, obtained from toadstools. J. Helminth. 27 1953: 81-94 2 figs.
- 346.—Gordon, H. McL. Studies on anthelmintics for sheep: chlorinated benzenes. Austr. Vet. J. 29 6 1953: 164-167.
- 347.—Gordon, H. McL. The epidemiology of helminthosis in sheep in winter-rainfall regions of Australia. Austr. Vet. J. 29 12 1953: 337–348 12 graphs.
- 348.—Gordon, H. McL. Discussion on epidemiology, resistance and anthelminitic treatment of helminthosis of ruminants in Australia. G. S. Thapar Commemoration Volume, Lucknow 1953: 103–118.
- 348a.—Gordon, H. McL. see Stewart, D. F.
- 349.—Gordon, R. M. and Crewe, W. The deposition of the infective stage of Loa los by Chrysops silacea, and the early stages of its migration to the deeper tissues of the mammalian host. Ann. trop. Med. Parasit. 47 1953: 74–85 4 pls.
- 359.—[Gorshkov, I. P.] [Pathological changes in horse-stomach provoked by *Draschia megastoma*.] K. I.

- Skrjabin Anniv. Vol. 1953: 160-169 5 figs. [Russian].
- 351.—Gouse, P. H. L'ovogenèse chez *Phascolosoma vulgare*. C.R. Acad. Sci., Paris 236 5 1953: 528-530.
- **352.—Govaert,** J. Deoxyribonucleic acid content of the germinal vesicle of the ovocyte in *Fasciola hepatica*. Nature, Lond. **172** 4372 1953: 302–303.
- 353.—Graff, O. Bodenzoologische Untersuchungen mit besonder Berückschtigung der terrikolem Oligochaeten. Z. PflnErnähr. Düng. 61 1 1953: 72– 77.
- **354.—Graff,** O. Beitrag zur Kenntnis der deutschen Lumbricidenfauna. Zool. Anz. **151** 1953 : 25–28 l fig.
- 355.—Graff, O. Zur Berechtigung des Artnamens *Lumbricus terrestris* Linnaeus 1758. Zool. Anz. 151 1953: 324–326.
- 356.—Graham, T. W. & Holdeman, Q. L. The sting nematode Belonolaimus gracilis Steiner: a parasite on cotton and other crops in South Carolina. Phytopathology 43 8 1953: 434-439 4 figs.
- 357.—Gray, E. A. The ecology of rotifers in Cambridgeshire. J. Anim. Ecol. 22 1953: 208-216 1 fig.
- 358.—[Greze, V. N.] [Parasitic fauna of European coregonids acclimatized in Siberia.] Trud. vsesoyuz. Gidrobiol. Obshch. Mosk. 5 1953: 254-257. [Russian].
- 359.—Griffith, R. E. Preliminary survey of the parasites of fish of the Palouse area. Trans. Amer. micr. Soc. 72 1 1953: 51-57.
- 360.—Griffiths, R. B. Further observations on the penetration of mammalian skin by the cercarial of Schistosoma mansoni, with special reference to the effects of mass invasion. Ann. trop. Med. Parasit. 47 1953: 86-94 2 pls.
- **361.—[Grigoryan**, G. A.] [Clinical course of acute fascioliasis in sheep provoked by *Fasciola gigantica*.] K. I. Skrjabin Anniv. Vol. 1953: 170–175.
- 361a.—Grocott, R. G. see Caballero y C., E.

- 361b.—Grocott, R. G. see Flores-Barroeta, L.
- 362.—Grossman, T. & Sandner, H. Helminthofauna of Amphibia in the Białowieza National Park. Acta Parasit. polon. 1 1-18 1953: 346-352 [Polish, with English and Russian summaries.]
- 363.—[Gubanov, N. M.] [New subfamily of trematodes Liliatrematinae occurring in fish-eating birds.] K. I. Skrjabin Anniv. Vol. 1953: 176–183 4 figs. [Russian].
- 364.—Guevara Pozo, D. Anomalía en el aparato genital de una hembra de Ascaris lumbricoides del cerdo. Rev. ibér. Parasit. 13 3 1953: 247-257 l pl.
- 365.—Guevara Pozo, D. Obtención de huevas y larvas de *Assaris* en forma aséptica. Rev. ibér. Parasit. 13 4 1953: 333–338 l fig.
- 366.—Guilbride, P. D. L. Syngamus ierei, Physaloptera praeputialis and Platynosomum fastosum from a cat in Jamaica. Vet. Rec. 65 14 1953: 220.
- 367.—Gumble, A., Otori, Y., Ritchie, L. S. & Hunter, G. W., III. The influence of pH, temperature and light on the emergence of the cercariae of Schistosoma japonicum from Oncomelania nosophora. J. Parasit. 39 4 Sect. 2 1953: 19. [Abstract].
- 368.—[Gumenyuk, T. G.] [The helminthological fauna of cats, dogs, rats and mice of the town of Chernovitz.] K. I. Skrjabin Anniv. Vol. 1953: 184–187. [Russian].
- 369.—Gunhold, P. Drei neue Nematoden aus den Ostalpen. Zool. Anz. 150 1953: 35-38 3 figs.
  - 369a.—Gupta, S. P. see Dayal, J.
  - 369b.-Gurri, J. see Talice, R. V.
- 370.—[Gushanskaya, L. H.] [The family Desmidocercidae Cram, 1927, and its position in the nematode system.] K. I. Skrjabin Anniv. Vol. 1953: 188–204 7 figs. [Russian].
- 371.—Gustafson, P. V. The effect of freezing on encysted *Anisakis* larvae. J. Parasit. 39 6 1953: 585-588.
- 372.—[Gvozdev, E. V.] [New trematode of the gall-bladder of bat.] K. I. Skrjabin Anniv. Vol. 1953: 125–126 fig. [Russian].

- **373.—Haderlie,** E. C. Parasites of the fresh-water fishes of Northern California. Univ. Calif. Publ. Zool. **57** 1953: 303–440 33 pls. 1 map.
- 374.—Haley, A. J. & Bullock, W. L. A new species of Acanthocephala from the sunfish, *Lepomis gibbosus* (Linnaeus), with a redescription of the family Fessisentidae Van Cleave 1931. Amer. Midl. Nat. 50 1953: 202–205 4 figs.
- 375.—Halfawl, S. Microfilariasis in birds of the family Sturnidae. Bull. 200l. Soc. Egypt No. 8 1949: 13-16.
- 376.—Hallberg, C. W. Dioctophyma renale (Goeze, 1782), a study of the migration routes to the kidneys of mammals and resultant pathology. Trans. Amer. micr. Soc. 72 4 1953: 351–363 2 pls.
  - 376a.-Hamon, M. see Rose, M.
- 377.—Hansen, M. F., Oonyawongse, R. & Ackert, J. E. Rate of development, viability, vigor, and virulence of *Ascaridia galli* ova cultured respectively in air and in water. Amer. Midl. Nat. 49 3 1953: 743–750.
- 378.—Hansen, M. F., Persaud, B. R. B. & Ackert, J. E. Effects of certain anthelmintics on lumen and tissue phase larvae of Ascaridia galli (Schrank). J. Parasit. 39 4 Sect. 2 1953: 39-40. [Abstract].
- 378a.—Hansen, M. F. see Dewhirst, L. W.
- 379.—Hanson, M. L. A discussion of the trematode genus Schistorchis (family Lepocreadiidae) with descriptions of two new species from Hawaii. Pacif. sci. 7 4 1953: 447–452 2 figs.
- **380.—Harbo,** J. Simultaneous *Trichuris* and *Ascaris* infection in man. J. Parasit. **39** 6 1953: 674.
- 381.—Hargis, W. J., Jr. Monogenetic trematodes of Westhampton Lake fishes. ii. A list of species and key to the genera encountered. Virginian J. Sci. N.S. 3 3 1952; 112–115.
- 382.—Hargis, W. J., Jr. Monogenetic trematodes of Westhampton Lake fishes. iii. Part 1. Comparative morphology of the species encountered. J. Parasit. 39 1 1953: 88–103 3 pk.

- 383.—Hargis, W. J., Jr. Monogenetic trematodes of Westhampton Lake fishes. iii. Part 2. A discussion of host-specificity. Proc. helminth. Soc. Wash. 20 1953: 98-104.
- **384.—Hargis**, W. J., Jr. Chloretone as a trematode relaxer and its use in mass-collecting techniques. J. Parasit. **39** 2 1953: 224-225.
- 385.—Harley, M. B. The feeding habits of *Nereis diversicolor* (O. F. Müller). Brit. J. Anim. Behav. 1 1953: 88.
- **386.—Harrison**, J. L. Sexual behaviour of land leeches. J. Bombay nat. Hist. Soc. **51** 4 1953: 959–960 1 for.
- 387.—Hartwich, G. Gordiorhynchus freundi n. sp. (Acanthocephala, Polymorphidae) aus dem Sekretär (Sagittarius serpentarius Miller). Wiss. Z. Martin-Luther Univ. Halle-Wittemb. 2 11 1952/53: 917-919 5 figs.
- **380.—Harwood**, P. D. The use of lead arsenate mixed with phenothiazine for the removal of tapeworms from sheep and goats. Proc. helminth. Soc. Washington **20** 1953: 29–31.
- **388a.—Harwood,** P. D. see Van Volkenberg, H. L.
- **389.—Hase,** A. Merkwürdiges Massenauftreten von bodenbewohnenden Nematoden an der Oberfläche. Zool. Anz. **151** 1953: 119–126 5 figs.
- 390.—Hauenschild, C. Neue Versuche über phänotypische Geschlechtsbestimmung bei Polychäten. Naturwissenschaften 40 6 1953: 186–189 3 figs.
- 391.—Hauenschild, C. Die phänotypische Geschlechtsbestimmung bei Grubea clawata Clap. und vergleichende Beobachtungen an anderen Sylliden. Zool. Jb. (Allg. Zool.) 64 1953: 14–54 2 pls 6 figs.
- 392.—Hauser, J. Zur Rheophilie von *Planaria alpina*. Zool. Anz. 151 1953: 73-74.
- **393.—Hauser,** J. Zur Fixierung und Konservierung von Turbellarien. Mikroskopie **8** 3–4 1953 : 127–128.
- 394.—Hawking, F. The periodicity of microfilariae. iii. Transfusion of microfilariae into a clean host. Trans. R. Soc. trop. Med. Hyg. 47 1 1953: 82-83.

- 395.—Hawkins, P. A., Ray, H. N. & Mehra, K. N. Semnopithecus entellus (Himalayan Langoor) as the new definitive host of Dicroceelium dendriticum (Rudolphi, 1819). Proc. Indian Sci. Congr. 40 3 1953 : 191.
- 396.—Hayes, I. E. Nematode dermatitis in the dog caused by Rhabditis strongyloides. N. Amer. Vet. 34 8 1953: 571.
- 397.—Headlee, W. H. Further observations on the incidence and the inconstancy of laboratory findings in enterobiasis. J. Parasit. 39 4 Sect. 2 1953: 37. [Abstract].
- 397a.—Heilbrunn, L. V. see Wilson,
- 398.—Heinze, K. Bemerkungen zur Systematik der *Gordioidea*. Z. Parasitenk. 16 1 1953; 92.
- 399.—Heldt, J. H. Mercierella enigmatica Fauvel et le comblement eventual du Lac de Tunis. Notes Sta. océanogr. Salammbô No. 33 1953 : 1–7 2 pls.
- 400.—Hendricks, J. R. Passive transfer of resistance to Trichinella spiralis in mice. J. Parasit. 39 4 Sect. 2 1953: 40–41. [Abstract].
- 401.—Henry, B. W. A root rot of southern pine nursery seedlings and its control by soil fumigation. Phytopathol. 43 2 1953: 81–88.
- 402.—Herlant-Meewis, H. Contribution a l'etude de la regeneration chez les oligochetes Acolosomatidae. Ann. Soc. Roy. Zool. Belg. 84 1 1953: 117-157 2 pls.
  - 402a.—Herin, V. see Fain, A.
  - 402b.—Herin, V. see Thienpont, D.
- 403.—Herlich, H. On the migratory behavior of the larvae of Neoassaris vitulorum (Goeze, 1782) Travassos, 1927 in white mice. Proc. helminth. Soc. Wash. 20 1953: 124–126 fig.
- 404.—Herlich, H. & Porter, D. A. Prenatal infection of a calf with the nematode, Neoascaris vitulorum. J. Parasit. 39 4 Sect. 2 1953: 33–34. [Abstract].
- 405.—Herman, C. M. & Wehr, E. E. Occurrence of *Amidostomum* in Canada geese. J. Parasit. **39** 4 Sect. 2 1953: 34. [Abstract].

- 406.—Heyneman, D. Cross-immune protection against *Hymenolepis diminuta* by *H. nana* in white mice. J. Parasit. 39 4 Sect. 2 1953: 28. [Abstract].
- 407.—Heyneman, D. Auto-re-infection in white mice resulting from infection by *Hymenolepis nana*. J. Parasit. 39 4 Sect. 2 1953: 28. [Abstract].
- 408.—Hieronymi, E. Zur Entwicklung von Aelurostrongylus abstrusus (Railliet, 1898) in der Katzenlunge. Tierärztl. Umsch. 8 13–14 1953: 230– 232.
- **409.**—**Hirschmann,** H. "Systox" zur Bekämpfung von Blattälchen. Höfchen-Briefe **6** 2 1953: 1–24.
- 410.—Hirschmann, W. & Rühm, W. Milben und Fadenwärner als Symphoristen und Parasiten des Buchdruckers. Mikrokosmos 43 1 1953: 7–10 9 figs.
- 411. Hirschmann-David, O. Massenbefall von Sanguinicola—Eiern bei Barben. Wien. Tierärztl. Mschr. 40 3 1953 : 154—158. [English summary].
- 412.—Hitchcock, D. J. Incidence of gastro-intestinal parasites in some Michigan kittens. N. Amer. Vet. 34 6 1953: 428-429.
- 413.—Hoffman, G. L. Streptomyces leidynematis, n. sp. growing on two species of nematodes of the cockroach. Trans. Amer. micr. Soc. 72 4 1953: 376-378 2 figs.
- 414.—Hoffman, G. L. Scaphanocephalus expansus (Grepl.), a trematode of the osprey, in North America. J. Parasit. 39 5 1953: 568.
- 415.—Hoffman, A. Répertoire antique des espèces animales nuisibles aux cultures en France (Métropole et Départemente d'Outre-Mer) ayant présenté d'intéressantes particularités en 1950. Ann. Epiphyt. 3 1 1952 : 103-109.
- 416.—Holliman, R. B. & Leigh, W. H. Life cycle of Paramacroderoides echinus Venard, 1941, a parasite of the Florida gar, Lepisosteus platyrhincus. J. Parasit. 39 4 Sect. 2 1953: 21. [Abstract].
- 417.—Holloway, H. L., Jr. Observations on the morphology of the praesoma of Neoechinorhynchus cylindratus

- (Acanthocephala: Eoacanthocephala) J. Tenn. Acad. Sci. 28 3 1953: 181.
- 418.—Holme, N. A. The biomass of the bottom fauna in the English Channel off Plymouth. J. Mar. biol. Ass. U.K. 32 1 1953: 1-50 7 figs.
- 419.—Holmquist, C. Dendrocoelopsis spinosipenis (Kenk)—en för Sverige ny sötvattensturbellarié. Fauna och Flora 47 6 1953: 243–247 5 figs. [English summary].
- **420.**—Holt, D. C. Characters of systematic importance in the family Branchiobdellidae (Oligochaeta). Virginian J. Sci. N.S. **4** 2 1953 : 57–61.
- 421.—Homeyer, B. Eine fluoreszenzoptische Methode zur Unterscheidung lebender und toter Nematoden. XIV. Intern. Zool. Congr. Copenhagen 1953. [1 p.].
- **422.—Hora,** S. L. Mollusc control through fish farming. G. S. Thapar Commemoration Vol., Lucknow 1953: 119–132 pl.
- 422a.—Hoyem, H. M. see Thomas, E. H.
- 423.—Hrabé, S. Zur Methodik der quantitativen Bestimmung der *Hetero*dera-Zysten. Acta Acad. sci. nat. Morav. 25 1953; 449–460.
- 424.—Hsu, H. F. & Li, S. Y. Notes on fasciolopsiasis buski in China. G. S. Thapar Commemoration Volume, Lucknow, 1953: 133–138.
- 425.—Hubl, H. Die inkretorischen Zellelemente im Gehirn der Lumbriciden. Roux Arch. Entw. Mech. Organ. 146 1953: 421–432 9 figs.
- **426.—Hubl,** H: Innere Sekretion und Regeneration beim Regenwurm. Mikrokosmos **43** 2 1953: 25–28 figs.
- 427.—Hugghins, E. J. Life history of a strigeid trematode, *Hysteromorpha triloba* (Rudolphi, 1819) Lutz, 1931. J. Parasit. 39 4 Sect. 2 1953: 15–16. [Abstract].
- 427a.—Humphrey, J. M. see Doss, M. A.
- **428.**—**Hunt**, J. S. A method of preparation of whole mounts of miracidia and cercariae. J. Parasit. **39** 4 Sect. 2 1953: 24. [Abstract].
- **429.—Hunter,** G. C. Nutrition and host-helminth relationships. Nutrit. Abstrs. Rev. **23** 4 1953: 705–714.

- 429a.—Hunter, G. W., III see Ritchie, L. S.
- 430.—Hunter, W. S. & Quay, T. L. An ecological study of the helminth fauna of Macgillivray's seaside sparrow, Ammospiza maritima macgillivraii (Audubon). Amer. Midl. Nat. 50 1953: 407-413.
- 431.—Hunter, W. S. & Vernberg, W. B. Pseudospelotrema ammospizae sp. nov. (Trematoda: Microphallidae) from the seaside sparrow Ammospiza maritima macgillivraii (Audubon). J. Parasit. 39 1 1953: 84–87 fig.
- 432.—Hunter, W. S. & Vernberg, W. B. Early stages in the life cycle of the trematode, *Gynaecotyla adunca* (Linton, 1905). Trans. Amer. micr. Soc. 72 2 1953: 163-174 9 figs.
- 433.—Hutton, R. F. Cercaria reesi n. sp. a new furcocercous larva from Plymouth. J. Mar. biol. Ass. U.K. 31 3 1953: 581-585 l-fig.
- 434.—Hyman, L. H. The polyclad flatworms of the Pacific coast of North America. Bull. Amer. Mus. nat. Hist. 100 2 1953: 265–392 161 figs.
- 435.—Hyman, L. H. North American triclad Turbellaria. 14. A new, probably exotic, Dendrocoelid. Amer. Mus. Novit. No. 1629 1953: 1-64 figs.
- **436.**—**Hyman,** L. H. Some polyclad flatworms from the Galapagos Islands. Allan Hancock Pacif. Exped. **15** 2 1953: 183–210 14 figs.
- 437.—[Ibragimov, H. Z.] [Use of phenothiazine in strongyle and Parascaris infections of donkeys.] K. I. Skrjabin Anniv. Vol. 1953: 263–270. [Russian].
- 438.—[Ivanova, P. S.] [Test with fascioliasis control in sheep using periodical dehelminthization and successive changes of grazing grounds.] K. I. Skrjabin Anniv. Vol. 1953: 251–253. [Russian].
- 439.—[Ivanova, P. S., Ulyanov, P. V. & Grinberg, D. S.] [The hydatigenous cysticercosis in lambs.] Trud. gel'mint. Lab. 3 1950: 232-234. [Russian].
- 440.—[Ivashkin, V. M.] [Mecistocirriasis of cattle and measures against the disease.] Trud. gel'mint. Lab. 2 1949: 226–229. [Russian].

- 441.—[Ivashkin, V. M.] [Thelaziosis of eyes in yaks and cattle.] K. I. Skrjabin Anniv. Vol. 1953: 258–262. [Russian].
- 442.—[Ivashkina, E. E.] [Tests with phenothiazine in Parabronema infection of Canelus bactrianus.] K. I. Skrjabin Anniv. Vol. 1953: 256–257. [Russian].
  - 442a.-Ivens, V. see Levine, N. D.
- 443.—Iwančzuk, I. Examinations of children for helminthiasis and lambliasis in nurseries on the terrain of the city of Warszawa. Acta Parasit. polon. 1 1–18 1953: 133–147. [Polish, with English and Russian summaries].
- 444.—Jachowski, L. A., Jr. Transmission of nonperiodic filariasis in the South Pacific. Trop. Med. Hyg. News 2 1 1953: 5-9.
- 445.—Jägersten, G. Life cycle of Dinophilus, with special reference to the encystment and its dependence on temperature. Oikos 3 2 1953: 143–165.
- 446.—Janiszewska, J. Some Adriatic Sea fish trematodes. Zool. Polon. 6 1953: 20–48 8 figs.
- 447.—Janiszewska, J. Carpophyllaeus brachycollis n. sp. from Cyprinoid fishes. Zool. Polon. 6 1953: 57–68 6 figs.
- 448.—Jaskoski, B. J. & Egan, T. P. Age resistance of swine ascarid eggs. Trans. Amer. micr. Soc. 72 2 1953: 179–1842 figs.
- 449.—Jirovec, O. Studien über die Verbreitung und Chemotherapie der Oxyuriasis in der Tschechoslowakei. Zbl. Bakt. Abt. I. Orig. 157 7 1952: 539–546.
  - 449a .- Joe, L. K. see Siang, T. K.
- 450.—John, B. The behaviour of the nucleus during spermatogenesis in Fasciola hopatica. Quart. J. micr. Sci. 94 1 1953: 41-56 16 figs.
- 451.—Johnson, W. F. & Copsey, J. E. Opisthadena bodegensis n. sp. (Trematoda from Dillon Beach, California. Trans. Amer. micr. Soc. 72 1 1953: 78-81 9 figs.
- 452.—Johnston, T. H. & Beckwith, A. C. The life cycle of the sheep liver fluke in South Australia. Trans. roy. Soc. S. Aust. 70 1 1946: 121-126.

- 453.—Johnston, T. H. & Edmonds, S. J. Acanthocephala from Auckland and Campbell Islands. Dom. Mus. Rec. 2 2 1953: 55-61 14 figs.
- 454.—Johnston, T. H. & Mawson, P. M. Parasitic nematodes and trematodes from Campbell and Auckland Islands (Cape Expedition). Dom. Mus. Rec. 2 2 1953: 63-70 7 figs.
- 455.—Johri, L. N. A subcutaneous tumour caused by tapeworm larvae in Columba livia at Delhi. Proc. Indian Sci. Congr. 40 3 1953: 192. [Abstract].
- 456.— Johri, L. N. On the effect of hetrazan in the removal of Assaris lumbricoides from the digestive tracts of young children. Proc. Indian Sci. Congr. 40 3 1953: 192. [Abstract].
- 457.—Johri, L. N. A new avian cestode, *Thaparea magnivesicula* genus and species nova from the common fantail snipe, *Capella gallinago gallinago* Linn, from Delhi State. G. S. Thapar Commemoration Volume, Lucknow 1953: 139–142 5 figs.
- 458.—Jones, A. W. & Mayer, T. C. The chromosomes of Spirorchis magnitestis Byrd (Trematoda, Digenea). J. Tenn. Acad. Sci. 28 4 1953: 301–304 3 figs.
  - 458a .- Jones, F. E. see Smith, C. S.
- 459.—Jones, F. G. W. & Winslow, R. D. Hatching responses in root celworm (*Heterodera* spp.). Nature, Lond. 171 4350 1953: 478–479.
- 460.—Jordan, F. T. W. Intestinal infestation of turkey poults with Plagiorchis (Multiglandularis) megalorchis Rees, 1952 and an experimental study of its life-cycle. J. Helminth. 27 1953: 75–80.
- 461.—Joshi, N. V. & Kelkar, B. V. A new view about the function of the calciferous glands of earthworms. J. Univ. Bombay N.S. 21B 5 1953: 35–40.
- 462.—Joyeux, C. & Baer, J.-G. Sur quelques helminthes de la region de Gannat (Allier). Bull. mem. Soc. linn. Lyon 22 1 1953: 25–32.
- 463.—Joyeux, C. & Baer, J. G. Quelques particularités du cycle évolutif de Opisthioglyphe ranae (Fröhlich, 1791) (Trematoda: Płagiorchidae). Bull. Soc. neuchâtel. Sci. nat. (3) 76 1953: 63–86 3 figs.

- 464.—Judges, E. C. and Southward, A. J. A note on the populations in the sea-water storage tanks at the Port Erin laboratory. Rep. Mar. biol. Sta. Pt. Erin 1952 [1953] 24-27.
- 465.—[Kadenatzii, A. N.] [Opisthorchiasis of wild fox in Western Siberia.] K. I. Skrjabin Anniv. Vol. 1953: 271–272. [Russian].
- 466.—Kadis, S. The effects of inantition on the fresh-water nemertean worm, *Prostoma rubrum*. Virginian J. Sci. N.S. 2 4 1951: 314.
- 467.—Kado, Y. The Chaetognath fauna of the Inland Sea of Japan, especially on the distribution of Sagitta enflata and S. crassa. Zool. Mag. Tokyo 62 1953: 337-342 1 fig.
- 468.—Kagan, I. G. Experimental infections of rhesus monkeys with Schistosomatium douthitti (Cort). J. Parasit. 39 4 Sect. 2 1953: 16–17. [Abstract].
- 469.—Kagan, I. G. & Lee, C. L. Duration of acquired immunity of Schistosomatium douthitti infections in mice following treatment. J. Infect. Dis. 92 1 1953: 52-57.
- 470.—[Kamalov, N. G.] [A new case of Gongylonema pulchrum found in man]. K. I. Skrjabin Anniv. Vol. 1953: 273–275 fig. [Russian].
- 471.—[Kamalova, A. G.] [Differences in structure of eggs in *Taenia-rhynchus sagivatus* and *Taenia solium*]. K. I. Skrjabin Anniv. Vol. 1953: 276—283:13 figs. [Russian].
- 472.—Kämpfe, L. Untersuchungen zur Zystenbildung bei *Heterodera* schachtii Schmidt (Nematodes). Wiss. Z. Univ. Halle, Math.-nat. R. 2 6 1953: 867–902 3 pls 2 figs.
- 473.—Kant, L. Fasciolopsis buski in Saharsa District (North Bihar). Indian Med. Gaz. 88 2 1953: 68–69.
- 474.—[Karabaev, D. K.] [Changes in the composition of helminthological fauna in sheep transferred to Betpak-Dal (Central Kazakhstan).] K. I. Skrjabin Anniv. Vol. 1953: 284–287. [Russian].
- 475.—Karling, T. G. Cytocystis citellatus n. gen., n. sp., ein neuer Eukalyptorhynchien.—Typus (Turbellaria). Ark. Zool. 4 1953: 493–504 1 pl. 20 figs.

- 476.—[Karmanova, G. A. & Murtazaev, A.] [The parasitic worms of Gasella subgutturosa.] K. I. Skrjabin Anniv. Vol. 1953: 288–292. [Russian].
- 477.—[Karpovich, V. N.] [The parasitic worms of *Desmana moschata*]. K. I. Skrjabin Anniv. Vol. 1953: 293—300 5 figs. [Russian].
- 478. Kartman, L. Factors influencing infection of the mosquito with Dirofilaria immitis (Leidy, 1856). Exp. Parasit. 2 1 1953: 27–78 9 figs.
- 479.—Kartman, L. On the growth of *Dirofilaria immitis* in the mosquito. Amer. J. trop. Med. Hyg. 2 6 1953: 1062-1069 4 figs.
- **480.—Kartman,** L. On the problem of non-infective microfilariae. J. Parasit. **39** 3 1953: 296-299.
- **481.—Kartman,** L. An observation on the loss of microfilariae from the mosquito host during its infective meal. J. Parasit. **39** 5 1953: 571–572.
- **482.—Kartman,** L. Effect of feeding mosquitoes upon dogs with differential microfilaraemias. J. Parasit. **39** 5 1953: 572.
- **483.—Kartman,** L. Ingestion by mosquitoes of saline and sugar suspensions of *Dirofilaria immitis* microfilariae. J. Parasit. **39** 5 1953: 573.
- 484.—Kartman, L. A correlation of Malpighian tubule size with development of *Dirofilaria immitis* in the mosquito. J. Parasit. 39 6 1953: 671–672.
- 485.—[Kasimov, A. B.] [A review of helminths occurring in galliforme game-birds of U.S.S.R. in various geographical regions.] K. I. Skrjabin Anniv. Vol. 1953: 301–305. [Russian]
- 486.—[Kasyanov, I. S.] [The study of diagnostics and epizootology of skrjabinotrematosis of sheep.] K. I. Skrjabin Anniv. Vol. 1953: 306–312. [Russian].
- 487.—Kates, K. C. & Turner, J. H. Experimental studies on the pathogenicity of Nematodirus spathiger, a trichostrongylid parasite of sheep. Amer. J. Vet. Res. 14 50 1953: 72-81.
- 488.—Kates, K. C. & Turner, J. H. An experiment on the patho-

- genic interaction of *Haemonchus contortus* and *Nematodirus spathiger* in lambs. J. Parasit. **39** 4 Sect. 2 1953: 35. [Abstract].
- 489.—Kates, K. C. & Turner, J. H. A comparison of the pathogenicity and course of infection of two nematodes of sheep, Nematodirus spathiger and Trichostrongylus colubriformis, in pure and mixed infections. Proc, helminth. Soc. Wash. 20 1953: 117–124.
- **490.—Kaudewitz,** H. Regeneration und Hugenverdoppelung bei Planarien. Mikrokosmos **43** 8 1954: 188–189 4 figs.
- 491.—Kaw, B. L. A note on the phylogeny of Pleurogenetinae Looss, 1899. G. S. Thapar Commemoration Volume, Lucknow 1953: 143–148.
- 492.—Keith, R. K. The differentiation of the infective larvae of some common nematode parasites of cattle. Aust. J. Zool. 1 1953: 223-235 3 pls. 1 fig.
- **493.**—**Kendall,** S. B. The life-history of *Limnaea truncatula* under laboratory conditions. J. Helminth. **27** 1953: 17–28 2 figs.
- 494.—Kendall, S. B. & Parfitt, J. W. Life-history of Fasciola gigantica Cobbold 1856. Nature, Lond. 171 4365 1953: 1164–1165.
- 495.—Kenk, R. The fresh-water triclads (Turbellaria) of Alaska. Proc. U.S. nat. Mus. 103 3322 1953: 163–186 3 pls. 15 figs.
- **496.—Kennedy,** E. Y. Chlorocruoroporphyrin: a simple method of preparation. J. Mar. biol. Ass. U.K. **32** 2 1953: 365–366.
- 497.—Kershaw, W. E. The early migration rate of the infective larva of Litomosoides carinii in the cotton rat. Ann. trop. Med. Parasit. 47 1953: 68–73.
- 498.—Kershaw, W. E., Lavoipierre, M. M. J. & Chalmers, T. A. Studies on the intake of microfilariae by their insect vectors, their survival, and their effect on the survival of their vectors. I.—Dirofilaria immitis and Aēdes aegypti. Ann. trop. Med. Parasit. 47 2 1933: 207-224.

- 499.—Kershaw, W. E. et al. Studies on the epidemiology of filariasis in West Africa, with special reference to the British Cameroons and the Niger delta. IV.—The incidence Loa loa and Acanthocheilonema perstans in the rain forest; the forest fringe and the mountain grasslands of the British Cameroons with observations on the species of Chrysops and Culicoides found. Ann. trop. Med. Parasit. 47 1953; 406-425 2 pls.
- 500.—Khambata, F. S. & Bal, D. V. Three new species of the genus Otobothrium (Cestoda), from marine fishes of Bombay. Proc. Indian Sci. Congr. 40 3 1953: 191.
- 501.—Khambata, F. S. & Bal, D. V. Two new species of the genus Discobothrium (Cestoda) from the marine fishes of Bombay. Proc. Indian Sci. Congr. 40 3 1953: 192.
- 502.—Khambata, S. R. & Bhat, J. V. Bacterium oxalaticum, a new oxalate-decomposing bacterium isolated from the intestine of earthworms. Proc. Indian Acad. Sci. 38B 4 1953: 157–160 l pl.
- 503.—[Kharichkova, M. V.] [Study of the influence of the environment on development of Oesophago-stomum venulosum and O. radiatum.] K. I. Skrjabin Anniv. Vol. 1953: 733–736 4 figs. [Russian].
- 503a.—King, W. C. see Ritchie, L. S. 503b.—Kingscote, A. A. see Wu, L. Y.
- 504.—Kinne, O. & Gerlach, S. A. Ein neuer Nematode als Kommensale auf Brackwassergammariden, Gammarinema gammari n. g. n. sp. (Monhysteridae). Zool. Anz. 151 1953: 192-203 figs.
- 505.—[Kiryanova, E. S.] [Systematic review of animals of the forest zone. VIII. Vermes. 2. Nematodes, soil and plant.] Zhivotn. Mir. U.S.S.R. 4 1953: 589-598 9 figs. [Russian].
- 506.—Klekowska, Z. Recherches sur la reproduction des sangsues du genre *Erpobdella* de Blainville. Prace Łódz. Tow. Nauk (III) No. 18 1951: 1–40. [French résumé]. 6 pls.
- **507.**—[**Klesov,** M. D.] [Thelaziasis of cattle.] K. I. Skrjabin Anniv. Vol. 1953: 313–316. [Russian].

- 507a.—Klucka, A. R. see Mizelle, J. D.
- 508.—Knight, P. L. In vitro survival time of swine lungworms. Proc. Ind. Acad. Sci. 62 1953: 319.
- **509.—Knight-Jones,** E. W. Decreased discrimination during setting after prolonged planktonic life in larvae of *Spirorbis borealis* (Serpulidae). J. Mar. biol. Ass. U.K. **32** 2 1953: 337–345 2 figs.
- 510.—Knox, G. A. The intertidal ecology of Taylor's Mistake, Banks Peninsula. Trans. roy. soc. N.Z. 81 2 1953: 189–220 2 pls. 8 figs.
- 511.—[Kobulei, T.] [Contributions to the anatomy and systematics of some little known Hymenolepididae from the Soricidae.] Acta Vet. Budapest 3 4 1953: 431–438 figs. [Russian, German summary].
- 512.—[Kobulei, T. & Versheni, L.] [Beiträge zur Helminthenfauna der Soriciden Ungarns.] Acta Vet. Budapest 3 2 1953: 189-205 figs. [Russian, with German summary].
- **513.**—[**Kolesnikov**, N. M.] [Pathological and histological changes provoked by *Ornithobilharzia turkestanica* in zebu]. K. I. Skrjabin Anniv. Vol. 1953: 317–322 7 figs. [Russian].
- 514.—Komiya, Y. & Yokogawa, M. The recovering of *Paragonimus* eggs from stools of paragonimiasis patients by AMS III centrifuging technic. Jap. J. Med. Sci. & Biol. 6 2 1953: 207-211.
- 515.—Konietzko, B. Notes sur les oligochètes de Belgique. I. Eaux saumâtres du Bas-Escaut. Bull. Mus. Hist. nat. Belg. 29 43 1953: 1–14 4 figs.
- 516.—[Kopirin, A. V., Dobrikov, D. M. & Burikova, Y. N.] [Epizootology of Mülleriasis in sheep.] K. I. Skrjabin Anniv. Vol. 1953: 323–325. [Russian].
- 516a. Korsakova, G. see Zhinkin,
- **517.—Kotthof,** P. Neuere Beobachtungen über das Auftreten von Nematoden. Anz. Schädlingsk. **26** 1953: 12.
- 518.—Koutz, F. R. & Groves, H. F. Strongyloides steroralis from a dog in Ohio. J. Amer. Vet. Med. Assoc. 122 912 1953; 211-213.

- 519.—Kozloff, E. N. Collastoma pacifica sp. nov., a rhabdoccel turbellarian from the gut of *Dendrostoma* pyroides Chamberlin. J. Parasit. 39 3 1953: 336–340 l pl.
- 520.—Kozlowska, J. The helminths of the dogs in the city of Łodz. Acta Parasit. polon. 1 1-18 1953: 403-410.
- **521.—Krahnert**, R. Magenwürmer beim Huhn. Monatsh. Vet.-med. **8** 2 1953 : 33.
- 522.—Kreis, H. A. Beiträge zur Kenntnis parasitischer NIV. Wenig bekannte parasitische Nematoden aus dem Star und die Beschreibung einer neuen Art der Gattung Protospirura Seurat, 1914. Z. Parasitenk. 16 1 1953 : 36–50 3 figs.
- 523.—Kreis, H. A. Beiträge zur Kenntnis parasitischer Nematoden. XV. Eine neue Cyathostoma-Art-Cyathostoma sarcidiornis n. sp.—aus der Trachea der Höckergans—Sarcidiornis melanota. Zbl. Bakt. Abt. I. Orig. 159 5 1953: 371–377 3 figs.
- 523a.—Krogsdale, J. T. see McNeil,
- 524.—[Krotov, A. I.] [Contribution to the knowledge of Cestodes in U.S.S.R.] K. I. Skrjabin Anniv. Vol. 1953: 326–339 9 figs. [Russian].
- 525.—Kruidenier, F. J. Studies on the formation and function of mucoids in cercariae: non-virgulate Xiphidiocercariae. Amer. midl. Nat. 50 2 1953: 382–396 42 figs.
- **526.—Kruidenier,** F. J. Studies on the formation and function of mucoid glands in cercariae: opisthorchoid cercariae. J. Parasit. **39** 4 Sect. 1 1953: 385–390 l pl.
- **527. Kruidenier**, F. J. Studies on the encystation of larval digenetic trematodes. J. Parasit. **39** 4 Sect. 2 1953: 16. [Abstract].
- 528.—Kruidenier, F. J. The formation and function of mucoids in cercariae: Monostome cercariae. Trans. Amer. micr. Soc. 72 1 1953: 57-67 2 pls.
- 529. Kruidenier, F. J. Studies on muscoid secretion and function in the cercaria of *Paragoninus kellicotti* Ward.

- (Trematoda: Troglotrematidae). J. Morph. 92 1953: 531-543 21 figs.
- 530.—Krull, W. H. & Mapes, C. R. Studies on the biology of Disrocolium dendriticum (Rudolphi, 1819) Looss, 1899 (Trematoda: Dicrocoeliidae), including its relation to the intermediate host, Cionella lubrica (Müller). VIII. The cotton-tail rabbit, Syleilagus floridanus mearusi. as a defininitive host. IX. Notes on the cyst. metacercaria. and infection in the ant, Formica insea. Cornell Vet. 43 1953: 199–202, 389–410 4 figs.
- 531.—Kubiček, F. & Marvan, P. Plankton of sedimentary reservoirs belonging to the waterworks in Brno. Acta Acad. sci. nat. Morav. 25 1953; 217–256 6 figs.
- 532.—Kuhlow, F. Bau und Differentialdiagnose heimischer Diphyllobothrium-Plerocercoide, Z. Tropenmed. u. Parasit. 4 2 1953: 186–202. 9 figs. [English summary].
- 533.—Kuhlow, F. Beitrag zur Entwicklung und Systematik heimischer Diphyllobothrium-Arten. Z. Tropenmed. u. Parasit. 4 2 1953: 203–234 12 figs. [English summary].
- 534.—Kuhlow, F. Über die Entwicklung und Anatomie von Diphyllobothrium dendriticum Nitzsch 1824. Z. Parasitenk. 16 1 1953: 1–35 7 figs.
- 535.—Kuiper, J. Waarnemingen betreffende Ditylenchus radicicala (Greeff, 1872) Filipjev, 1936. Tijdschr. Plant. 59 4 1953: 143–148. [English summary].
- 536.—Kume, S. On the relation between blood sucking and the number of infective larvae of filarid worms remaining in the proboscis of mosquitoes. Oyo-Dobuts.-Zasshi 16 1951: 135–141. [Japanese, English summary].
- 537. Kuntz, R. E. Demonstration of the spreading factor in the cercanae of *Schistosome massoni*. Exper. Parasit. 2 4 1953: 397–402.
- 538.—Kuntz, R. E. Development of the cercaria of Echinoparyphinm recurratum (Linstow, 1873) Lühe, 1909, with emphasis on excretory system. G. S. Thapar Commemoration Volume. Lucknow, 1953: 149-158 2 pls.

- 539.—Kuntz, R. E., Malakatis, G. M., Lawless, D. K. & Strome, C. P. A. Medical mission to the Yemen, southwest Arabia, 1951. ii. A cursory survey of the intestinal protozoa and helminth parasites in the people of the Yemen. Amer. J. Trop. Med. Hyg. 2 1 1953: 13–19.
- 540.—[Kurashirli, B. E.] [Helminths of game-birds in Gruzia.] K. I. Skrjabin Anniv. Vol. 1953: 340–346. [Russian].
- **541.**—[**Kurtieva**, L.] [Strongyloides turkmenica nov. sp. parasite of birds in Turkmenia.] K. I. Skrjabin Anniv. Vol. 1953: 347–348 3 figs. [Russian].
  - 541a.—Kyles, P. M. see Allen, R. W.
- **542.—Lafon,** J. Recherches sur la faune aquatique littorale du Rhône à Lyon. Bull. mens. Soc. linn. Lyon **22** 2 1953: 36–46.
- 543.—Lafon, M. Recherches sur les sables côtiers de la Basse-Normandie et sur quelques conditions de leur peuplement zoologique. Ann. Inst. océanogr. Monaco N.S. 28 3 1953: 113-161.
- 544.—La Greca, M. I fenomeni di rigenerazone nei polichtei sabelliformi. Ann. Ist. Sci. Lett S. Chiara Napoli No. 4 [? 1953] 34 pp. 6 figs. 2 pls.
- 545.—La Greca, M. Osservazioni sulla diversa capacità di rigenerazione di alcuni Sabelliformi e sull'importanza degli elementi mesodermici nel processo riparativo (Annelida Polychaeta). Annu. Ist. Zool. Univ. Napoli 5 No. 6 1953: 1–9 1 pl.
  - 545a.—La Greca, M. see Bacci. G.
- **546.—Lal,** M. B. A new trematode metacercaria from the eyes of trout. Nature, Lond. **171** 4342 1953: 130–131 1 fig.
- 547.—Lang, K. Die Entwicklung des Eies von *Priapulus caudatus* Lam. und die systematische Stellung der Priapuliden. Ark. Zool. 5 1953: 321–348 10 figs.
- 548.—Lang, K. Reports of the Lund University Chile Expedition 1948-1949. 9. Echinoderida. Lunds Univ. Årssk. N.F. (2) 49 4 1953: 1-8 7 figs.
- 549. Lapierre, J. Un case d'éosinophile exceptionnellement élevée au cours d'un taeniasis à *Taenia*

- saginata. Ann. Parasit. hum. comp. 28 1-2 1953: 126.
- 550.—Larsh, J. E., Jr. A review of recent immunological studies on trichiniasis in mice. G. S. Thapar Commemoration Volume, Lucknow 1953: 159–172.
- 551.—Larsh, J. E., Jr., McKenzie, J. W., Greenberg, B. G. & Campbell, C. H. A comparison in mice of the infectivity of *Trichinella spiralis* larvae in normal saline solution and in a solution of nutrient broth and gelatin. J. Parasit. 39 4 Sect. 2 1953: 41–42. [Abstract].
- 552.—Larsh, J. E., Jr. & Race, G. J. A histopathologic study of the anterior small intestine of immunized and non-immunized mice infected with *Trichinella spiralis*. J. Parasit. 39 4 Sect. 2 1953: 40. [Abstract].
- 553.—Larter, L. N. H. & Allen, E. F. Notes on current investigations, October to December, 1952. Malay. Agric. J. 36 1 1953: 36-43.
  - 553a.-Lee C. L. see Kagan, I. G.
- **554.—Lee,** K. E. Role of earthworms in New Zealand soil. Tuatara 4 1 1951: 22-27.
- 555.—Lee, K. E. The distribution of endemic earthworms in New Zealand. Rep. 7th sci. Congr. N.Z. 1953: 100.
- 556.—Lee, K. E. A note on the earthworm fauna of the Kermadec Islands. Trans. roy. soc. N.Z. 81 1 1953: 49-51 l pl.
- 557.—Lees, E. Life-history of Gorgoderina vitelliloba (Olsson). Nature, Lond. 171 4350 1953: 485.
- 558.—Lees, E. An investigation into the method of dispersal of *Panagrellus silusiae*, with particular reference to its desiccation resistance. J. Helminth. 27 1953: 95–103.
- 559.—Lefevere, S. J. Sur la présence de l'annélide Polychète sédentaire Fabricia sabella (Ehrenberg, 1837) dans les eaux saumâtres du Port d'Ostende. Bull. Mus. Hist. nat. Belg. 29 47 1953 : 1–4 l fig.
- 560.—Lehmann, F. E. & Wahli, H. R. Histochemische und elektronemikroskopische Untersuchungen an den Cytoplasmapartiken des Keimes von Tubifex. Verh. schweiz. naturf. Ges. 133 1953: 102–103.

- **561.—Leigh,** W. H. Cercaria huttoni, sp. nov., a dermatitis-producing schistosome larva from the marine snail. Haminoea antillarum guadalupensis Sowerby. J. Parasit. **39** 6 1953: 625–629 l pl.
- 561a.—Leigh, W. H. see Holliman, R. B.
- **562.**—[**Leikina**, E. S.] [Immunodiagnostics of the early stages of ascariasis.] K. I. Skrjabin Anniv. Vol. 1953: 357–365. [Russian].
- **563.—Leiper**, R. T. Dr. Tom Goodey, O.B.E., F.R.S. Nature, London **172** 4370 1953 : 184–185.
- 564.—Lentati, G. B. Nuove ricerche sulla riproduzione pseudogamica e sul ciclo cromosomico in biotipi poliploidi di *Dugesia benazzi* (Tricladida Paludicola). Caryologia 5 2 1953: 223–236 9 figs. [English summary].
- 565.—Lentati, G. B. & Piegaja, M. I. Sulle eccezioni alla riproduzione pseudogamica in biotipi di *Dugesia benazzi* (Tricladida Paludicola). Caryologia 5 2 1953: 192–216 19 figs. [English summary].
  - 565a.-Le Roux, P. L. see Biocca, E.
- 566.—[Levashov, M. M.] [About the study of bird helminths in Russia. (Material to the knowledge of helminth-biology in U.S.S.R.)] K. I. Skrjabin Anniv. Vol. 1953: 349–356. [Russian].
- **567.—Lévi,** C. Archiannélides *Nerillidae* de la région de Roscoff. Arch. Zool. exp. gén. **90** 1953 : Notes et Rev. 64–70 3 figs.
- **568.—Levine,** N. D. & **Ivens,** V. Relation of chemical structure to activity of iodine compounds against the developmental stages of horse strongyles. Exp. Parasit. **2** 2 1953: 163–169.
- 569.—Levine, N. D. & Ivens, V. The effects of some phenothiazine derivatives and analogs on horse strongyle developmental stages in feces. J. Parasit. 39 4 Sect. 2 1953: 36–37. [Abstract].
- 570.—Lewert, R. M. & Lee, C. L. The effects of Taenia taeniaeformis and Amphimerus pseudofelineus on the liver as shown by histochemical techniques.

- J. Parasit. **39** 4 Sect. 2 1953: 24–25. [Abstracts].
- 571.—Li, S. Y. Studies on Schistosomiasis japonica in Formosa. III. The bionomics of Oncomelania formosana, a molluscan intermediate host of Schistosoma japonicum. Amer. J. Hyg. 57 1953: 30-45 7 figs.
  - 571a.—Li, S. Y. see Hsu, H. F.
- 571b.—Libbey, R. P. see Fenwick, D. W.
- 572.—Lind, E. M. & Galliford, A. L. Notes on the plankton of Oak Mere, Cheshire. Naturalist, Lond. No. 842 1952: 99–102.
- **573.—Locker,** B. Parasites of bison in northwestern U.S.A. J. Parasit. **39** 1 1953: 58-59.
- 574.—[Logachev, E. D.] [Development of egg-cells and the importance of yolk-nuclei in the cestode *Raillietina urogalli* Modeer.] C.R. Acad. Sci. Moscow N.S. 88 (1) 1953: 181–184 2 figs. [Russian].
- **575.—[Logachev,** E. D.] [The origin and tissue character of the cuticular formations in cestodes.] C.R. Acad. Sci. Moscow N.S. **89** 5 1953: 965–967. [Russian].
- 576.—[Logachev, E. D.] [Localization of timonucleic acid in the parenchyma of cestodes in connection with cell-formation.] C.R. Acad. Sci. Moscow N.S. 91 3 1953: 643-645. [Russian].
- 577.—[Logachev, E. D.] [On the structure and development of the parenchyma in growing portions of cestodes.] C.R. Acad. Sci. Moscow N.S. 93 2 1953: 381–383 3 figs. [Russian].
- 578.—Loos, C. A. Meloidogyne brevicauda, n. sp. a cause of root-knot of mature tea in Ceylon. Proc. helminth. Soc. Wash. 20 1953: 83–91 3 figs.
- 579.—López-Neyra, C. R. Las especies de *Tatria* Kowalewsky 1904 (Amabiliidae) consideradas teratologías de Hymenolepididae. G. S. Thapar Commemoration Volume, Lucknow 1953: 185–192.
- 580.—López-Neyra, C. R. Las thelaziosis oculares humanas, con un primer caso observado en España. Rev. ibér. Parasit. 13 l 1953: 79-97,

- **581.—López-Neyra,** C. R. Consideraciones sobre Acoleidae, Amabiliidae y Nematoparataeniidae. Rev. ibér. Parasit. **13** 2 1953: 119–184 4 pls.
- **582.—López-Neyra,** C. R. Determinación de verminosis intestinales caninas, fase includible de toda lucha antihidatidica. Rev. ibér. Parasit. **13** 1953: 227–246 l pl.
- 583.—López Neyra, C. R. & Arandes Adán, R. Segundo caso de dirofilariosis conjuntival humana en España. Rèv. ibér. Parasit. 13 4 1953: 323-330 l pl.
- **584.—Løvtrup**, E. Studies on planarian respiration. J. exp. Zool. **124** 1953: 427–434.
- **585.—Lownsbery,** B. F. Host preferences of the tobacco cyst nematode (*Heterodera* sp.). Phytopathology **43** 2 1953: 106–107.
- **586.—[Lukashenko,** N. P.] [Epizootology of Trichinellosis]. K. I. Skrjabin Anniv. Vol. 1953: 366–371. [Russian].
- **587.—Lull,** R. S. Triassic life of the Connecticut valley. Bull. Conn. geol. nat. Hist. Surv. No. 81 1953: 1–336 12 pls. 167 figs.
- **588.—Luttermoser,** G. W. Nocturnal emergence of *Schistosoma mansoni* cercariae from *Australorbis glabratus* by inversion of light cycle and practical application. J. Parasit. **39** 4 Sect. 4 1953: 17–18. [Abstract].
- **589.**—[Lyashenko, A. I.] [Vorobyev horizon.] C.R. Acad. Sci. Moscow N.S. **92** 1 1953: 139–142. [Russian].
- 590.—Lynsdale, J. A. On a remarkable new cestode, *Meggittina baeri* gen. et sp. nov. (Anoplocephalinae) from rodents in Southern Rhodesia. J. Helminth. 27 1953: 129–142 8 figs.
- 591.—[Lysenko, A. A.] [Control of larval stages of *Haemonchus* in sheep.] K. I. Skrjabin Anniv. Vol. 1953: 372–374. [Russian].
- 592.—[Lyubimov, M. P.] [Pygar-ginema cervi nov. sp. a parasite of Cervus (Sica) nippon hortulorum.] K. I. Skrjabin Anuv. Vol. 1953; 375–378 5 figs. [Russian].

- **593.—McBeth,** C. W. & **Bergeson,** G. B. Methods of assaying nematicides. Phytopathology **43** 5 (I) 1953: 264-267 2 figs.
- **594.—Maccagno,** T. P. Osservazioni sulla schizogenesi di alcune specie di oligocheti terricoli. Boll. Ist. Zool. Univ. Torino **3** 1952: 143–152.
- 595.—McCowen, M. C., Callender, M. E., Lawlis, J. F., Jr., & Brandt, M. C. The effects of erythromycin (Ilotycin, Lilly) against certain parasitic organisms. Amer. J. Trop. Med. Hyg. 2 2 1953: 212–218.
- 596.—Macdonald, E. M. & Scott, J. A. Experiments on immunity in the cotton rat to the filarial worm, *Litomosoides carinii*. Exp. Parasit. 2 2 1953: 174–184.
- 597.—Macdonald, E. M. & Scott, J. A. Illustration of critical phases in the development of *Litomosoides carinii*, filarial parasite of the cotton rat. J. Parasit. 39 4 Sect. 2 1953: 37. [Abstract].
- 597a.—Macdonald, E. M. see Scott, J. A.
- **598.—McFadzean,** J. A. Immunity in filariasis of experimental animals. Amer. J. Trop. Med. Hyg. **2** 1 1953: 85-94.
- **599.**—[**Machulski,** S. N.] [Helminths of Mustelidae in Buryat-Mongolian Republic]. K. I. Skrjabin Anniv. Vol. 1953: 398–405. [Russian].
- 600.—McIntosh, A. A new heterophyid trematode from a Brazilian otter. G. S. Thapar Commemoration Volume, Lucknow 1953: 209–210 fig.
- **601.**—**McIntosh**, A. New host and distribution records for the trematode genus *Braunina* Heider, 1900. J. Parasit. **39** 4 Sect. 2 1953: 31. [Abstract].
- 601a.—McIntosh, A. see Price, E. W.
- 602.—Mackerras, I. M. & Mackerras, M. J. Problems of parasitology and entomology in Australia. Aust. J. Sci. 15 6 1953: 185–189.
- 603.—Mackerras, I. M., Mackerras, M. J. & Sandars, D. F. Parasites of the bandicoot, *Isoodon obesulus*. Proc. Roy. Soc. Qd. 63 1953: 61-63 2 pls.

- 604.—Mackerras, M. J. Lizard Filaria: transmission by mosquitoes of Oswaldofilaria chlamydosauri (Breinl.). Parasitology 43 1953: 1–3.
- 605.—Mackerras, M. J. & Sandars, D. F. Two new metastrongyle lung-worms from Australian marsupials. Proc. roy. Soc. Qd. 63 1953: 71–76 3 pls. 6 figs.
- 606.—McKey-Fender, D. & MacNab, J. A. The aquatic earthworm Criodrilus lacuum Hoffmeister in North America (Oligochaeta Glossoscolecidae). Wasmann J. Biol. 11 3 1953: 373–378.
- 607.—McMullen, D. B., Hubendick, B., Pesigan, T. P. & Bierstein, P. Observations made by the World Health Organization schistosomiasis team in the Philippines. J. Parasit. 39 4 Sect. 2 1953: 17. [Abstract].
- 607a.—McMullen, D. B. see Van Volkenberg, H. L.
- 608.—McNeil, C. W. & Krogsdale, J. T. Parasites of raccoons in southwest Washington. J. Mammal. 34 1 1953: 123-124.
- 609.—McQuay, R. M., Jr. Studies on variability in the susceptibility of a North American snail, Tropicorbis havanensis, to infection with the Puerto Rican strain of Schistosoma mansoni. Trans. R. Soc. trop. Med. Hyg. 47 1 1953: 56-61.
- 610.—Macy, R. W. First report of the human intestinal fluke *Heterophyes* heterophyes from a Yemen bat, *Rhinolophus clivosus acrotis*. J. Parasit. 39 5 1953: 571.
- 611.—Macy, R. W. & Biggs, J. A. Epizootic in eastern Oregon muskrats associated with massive infection of Hymenolepis ondatrae Rider and Macy. J. Parasit. 39 5 1953: 570.
- 611a.—Macy, R. W. see Senger, C. M.
- 612.—Mai, W. F. & Lautz, W. H. Relative resistance of free and encysted larvae of the golden nematode Heterodera rostochiensis Wollenweber to D-D mixture and hot water. Proc. Helminth. Soc. Washington 20 1953: 1-7.
- 612a.—Maiphoom, C. see Sadun, E. H.

- 613.—[Makanov, P. V.] [Cytology of fecundation in Assaris megalocephala]. Bull. Acad. Sci. U.R.S.S. Biol. 1 1953: 46–58 19 figs. [Russian].
- 614.—Maldonado, J. F. & Acosta-Matienzo, J. A comparison of fecal examination procedures in the diagnosis of schistosomiasis mansoni. Exp. Parasit. 2 3 1953: 294–310.
- 615.—Maldonado, J. F. & Asenjo, C. F. The role of pteroylglutamic acid and vitamin B<sub>12</sub> on the development of Nippostrongylus muris in the rat. Exp. Parasit. 2 4 1953: 374–379.
- 616.—[Maligin, S. A.] [Treatment of pigs infected with *Strongyloides*]. K. I. Skrjabin Anniv. Vol. 1953: 387–391. [Russian].
- 617.—[Mamaskulova, Z.] [Phenothiazine-salt mixture against strongyles in horse.] K. I. Skrjabin Anniv. Vol. 1953: 432-435. [Russian].
- 618.—Mangold, O. Experimente zur Analyse des chemischen Sinns des Regenwurms. II. Versuche mit Chinin, Säuren und Süssstoffen. Zool. Jb. (Allg. Zool.) 63 1953: 501-557 4 figs.
- 619.—Mann, K. H. The life history of *Erpobdella octoculata* (Linnaeus, 1758). J. Anim. Ecol. 22 1953: 199–207 4 figs.
- **620.—Mann,** K. H. The segmentation of leeches. Biol. Rev. **28** 1 1953 : 1–15 9 figs.
- 621.—Mann, P. H. & Fratta, I. Survival of microfilariae of *Dirofilaria immitis* in rats and mice. Science 117 3027 1953: 18.
- 622.—Mann, P. H. & Fratta, I. Transplantation of adult heartworms, Dirofilaria immitis, into dogs and cats. J. Parasit. 39 2 1953: 139-144 1 fig.
- **623.—Manson-Bahr,** P. The fight against filariasis in the Pacific. Nature, Lond. **171** 4348 1953: 368–371.
- **624.**—Manter, H. W. Gyrocotyle, a peculiar parasite of the elephant fish in New Zealand. Tuatara **5** 2 1953: 49-51 1 fig.
- 625.—Manter, H. W. Two new species of Prosorhynchinae (Trematoda: Gasterostomata) from the Fiji Islands. G. S. Thapar Commemoration Volume, Lucknow 1953: 193-200 4 figs.

- 626.—Manter, H. W. & Prince, D. F. Some monogenetic trematodes of marine fishes from Fiji. Proc. helminth. Soc. Wash. 20 1953: 105-112 19 figs.
- **626a.—Mapes,** C. R. see Krull, W. H.
- **627.—Marcus**, E. Turbellaria tricladida. Explor. Parc nat. Upemba. Miss. de Witte No. 21 1953: 1-62 61 figs.
- 628.—Markell<sub>o</sub> E. K. Further observations on the anatomy of the Gorgoderid trematode *Probabitrema californiense*. Trans. Amer. micr. Soc. 72 1 1953: 68–77 9 figs.
- 629.—Markell, E. K. Nagmia floridensis n. sp., an anaporrhutine trematode from the coelom of the sting ray Amphotistius sabinus. J. Parasit. 39 1 1953: 45-51 2 pls.
- 630.—[Markov, G. S.] [On the problem of stages and generations in the development of parasites.] K. I. Skrjabin Anniv. Vol. 1953: 379–386 fg. [Russian].
- 631.—Martin, O. R. & Crehuet, R. F. Apuntes para el estudio bionomico de la Bahia de Santander. An. Asoc. exp. Progr. Cienc. 13 1 1948: 89-129.
- 632.—Martin, W. E. Redescription of Phagicola lageniformis Chandler (Trematoda: Heterophyidae) and observations on part of its life-cycle. G. S. Thapar Commemoration Volume, Lucknow 1953: 201-208 4 figs.
- 633.—Mason, J., Jr. Brachylaima dolichodirus n. sp. from a shrew, Blarina brevicauda. J. Tenn. Acad. Sci. 28 1 1953: 38–42 l pl.
- 634.—Massey, L. M., Jr. & Neal, A. L. Investigations concerning the hatching factor of the golden nematode of potatoes, *Heteroda rostochiensis* Wollenweber. J. Wash. Acad. Sci. 43 12 1953: 396–402 2 figs.
- 635.—Masui, M. Stimulation of the ventral nerve cord of the earthworm by double condenser discharge. Zool. Mag. Tokyo 62 1953: 380-384. [In Japanese].
- 636.—[Matevosyan, E. M.] [The reconstruction of the cestode system belonging to the Hymenolepidids.] K. I. Skrjabin Anniv. Vol. 1953: 392-397 2 figs. [Russian].

- 637.—Matsusaki, G. Studies on the life history of the hookworm. Part VII: On the development of Ancylostoma caninum in the abnormal host. Yokohama med. Bull. 2 3 1951: 154-160 1 pl.
- 638.—Matwiejen, M. & Zulinski, T. A case of a parasitic disease of the lower jaw in a horse provoked by Rhabditis gingivalis Stefański, 1953. Acta Parasit. polon. 1 1–18 1953: 337–343 3 pls. [Polish, with English and Russian summaries].
- 639.—Mauer, S. I., Stauber, L. A. & Grun, J. The syrian hamster, Cricetus auratus, host of Protospirura muris. J. Parasit. 39 1953: 227-228.
- 640.—Mawson, P. M. Parasitic Nematoda collected by the Australian National Antarctic Research Expedition: Heard Island and Macquarie Island, 1948–1951. Parasitology 43 1953: 291–297 19 figs.
- **641.**—**Mawson,** P. M. Some marine freeliving nematodes from the Australian coast. Trans. roy. Soc. S. Aust. **76** 1953: 34–40 11 figs.
- 641a.—Mawson, P. M. see Johnston, T. H.
  - 642.—Mazzotti, L. Conservacion de huevos de Enterobius vermicularis en la preparaciones hechas por el metodo de Graham. Rev. Inst. Salubr. Enferm. trop., Méx. 12 1-4 [1952]: 27-28 1 fig.
  - 643.—Mazzotti, L. Ensayos terapéuticos con Hetrazán en la oncocercosis equina. Rev. Inst. Salubr. Enferm. trop., Méx. 13 1 1953 : 17–21.
  - 643a.—Mazzotti, L. see Peralta-Diaz, E.
- 643b.—Mehlman, B. see Olivier, L. 643c.—Mehra, K. N. see Hawkins, P. A.
- 644.—Meleney, H. E. & Moore, D. V. Observations on immunity to superinfection with Schistosoma mansoni and S. haematobium in monkeys. J. Parasit. 39 4 Sect. 2 1953: 18. [Abstract].
- 645.—Meleney, H. E., Sandground, J. H., Moore, D. V., Most, H. & Carney, B. H. The histopathology of experimental schistosomiasis. II. Bisexual infections with S. mansoni, S. japonicum and S. haematobium. Amer. J. trop. Med. Hyg. 2 5 1953: 883-913.

- 645a.—Meleney, H. E. see Moore, D. V.
- 646.—Mendes, E. G. and Valente, D. The respiratory metabolism of tropical earthworms. Bol. Fac. Filos. Sci. S. Paulo (Zool.) No. 18 1953: 91–102 1 fig.
- 647.—Mengert, H. Nematoden und Schnecken. Z. Morph. Ökol. Tiere 41 1953: 311–349 15 figs.
  - 647a.-Menna, F. see Ricci, M.
- 648.—[Merzheevskaya, O.] [Nematodes of pit and mineral soils and their influence on agriculture.] Sborn. Nauch. Trud. Minsk 1 1950: 155—170. [Russian].
- 649.—[Merzheevskaya, O.] [New species of nematodes.] Sborn. Nauch. Trud., Minsk 2 1951: 112–120 6 figs. [Russian].
- 650.—Métiana, J. Description d'une espece nouvelle de gongyloneme, Gongylonema nitsulescui du Hérisson de Rounanie (Erinaceus europeus romanicus Barret-Hamilton 1900). Ann. Parasit. hum. comp. 28 1–2 1953: 46–59 figs.
- 650a.—Mettiyawongse, S. se Viranuvatti, V.
- 651.—Meyl, A. H. Beiträge zur Kenntnis der Nematodenfauna vulkanisch erhitzter Biotype. I. Mitteilung. Die terrikolen Nematoden im Bereich von Fumarolen auf der Insel Ischia. Z. Morph. Ökol. Tiere 42 1953: 67–116 19 figs.
- 652.—Meyl, A. H. Beiträge zur Kenntnis der Nematodenfauna vulkanisch erhitzter Biotype. II. Mitteilung. Die in Thermalgewässern der Insel Ischia vorkommenden Nematoden. Z. Morph. Ökol. Tiere 42 1953: 159–208 12 figs.
- 653.—Mezzetti, G. Osservazioni sull' anguillulosi radicale dei cereali in Italia. Ann. Sper. agrar. N.S. 7 3 1953: 743–758 2 pls. 3 figs. [English summary].
- 654.—Michajlow, W. The intraspecies relationships in the procercoid populations of *Triaenophorus lucii* (Müll.) Acta Parasit. polon. 1 1-18 1953: 1-28. [Polish, with English and Russian summaries].
- 655.—Michel, J. F. Fog fever syndrome in parasitic bronchitis. Nature, Lond. 171 4360 1953: 940.

**656.**—Michel, J. F. Phenomenon of protection in infections of *Trichostrongylus retortaeformis*. Nature, Lond. **172** 4372 1953: 312.

[1953]

- 656a.—Michel, J. F. see Taylor, E. L.
- 657.—Michon, J. Les phases de la croissance pondérale chez les Lumbricidae sans diapause. C.R. Acad. Sci. Paris 236 24 1953 : 2347–2349.
- 658.—Michon, J. Les phases du développement post-embryonnaire chez les Lumbricidae à diapause. Un cas de reversibilité. C.R. Acad. Sci. Paris 236 26 1953 : 2545–2547.
- 659.—Mifune, S. The effects of lithium chloride and low temperature on head regeneration of *Planaria*. Annot. zool. jap. 26 1953: 32-37 l fig.
- 660.—Millemann, R. E. & Read, C. P. The biology of *Oochoristica* and the status of Linstowiine cestodes. J. Parasit. 39 4 Sect. 2 1953: 29. [Abstract].
- 660a.—Millemann, R. E. see Read, C. P.
- 661.—Miller, J. H. Studies on the life history of *Posthodiplostomum minimum* (MacCallum, 1921). J. Parasit. 39 4 Sect. 2 1953: 22. [Abstract].
- 662.—Miller, M. J. Hydatid infection in Canada. Canad. Med. Assoc. J. 68 1953: 423-434.
- **663.—Miller,** W. C. Some aspects of the control of parasitic worms in horses. J. Roy. Army Vet. Corps **24** 1 1953: J-5.
- 664.—Millott, N. A remarkable association between Ophionereis reticulata (Say) and Harmothoe lunulata (delle Chiaje). Bull. mar. Sci. Gulf & Caribbean 3 2 1953: 96–99 2 figs.
- 665.—[Miretzki, O. Y.] [Control of helminth eggs by using hot air.] K. I. Skrjabin Anniv. Vol. 1953: 406-412 4 figs. [Russian].
- 666.—[Mitzkevich, V. Y.] [Application of phenothiazine in trichostrongylosis of the northern stag.]
  K. I. Skrjabin Anniv. Vol. 1953: 413-416. [Russian].
- 667.—Mizelle, J. D. A memorial to Harley Jones Van Cleave. Amer. Midl. Nat. 49 3 1953; 685–695 portrait.

- **668.**—Mizelle, J. D. & Berberian, J. A. Developmental rate of the sheep stomach worm, *Haemonchus contortus*. Proc. Ind. Acad. Sci. **62B** 1953: 320.
- 669.—Mizelle, J. D. & Klucka, A. R. Studies on Monogenetic trematodes. xiv. Dactylogyridae from Wisconsin fishes. Amer. Midl. Nat. 49 3 1953: 720–733 figs.
- 670.—Mizelle, J. D. & Webb, F. O. Studies on monogenetic trematodes. XV. Dactylogyridae from Alaska, Wisconsin, and Wyoming. Amer. Midl. Nat. 50 1 1953: 206–217 49 figs.
- 670a.—Mizelle, J. D. see Monaco, L. H.
- 671.—Moghe, M. A. & Das, E. N. On a new species of Acanthocephala of the genus Arythmorhynchus (Lühe, 1911), from India. G. S. Thapar Commemoration Volume, Lucknow 1953: 211–216 pl.
- 672.—Moment, G. B. On the way a common earthworm, *Eisenia foetida*, grows in length. J. Morph. 93 1953: 489-507 9 figs.
- 673.—Monaco, L. H. Effect of cyanide on the oxygen consumption of developing ova of *Ascaris lumbricoides* var. *suum.* Proc. Ind. Acad. Sci. 62B 1953: 323–324.
- 674.—Monaco, L. H. & Mizelle, J. D. Duplicated uteri in Ascaris lumbricoides var. suum. J. Parasit. 39 2 1953: 222.
- 675.—Moore, D. V., Thillet, C. J., Carney, D. M. & Meleney, H. E. Experimental infection of Bulinus truncatus with Schistosoma haematobium. J. Parasit. 39 2 1953: 215-221.
- 675a.—Moore, D. V. see Meleney, H. E.
- 675b.—Morgan, D. O. see Wilson, A. L.
- 676.—[Mosina, S. K.] [Study of changes in solar plexus at aneurisms of arteria mesenterica cranialis in horse.] K. I. Skrjabin Anniv. Vol. 1953: 417–421 5 figs. [Russian].
  - 676a.—Most, H. see Bueding, E.
  - 676b.-Most, H. see Meleney, H. E.
- 677.—[Mozgovoi, A. A.] [The study of phylogenetic connections and of ways in evolution of Ascaridata.] K. I. Skrjabin Anniv. Vol. 1953: 422-431. [Russian].

- 678.—Mueller, J. F. Some observations on the problem of symmetry and individuality in *Tamia pisiformis*, G. S. Thapar Commemoration Volume, Lucknow 1953: 217–222.
- 679.—Muirhead-Thomson, R. C. Inter-relations between fillarial and malarial infections in *Anopheles gambiae*. Nature, Lond. 172 1953: 352–353.
- 680.—Müller, G. Die Bisamratte in Sachsen-Anhalt als Zwischenwirt von Cestoden. Zool. Gart., Lpz. (N.F.) 19 1952: 42–43.
- 681.—Munro, W. R. Intersexuality in Asellus aquaticus L. parasitized by a larval acanthocephalan. Nature, Lond. 172 4372 1953: 313.
- **682.—Munssynski,** J. Plantas insecticidas e vermifugas no tratamenta de animais. Rev. Flora Med. **20** 1–6 1953: 27–58.
- 683.—Muntz, W. R. A. Fresh water leeches. Rep. Oundle Sch. nat. Hist. soc. 1952: 24-27 figs.
- 684.—Murphy, M. F. Ecology and helminths of the Osage wood rat, Neotoma floridana osagensis, including the description of Longistriata neotoma n. sp. (Trichostrongylidae). Amer. Midl. Nat. 48 1952: 204–218 5 figs.
- 685.—Myers, J. & Wolfgang, R. W. Lecithochivium lycodontis n. sp., trematode from the Moray eel of the New Hebrides. J. Parasit. 39 5 1953: 520-522 2 figs.
- 686.—Najarian, H. H. The life history of Echinoparyphium flexum (Linton 1892) (Dietz 1910) (Trematoda: Echinostomidae). Science 117 3047 1953: 564–565.
- 687.—Najarian, H. H. The entrance of the cercaria of Echinoparyphium flexum (Linton) Dietz, 1910, into tadpole kidneys. J. Parasit. 39 4 Sect. 2 1953: 22. [Abstract].
- **688.—Najarian,** H. H. A partially-twinned daughter redia. J. Parasit. **39** 4 Sect. 2 1953: 22–23. [Abstract].
- 688a.—Neal, A. L. see Massey, L. M., Jr.
- 689.—Neghme, A. An autochthonous focus of *Diphyllobothrium latum* in the Southern Hemisphere. G. S. Thapar Commemoration Volume, Lucknow, 1953: 223–226.

- 690.—Neiland, K. A. Helminths of northwestern mammals, Part V. Observations on cestodes of shrews with the descriptions of new species of *Liga* Weinland, 1857, and *Hymenolepis* Weinland, 1858. J. Parasit. 39 5 1953: 487–494 3 pls.
- 691.—Neiland, K. A. Lewochloridium periorisus, a new species of trematode (Leucochloridinae) from the Oregon jay, with a discussion of the application of host-parasite relationships to the taxonomy of this group. J. Parasit. 39 5 1953: 553—557 l fig.
- 692.—Neuhaus, W. Über den chemischen sinn der Miracidien von Fasciola hepatica. Z. Parasitenk. 15 6 1953: 476-490 1 fig.
- 692a.—Nevenitch, V. see Simitch, T.
- 693.—[Nevostrueva, L. S.] [Study on the life-cycle of Echinostoma miyagawi (Ishii, 1932)—a factor of echinostomiasis of fowl.] C.R. Acad. Sci. URSS N.S. 90 2 1953: 312–318. [Russian].
- 694.—[Nevostrueva, L. S.] [Echinoparyphium petrowi nov. sp., a parasite of domestic birds and its life-cycle.] K. I. Skrjabin Anniv. Vol. 1953: 436–439 fg. [Russian].
- 695.—New, D. A. T. The reproductive habits and sex-determination of the nematode *Rhabditis pellio* Bütschli, with a note on its taxonomy and nomenclature. Parasitology 43 1953: 94-101.
- 696.—Newton, W. L. The inheritance of susceptibility to infection with Schistosoma mansoni in Australorbis glabratus. Exp. Parasit. 2 3 1953: 242–257.
- **697.**—**Nicol,** J. A. C. Luminescence in polynoid worms. J. Mar. biol. Ass. U.K. **32** 1 1953: 65–84 2 pls. 24 figs.
- 697a.—Nigon, V. see Dougherty, E. C.
- 698.—Niki, I., Sone, T. & Hosoi, E. Study on the strength-duration curve of *Pheretima* nerve. Zool. Mag. Tokyo 62 1953: 253–256. [In Japanese].
- 699.—[Nikulin, T. G.] [Control of ascariasis in pig collective farm.] K. I. Skrjabin Anniv. Vol. 1953: 440–444. [Russian].

700.—[Nosik, A. F.] [Immunity in some helminthiasis.] K. I. Skrjabin Anniv. Vol. 1953: 445–451. [Russian].

[1953]

- 701.—Nyberg, W. Vitamin B<sub>12</sub> uptake by *Hymenolepis diminuta*. J. Parasit. 39 4 Sect. 2 1953: 27–28. [Abstract].
- 702.—Ogren, R. E. A contribution to the life cycle of Cosmocercoides in snails (Nematoda: Cosmocercidae). Trans. Amer. micr. Soc. 72 1 1953: 87–91 12 figs.
- 703.—Ogren, R. E. Capillaria blarinae, n. sp. (Nematoda: Trichuridae) from the esophagus of the shorttailed shrew, Blarina brevicauda (Say). J. Parasit. 39 2 1953: 135–138 l pl.
- 704.—[Okorokov, V. I.] [Acanthocephala of wild and domestic birds of Chelyabrisk Province.] K. I. Skrjabin Anniv. Vol. 1953: 458-460. [Russian].
- 705.—Oliver-González, J. Intradermal reactions to schistosome and filaria antigens in patients before and after treatment of the parasitic infections. Amer. J. trop. Med. Hyg. 2 1 1953: 79-84.
- 705a.—Oliver-González, J. see Pérez-Santiago, E.
- 706.—Olivier, L. Observations on the migration of avian schistosomes in mammals previously unexposed to cercariae. J. Parasit. 39 3 1953: 237-248 3 pls.
- 707.—Olivier, L., Brand, T. & Mehlman, B. The influence of lack of oxygen on Schistosoma mansoni cercariae and on infected Australorbis glabratus. Exp. Parasit. 2 3 1953: 258-270.
- 708.—Olivier, L. & Schneidermann, M. Acquired resistance to Schistosoma mansoni infection in laboratory animals. Amer. J. trop. Med. Hyg. 2 2 1953: 298–306.
- 709.—Olivier, L. & Weinstein, P. P. Experimental schistosome dermatitis in rabbits. J. Parasit. 39 3 1953: 280-291 3 pls.
  - 709a.—Omi, G. see Zaiman, H.
- **710.—Omodeo,** P. Cariologia dei Lumbricidae. Caryologia **4** 2 1952 : 173–275 2 pls. 27 figs.

- **711.—Omodeo,** P. Specie e razze poliploidi nei lombrichi. La Ric. Sci. Roma **23** Suppl. 1953: 43–49.
- 712.—Omodeo, P. Considerazioni sulla poliploidia nei lombrichi. Boll. Soc. ital. Biol. sperim. 29 7 1953: 1437–1439.
- 713.—Omodeo, P. Nota su alcuni lombrichi delle Alpi e considerazioni sul gen. *Helodrilus* di Hoffmeister. Mem. Mus. Civ. Stor. Nat. Verona 4 1953: 75–85.
- 714.—Omodeo, P. Oligocheti lumbricidi raccolti dal Dr. Marcuzzi sulle Dolomiti. Atti Ist. Venoto sci. lett. e art. 112 1953: 31-40.
- 715.—Onabamiro, S. D. The geographical distribution and clinical features of *Dracunculus medinensis* in South-West Nigeria. W. Afr. med. J. N.S. 1 4 1952: 159-165 2 figs. map.
- 716.—Onions, T. G. Giant larvae of the potato root eelworm, *Heterodera* rostochiensis Wollenweber. Nature, Lond. 172 4371 1953: 249–250 figs.
- 717.—Oostenbrink, M. Ditylenchus radicicola (Greeff, 1872) Filipjev, 1936, een wortelaaltje in het Nederlandse grasland. Tijdschr. Plantenz. **59** 4 1953: 149–152. [English summary].
- 718.—Oostenbrink, M. A note on Paratylenchus in the Netherlands with the description of P. goodeyi n. sp. (Nematoda, Criconematidae). Tijdschr. Plantanz. 59 5 1953: 207–216 figs.
- 719.—Osimani, J. J., Migliaro, E. F. & Abella, C. M. Etude expérimentale de l'action des ultra-sons sur la larve d'*Echinococcus granulosus* (Kyste hydatique). Ann. Parasit. hum. comp. 28 1–2 1953: 33–46 6 figs.
- 719a.—O'Sullivan, P. J. see Riek, R. F.
- 720.—Oteifa, B. A. Development of the root-knot nematode, *Meloidogyne incognita*, as affected by potassium nutrition in the host. Phytopathology 43 4 1953: 171-174 1 fig.
- 721.—[Ozerskaya, V. N.] [Study on ditrasine in mülleriasis of sheep.] K. I. Skrjabin Anniv. Vol. 1953: 452–457. [Russian].
- 722.—[Palimpsestov, M. A., Litvishko, N. T. & Kharchenko, O. N.] [Control of *Drepanidotaenia* in geese.]

- K. I. Skrjabin Anniv. Vol. 1953: 461–469 fig. [Russian].
- 723.—[Panova, L. G.] [Endeavour of complex controlling methods of sheep fascioliasis in collective farms of Tikhvin region of Leningrad Province.] K. I. Skrjabin Anniv. Vol. 1953: 483–487. [Russian].
- 724.—Pantin, C. F. A. On the name of the ground fluke Fasciola terrestris O. F. Müller, on Othelosoma symondsi Gray, and on the genus Amblyplana von Graff. J. Linn. Soc. (Zool.) 42 1953: 207-218 3 pls 1 fig.
- 725.—Papi, F. Beiträge zur Kenntnis der Macrostomiden (Turbellarien). Acta Zool. fenn. 78 1953: 1–32 50 figs.
- 726.—Papi, F. Ricerche cariologiche sui rabdoceli. II. La meiosi nella linéa germinale maschile di *Opi. tomum* pallidum O. Schm. Caryologia 5 1 1953: 123–132 1 pl. 28 figs.
- 727.—Papi, F. Note faunistiche sui Turbellari dell'Italia centrale. Monit. zool. ital. 60 1953: 1–13.
- 728.—[Paramonov, A. A.] [Ditylenchus dipsaci (Kühn, 1858) nematode of garlic.] Trav. Inst. Zool. Acad. Sci. U.R.S.S. 9 1951: 554–572 7 figs. 3 pls. [Russian].
- 729.—[Paramonov, A. A.] [Revision of superfamily Aphelenchoidea Fuchs, 1937 (Nematoda: Tylenchata).] K. I. Skrjabin Anniv. Vol. 1953: 488–496 6 figs. [Russian].
- 730.—Pardi, L. Prime esperiense sulla reasoni della planarie agli stimoli chimica nel corso della rigenerazione delle extremità cefalica. Mem. Soc. tosc. Sci. nat. 54 1947: 79–86.
- 730a.—Parfitt, J. W. see Kendall, S. B.
- 731.—Parnell, I. W., Dunn, A. M. & Mackintosh, G. M. Some observations on the helminth parasites of Scottish hill cattle. Brit. Vet. J. 109 11 1953: 456–463.
- 731a.—Parnell, I. W. see Wilson, A. L.
- 732.—Parra, B. E. Perutaenia threlkeldi n. g., n. sp. (Cestoda : Anoplocephalidae) from Lagidium peruanum. J. Parasit. 39 3 1953 : 252-255 pl.

- 733.—Parra Ormeño, B. E. Estudio de los nuevos helmintos intestinales de *Lagidium peruanum*. Publ. Hist. nat. Javier Prado (Zool.) No. 11 1953: 1–14 6 pls.
- 734.—Parra Ormeño, B. E. Phalacrocorax bougainvillii "Guaray" un nuevo huesped para Cyathostoma sphenisci Baudet. Publ. Hist. nat. Javier Prado Zool. No. 14 1953 : 1-6 l pl.
- 735.—[Parukhin, A. M. & Kupriyanova, R. A.] [Double-headed nematode Camallanus lacustris (Zoega, 1776).] K. I. Skrjabin Anniv. Vol. 1953: 497–498 fig. [Russian].
- 735a.—Patwardhan, V. N. see Venkatachalam, P. S.
- 736.—Pawlowski, L. K. Contribution à la systématiqué des sangsues du genre Erpobdella de Blainville. Prace łódz. Tow. Nauk. (III) No. 8 1948: 1–54 l pl. 9 figs.
- 737.—Peckham, R. S. & Dineen, C. F. Summer plankton of Lake Amatitlan, Guatemala. Amer. Midl. Nat. 50 1953: 377–381.
- 738.—Pellegrini, D. Alcune osservazioni sulla schistosomiasi bovina in Somalia e segnalazione del Bulinus abyssinicus nella regione del Basso Giuba. Riv. Parassit. 14 1933: 15–17.
- 739.—Penner, L. R. Experimental infections of avian hosts with *Cercaria littorinalinae* Penner, 1950. J. Parasit. 39 4 Sect. 2 1953: 20. [Abstract].
- 740.—Penner, L. R. The redbreasted merganser as a natural avian host of the causative agent of clam diggers' itch. J. Parasit. 39 4 Sect. 2 1953: 20. [Abstract].
- 741.—Penner, L. R. The biology of a marine dermatitis-producing schistosome cercaria from *Batillaria minima* (Gmelin). J. Parasit. 39 4 Sect. 2 1953: 19–20. [Abstract].
- **742.—Penner,** L. R. Another Ascaridia galli in hen's egg. J. Parasit. **39** 6 1953: 676.
- 743.—Penner, L. R., Dery, D. W. & Knuckles, J. L. Dirofilaria scapiceps from Sylvilagus floridanus in New England. J. Parasit. 39 6 1953: 676–677.
- 744.—Peralta Diaz, E. & Mazzotti, L. La atebrina en el tratamiento de las parasitosis por Hymenolepis

- nana. Rev. Inst. Salubr. Enferm. trop., Méx. 13 2 1953: 121-125.
- 745.—Pérez Fontana, V. Investigación de huevos de helmintos. Aplicada a la epidemiología de la hidatidosis. Rev. ibér. Parasit. 13 3 1953: 221–225 fig.
- 746.—Pérez-Santiago, E., Oliver-González, J. & Thillet, C. J. The effect of a cyanine dye on infections with hookworm and *Trichuris* in man. Amer. J. Trop. Med. Hyg. 2 2 1953: 307-310
- **746a.—Pérez-Vigueras,** I. see Dubois, G.
- 747.—Perry, V. G. The awl nematode, *Dolichodorus heterocephalus*, a devastating plant parasite. Proc. helminth. Soc. Wash. 20 1953: 21-27 2 figs.
- 747a.—Perry, V. G. see Swank, G., Jr.
- **748.—Pertusa,** J. J. Nota previa sobre el resultado de la investigacion de los ojos de los Planarias. An. Asoc. esp. Progr. Cienc. **7** 2 1942: 351–359 6 figs.
- 749.—Peters, B. G. Changes in potato root eelworm population with time and depth. J. Helminth. 27 1953: 113–118.
- **750.—Peters,** B. G. Vertical migration of potato root eelworm. J. Helminth. **27** 1953: 107–112.
- **751.—P[eters],** B. G. Tom Goodey, 1885–1953. J. Helminth. **27** 1953: 105–106.
- 751a.—Peters, P. G. see Fenwick, D. W.
- 752.—[Petrochenko, V. I.] [Acanthocephala of amphibians in U.S.S.R.] K. I. Skrjabin Anniv. Vol. 1953: 507–517 2 figs. [Russian].
- 753.—[Petrov, A. M.] [Mass occurrence and the control of helminths harboured by silver-foxes in fur-animal farms of U.S.S.R.] K. I. Skrjabin Anniv. Vol. 1953: 499–506. [Russian].
  - 753a.—Petrovitch, Z. see Simitch, T.
- 754.—Pettibone, M. H. A new species of polychaete worm of the family Ampharetidae from Massachusetts. J. Wash. Acad. Sci. 43 11 1953: 384–386 l fig.

- 755.—Pettibone, M. H. Some scale-bearing polychaetes of Puget Sound and adjacent waters. Seattle (Univ. of Washington Press) 1953: pp. v + 89 40 pls.
- 756.—Pettibone, M. H. Freshwater polychaetous annelid, *Manayunkia speciosa* Leidy from Lake Eric. Biol. Bull. Woods Hole 105 1953: 149–153 1 fig.
- 757.—Pieper, Sister M. B. The lifehistory and germ cell cycle of *Spirorchis* artericola (Ward, 1921). J. Parasit. 39 3 1953: 310–325 3 pls.
- 758.—Pierce, E. L. The Chaetognatha over the continental shelf of North Carolina with attention to their relation to the hydrography of the area. J. mar. Res. 12 1 1953: 75–92 4 figs.
- 759.—Pinto, A. R. Novos focos de schistosomiase vesical da Guiné Portuguesa. Ann. Inst. Med. trop., Lisbon 3 1951: 397–399 1 map. [English summary].
- **760.—Pittman,** H. A. J. Leaf matode disease in chrysanthemums. J. Dep. Agric. Vict. **50** 2 1952: 90–92 1 fig.
- 761.—Pitts, T. D. & Ball, G. H. In vitro culture of the larvae of Ascaris lumbricoides suum. J. Parasit. 39 4 Sect. 2 1953: 42. [Abstract].
- **762.**—[**Plotnikov**, N. N.] [Experimental therapy of opisthorchiasis]. K. I. Skrjabin Anniv. Vol. 1953: 518–522. [Russian].
- **763.**—[**Podyapolskaya**, V. P.] [Some problems regarding epidemiology of Ascariasis and the measures against it.] K. I. Skrjabin Anniv. Vol. 1953: 523–531. [Russian].
- 764.—Poindexter, H. A. Epidemiological survey among the Gola tribe in Liberia. Amer. J. trop. Med. Hyg. 2 1 1953: 30–38.
- 765.—[Polozhentzev, P. A.] [Contribution to the knowledge of nématodes belonging to the family Mermithidae Braun, 1883.] K. I. Skrjabin Anniv. Vol. 1953: 532–542. [Russian].
- **766.**—[**Pomryaskinskaya**, N. A.] [Parasitic worms of chickens of Mariisk Republic.] K. I. Skrjabin Anniv. Vol. 1953: 543–544 fig.

- 767.—[Popov, N. P.] [Occurrence of Tetrathyridium in fowl.] K. I. Skrjabin Anniv. Vol. 1953: 545–546. [Russian].
- 768.—Popova, K. A. [Study of methods for the control of *Dictyocaulus* in cattle.] Trud. gel' mint. Lab. 4 1950: 274–275. [Russian].
- 769.—[Popova, T. I.] [To the ecology of the nematodes belonging to the superfamily Strongyloidea Weinland, 1858.] K. I. Skrjabin Anniv. Vol. 1953: 552–557. [Russian].
- 770.—[Popova, Z. G.] [Pathological and morphological changes of the glandular part of the stomach provoked by *Tetrameres*.] K. I. Skrjabin Anniv. Vol. 1953: 549–551 4 figs. [Russian].
- 771.—Porter, A. Report of the Honorary Parasitologist for 1951. Proc. zool. Soc. Lond. 122 1952: 535– 536.
- 772.—Porter, A. Report of the Honorary Parasitologist for the year 1952. Proc. zool. Soc. Lond. 123 1953: 253–257.
- 773.—Porter, D. A. On the occurrence of tapeworms, *Moniezia expansa* and *Moniezia benedeni*, in cattle and sheep. Proc. helminth. Soc. Wash. 20 1953: 93–94.
  - 773a.—Porter, D. A. see Herlich, H.
- 773b.—Porter, D. A. see Vegors, H. H.
- 774.—[Potemkina, V. A.] [Pumpkin-seeds as anthelmintic in cases of cestode and nematode infection of cats and dogs.] K. I. Skrjabin Anniv. Vol. 1953: 558–563. [Russian].
- 775.—[Potzelueva, V. A.] [Development of Cysticercus pisiformis in rabbit]. K. I. Skrjabin Anniv. Vol. 1953: 564–566. [Russian].
- 776.—Pratt, I. & Aldrich, L. E., Jr. Megalocotyle trituba n. sp. (Trematoda: Monogenea). J. Parasit. 39 5 1953: 535-537 l pl.
  - 776a.—Pratt, I. see Burns, W. C.
- 777.—Price, D. L. A board designed for exposing larger animals to schistosomes in the laboratory. J. Parasit. 39 6 1953: 675–676.

- 778.—Price, D. L. Laboratory infection of the agouti, Dasyprocla aguti, with Schistosoma mansoni. Amer. J. trop. Med. Hyg. 2 5 1953: 926-929.
- 779.—Price, E. W. Harley Jones Van Cleave 1886–1953. Proc. helminth. Soc. Wash. 20 1953: 129.
- **780.—Price,** E. W. The fluke situation in American ruminants. J. Parasit. **39** 2 1953: 119–134.
- 781.—Price, E. W & McIntosh, A. Two new trematodes of the genus Cotylophoron Stiles and Goldberger from American sheep. G. S. Thapar Commemoration Volume, Lucknow 1953: 227–232 2 figs.
- 781a.—Prince, D. F. see Manter, H. W.
- 782.—Pujatti, D. Ospiti intermedi di Spirocerca lupi (Rudolphi, 1809) nel Sud India (Nematoda). Atti. Soc. ital. Sci. nat. 92 1 1953: 30–32.
- 783.—Pujatti, D. Ascaridia galli Schrank in Gallus domesticus L. nel Sud-India. Boll. Zool. agr. Bachic. 19 1953: 109–112.
- 784.—Pujatti, D. Forme larvali di Mesocestoides lineatus Goeze in Pitymys multiplex Fatio. Doriana 1 No. 37 1953: 1–73 figs.
- **785.—Pujatti,** D. Rara anomalia in un *Cysticercus fasciolaris* (Rudolphi, 1808). Doriana 1 No. 39 1953: 1–5 4 figs.
- 786.—Pujatti, D. Sulla posizione sistematica dello *Sparganum hamadryadis* Teodoro, 1917. Doriana 1 No. 40 1953: 1–32 figs.
- 787.—Pujatti, D. Placobdella ceylanica Harding, probabile vettore di Trypanosoma rotatorium Mayer. Doriana 1 No. 41 1953: 1–4 pl.
- 788.—Pujatti, D. Un caso di Sparganosi umana. Riv. Parassit. 14 1953: 213-217 1 fig.
- 789.—[Pukhov, V. I., Reshetnyak, V. Z. & Krivoshta, E. E.] [Material to the knowledge of immune-diagnostics for dictyocaulosis in sheep.] K. I. Skrjabin Anniv. Vol. 1953: 572–574. [Russian].
- 790.—[Pukhov, V. I., Zinichenko, I. I. & Chernobaev, N. I.] [Test with artificial immunity of lamb against Coenurosis.] K. I. Skrjabin Anniv. Vol. 1953: 567-571. [Russian].

- 791.—Pullen, E. W. The nature of the rhabdites in *Stenostomum virginianum*. Virginia J. Sci. N.S. 4 4 1953: 231.
- 792.—Rae, B. B. & Wilson, E. Rare and exotic fishes recorded in Scotland during 1952. Scot. Nat. 65 1953 [p. 148].
- 793.—Rae, K. M. Continuous planeton records: Explanation and methods, 1946–1949. Hull Bull. mar. Ecol. 3 21 1952: 135–155 5 pls.
- 794.—[Radkevich, N. A. & Malishev, K. G.] [Tests with hexylresorcine and carbocholine as controlling anthelmintics in polar fox.] K. I. Skrjabin Anniv. Vol. 1953: 582–586 4 diagms. [Russian].
- 795.—[Rakova, V. M.] [Infection of *Idus* with parasitic worms and their connection with the age of fish.] K. I. Skrjabin Anniv. Vol. 1953: 575–581. [Russian].
- 796.—Ralph, P. M. & Hurley, D. E. The settling and growth of wharf-pile fauna in Port Nicholson, Wellington, New Zealand. Zool. Publ. Vict. Univ. N.Z. No. 19 1952: 1–22 4 figs.
- 797.—Ramalingam, K. A new genus of trematode parasites from the gills of Sphyraena acutipinnis Day. Proc. Indian Sci. Congr. 40 3 1953: 188.
- 798.—Ramalingam, K. A new genus of trematode (Chauhanea) from the gills of Sphyraena acutipinnis Day. J. zool. Soc. India 5 1953: 59-63 5 figs.
- 799.—Ramalingam, K. An interesting new species of trematode from the gills of *Chorinemus lysan* (Forsk.). Proc. Indian Sci. Congr. 40 3 1953: 188.
- 800.—Ramanujachari, G. & Alwar, V. S. India pig (Sus scrofa domestica) as a host for Onchocerea sp. and Enterobius vermicularis. Indian Vet. J. 29 4 1953: 329.
- 801.—Ramanujachari, G. & Al-war, V. S. On Simondsia paradoxa Cobbold, 1864—a parasitic helminth of pigs. Indian Vet. J. 29 5 1953: 381-382 figs.
- 802.—Rao, S. R. & Hiregaudar, L. S. Schistosomiasis in elephants in Bombay State. Indian Vet. J. 30 3 1953: 241-242.

- **803.—Raski,** D. J. Methods of detecting and investigating plant parasitic nematodes. Phytopathology **43** 5 (I) 1953: 259-263.
- 804.—Raski, D. J., Allen, M. W. & Burton, V. E. Nematode on cotton. Root-knot nematode control by soil fumigation profitable in Kern County. Calif. Agric. 7 4 1953: 8, 13.
- 805.—Rasmussen, E. Asexual reproduction in *Prygospio elegans* Claparède (*Polychaeta sedentaria*). Nature, Lond. 171 365 1953 : 1161–1162 l fig.
- 806.—Rathke, B. Zur Biologie von Hexamermis albicans (Siebold). Veröff. Überseemus. Bremen 2A 3 1953: 161–210 21 figs.
- 807.—Rauf, A. Toxic effect of sheep urine on first stage larvae of Dictyocaulus filaria. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 15-16. [Abstract].
  - 807a.—Rauf, A. see Sarwar, M. M.
- 808.—Rausch, R. The taxonomic value and variability of certain structures in the cestode genus *Echinococcus* (Rud., 1801) and a review of recognized species. G. S. Thapar Commemoration Volume, Lucknow 1953: 233–246 text-figs. pl.
- 809.—Rausch, R. Studies on the helminth fauna of Alaska. XIII. Disease in the sea otter, with special reference to helminth parasites. Ecology 34 3 1953: 584–604 11 figs.
  - 809a.—Rausch, R. see Babero, B. B.
- 810.—Rawson, D. Spermatogenesis in Lumbricus terrestris L., Müll. Nature, Lond. 171 4345 1953: 264–265 4 figs.
- 810a.—Ray, H. N. see Hawkins, P. A.
  - 810b.—Rayski, C. see Wilson, A. L.
- 811.—Read, C. P. Contributions to cestode enzymology. II. Some anarobic dehydrogenases in *Hymenolepis diminuta*. Exp. Parasit. 2 4 1953: 341–347 2 figs.
- 812.—Read, C. P. & Amrein, Y. U. North American nematodes of the genus *Pharyngodon* Diesing (Oxyuridae). J. Parasit. 39 4 Sect. 1 1953: 365–370 l pl.

- 813.—Read, C. P. & Millemann, R. E. Helminth parasites in kangaroo rats. Univ. Calif. Publ. zool. 59 (3) 1953: 61-80 4 pls.
- 814.—Read, C. P. & Voge, M. The size attained by Hymenolepis diminuta in different host species. J. Parasit. 39 4 Sect. 2 1953: 25. [Abstract].
- 814a.—Read, C. P. see Milleman, R. E.
  - 814b.—Read, C. P. see Voge, M.
- 815.—Rees, G. Some parasitic worms from fishes off the coast of Iceland. i. Cestoda. Parasitology 43 1953: 4-14 20 figs.
- 816.—Rees, G. Some parasitic worms from fishes off the coast of Iceland. ii. Trematoda (Digenea). Parasitology, Cambridge 43 1953: 15–26 2 figs.
- 817.—Rees, G. Some parasitic worms from fishes off the coast of Iceland. iii. Monogenea, Nematoda, Acanthocephala. Parasitology 43 1953: 193–198.
- 818.—Rees, G. A record of some parasitic worms from whales in the Ross Sea area. Parasitology 43 1953: 27-34.
  - 818a.—Reid, E. see Fenwick, D. W.
- 819.—Reid, J. A. Transmission of filariasis. Trans. R. Soc. trop. Med. Hyg. 47 1 1953: 84.
- 820.—Reish, D. J. Description of a new species of polychaetous annelid from Gough Island. Ann. Mag. nat. Hist. (12) 6 1953: 609-612 9 figs.
- **821.**—**Reish**, D. J. Description of a new technique for rearing polychaetous annelids to sexual maturity. Science **118** 3067 1953: 363–364.
- 822.—Remane, A. Ein neues Gastrotrich aus dem Pazifik, *Turbanella palaciosi* nov. spec. Zool. Anz. 151 1953: 272–276 I fig.
- 823.—Reyes Pugnaire, M. de. Las filariasis en los territorios de la Guinea Continental Española. Rev. ibér. Parasit. 13 4 1953: 375–378.
- 824.—Reynolds, H. W. & Evans, M. M. The stylet nematode, Tylen-chorhynchus dubius, a root parasite of economic importance in the southwest. Plant Dis. Reptr. 37 11 1953: 540-544 2 figs.

- 825.—Reynoldson, T. B. Habitat of Polycelis felina (= connuts and Cremobia alpina in the British Isles. Nature, Lond. 171 4354 1953: 660.
- 826.—Rhode, E. A. Jasper, D. E.. Baker, N. F. & Douglas, J. R. The occurrence of *Rissiani* derimatitis in camle. N. Amer. Vet. 34 9 1933: 634–637.
- 827.—Ricci, M. and Menna, F. Sull azione dell'ediresortinole verso alcuni elminti intestinali. Riv. Parassit. 14 1953 : 23-28.
- 828.—Richardson, L. R. Studies on New Zealand Hirudinea. Part III. Bdellamaris eptatreti n. g., n. sp. and notes on other Piscicolidae. Trans. roy. Soc. N.Z. 81 2 1953: 283-294 12 figs.
- 829.—Richter, S., Vražić, O. & Aleraj, Z. Filotialimaza domaće guske. Vet. Arhiv 23 7-8 1953: 193-205 fig. [English & German summaries].
- 830.—Riedl, R. Quantitativ ökologische Methoden mariner Turbellarienforschung. Öst. zool. Z. 4 1953: 108–145 8 figs.
- 831.—Rick, R. F., Roberts, F. H. S. & O'Sullivan, P. J. Further observations on the epidemiology of parasitic gastro-enteritis of cattle. Austr. Vet. J. 29 5 1953: 122–128.
- 832.—Ritchie, L. S. Schistosomiasis in Formosa. Trop. Med. Hyg. News 2 2 1953: 8.
- 833.—Ritchie, L. S., Hunter, G. W., III., Pan, C., Yokogawa, M., Nagano, K., Szewczak, J. T. & Altamirano. Paresitological studies in the Far East. VIII. An epidemiological survey of the Tone River area, Japan. IX. An epidemic survey of Shikoku Island, Japan. Jap. J. med. Sci. & Biol. 6 1 1953: 33-55.
- 834.—Ritchie, L. S. & King, W. C. Observations on the reactions of the larvae of Applications continues and Applications tractilense to various drugs and chemical compounds based on in ratio tests. J. Investig. Dermat. 20 5 1953: 337–341.
- 835.—[Rizhikov, K. M. & Sudarikov, V. E.] [New rematrice parasite of Covidae in Baikal.] K. I. Sanjabin Anniv. Vol. 1958: 698-606 fig. [Russian].

- 836.—[Rizhikova, N. P.] [Bloodpicture in domestic ducks under therapy against the infection of Presocerum, K. I. Skrighbin Anniv. Vol. 1953: 607-610. [Russian].
- 837.—Roberts, F. H. S. Çigoriisatais longitoress Hammer Oribatei: Acazina an intermediate bost of Monizcia benezni Monizz Anoplocephalidae: Cestoda in Australia. Aust. J. Zool. I 1953: 289-241 1 pl
- 837a.—Roberts, F. H. S. see Rick, R. F.
- 837b.—Robin, Y. ser Thoai, N.-Van.
- 838.—Robinson, E. J., Jr. A possible molluscan host of *Hassilisia tricolor* (Trematoda: Brachylaemidae). J. Parasit. 39 1953: 228.
  - 838a.-Roche, J. M. Thoai. N.-Van.
- 839.—Roebuck, A. The stery of the root celwerms in the East Midlands. N.A.A.S. Quart. Review, London, No. 19 4953: 436-432.
- 840.—Roman, E. Erude écologique et morphologique sur les acanthoceptales et les nematodes parasites des rats de la region Livennaise. Mem. Mus. Hist. nat. Paris Zool. 2 1 1951: 49-270 2 pls. 90 figs.
- 841.—[Roman, E.] [Contribution to the parasitic fauna of Leonis gibbosis (L.) acclimatized in Danube.] C.R. Acad. Sci. URSS N.S. 89 4 1953: 765–768 2 figs. [Russian].
- 842.—Ronzhina, G. I.] [Az early diagnostics of operaturesis in sheep.] K. I. Skrjabin Anniv. Vol. 1953: 587-597 2 pls. [Russian].
- 843.—Roots, B. I. A "rare" carthworm found at Ashwell. Trans. Herts nat. Hist. Soc. 24 1 1953: 43-44.2 figs.
- 844.—Rose, M. & Harnon, M. Neuvelle note complementaire sur les Chétognathes de la Baie d'Alger. Bull. Soc. Hist. nat. Afr. N. 44 5-6 1953: 167-171.
  - 844a.—Ross, W. F. see Gelfand, M.
- 845.—Rowan, W. B. A snail intermediate host of the rabbit parasite Hamileit riterie: Trematoda: Brachylaemidae). Science 117 3047 1953: 559-560.

- 845a. Rubel, J. see Zaiman, H.
- **846.—Ruhmana,** D. Die Rädertiere. Aquar. Terrar. Z. **6** 1953 : 8–10 3 figs.
- 847.—Ruiz, J. M. Indices percarios expeniess de Setimanne norsei verificades em Neves e Mariana. Estade de Minas Gerais. Mem. Inst. Butantan 24 l 1951 : 68-67 l fig.
- 848.—Ruiz, J. M. Prepart de antigene pare intradermiterração na esquisiosomoso. Mem. Inst. Butantan 25 1 1956 : 5-16.
- 849.—Ruiz, J. M. Esquissosomosexperimental. J. Consoliu gasse passe e Grisse finas. masses animals receptives a infestação pelo Sciencemo munici. Mem. Inst. Butantan 25 0 1958 : 25– 26.
- 850.—Ruiz, J. M. & Carvalho, J. M. A. Antoniano intermediario de Santonia de como la cidade de Santos. Estado de São Paulo. Mem. Inst. Butantan 25 1 1953 : 1-2.
- 851.—[Rukhlyadev, D. P. & Rukhlyadeva, M. P.] [Commission to the study of parasing womens of the brown bear.] K. J. Sanjadin Amniv. Vol. 1968: 596-601. [Russian].
- 852.—Russell, C. R. Additions to the Rotateria of New Zealand, Part V. Trans, roy. Soc. N.Z. 81 1 1958: 78-78 2 figs.
- 853.—Russell, C. R. Some Retasteria of the Charlean Islamis. Rec. Canterbury [N.Z.] Mus. 6 3 1953: 237-244 3 fizs.
- 854.—Sachlan, M. Notes on parasites of freelmanter finites in Indonesia. Contr. Inl. Fish. Res. Sta. Bogor No. 2 1952: 1–59 text figs.
- 855.—[Sadikhov, I. A.] [Study on parasitic worms of jackal in Assarbavejan.] K. I. Sanjabin Anniv. Vol. 1958: 619-621 fig. [Russian].
- 856. [Sadorskaya, O. D.] Changes in blood-picture of Gebian infected with Ligals. K. I. Variabin Anniv. Vol. 1955.; 617-619. Russian
- 857.—Sadun, E. H. Fassisseri instit Lankesser in contral Tearland. J. Parasit. 39 4 Sect. 2 1953 : 23. [Abstract].

- 858.—Sadun, F. H. Preliminary survey of hemistic diseases in Tealland. J. Parasit. 39 4 Sect. 2 1985 : 42–43. [Abstract].
- 859.—Sadum, E. H. & Charmmarnkirch, C. Predictionary report on the Breatment of operiocchiasis with artists of the Charment of the Control of
- 860.—Sadun, E. H. & Maiphoom, C. Straigs of the entire control of the formal interest in Control Trainant Amer. J. trop. Med. Hyg. 2 6 1953: 1070–1094.
- 861.—Sadun, E. H. & Vajrasthira, S. Statis on intestinal paradicinformers in Chelbrid Province Thailand). Amer. J. trop. Med. Hyg. 2 2 1953: 286–297.
- 862.—[Safrocov, M. G.] [Parasitic worms of house in Facus Resolution] W. I. Skejabin Anniv. Vol. 1953: 696-641 5 fgs. [Russian].
- 863.— Saidov, Y. S. Revisson of the family Readoundersidae Skriabin, 1965, and the subtanily Cycloszonicae Sobolev, 1949.] K. I. Skriabin Armity. Vol. 1953: 622-635 10 figs. [Russian].
- 863a.—Samsonova, A. V. see Shleiker, E. L.
- 364.—Sandars, D. F. A sundy of Dipovinionalizationae Cossocia from Assertalizat boss. Proc. roy. Soc. Qci. 63 1982 : 65-76 2 pis.
- 864a.—Sandars, D. F. see Mack-erras, M. J.
- 865.—Sanderson, A. R. Maturation and probable gynogenesis in the liver fluke, Faxiola hepatica L. Nature, Lond. 172 4363 1953: 110–112 figs.
- 865a.—Sandground, J. H. 162 Melency, H. E.
- 865b.—Sandner, H. 102 Grossman, T.
- 865c.—Sandoval, A. C. see Treviño, A. V.
- 866.—Sarkar, H. L. On a new acanthocephalan, Pallizentis nandai sp. nov., from the fish Versit toron. Ham.). Proc. Indian Sci. Congr. 40 3 1953: 192–193. [Abstract].

- 867.—Sarmiento Bendezu, L. Identificacion de *Haemonchus contortus* en carneros nacidos en la sierra del Peru. Publ. Hist. nat. Javier Prado Zool. No. 15 1953 : 1–9 6 figs.
- 868.—Sarwar, M. M. Liver fluke (Fasciola gigantica) control in the Punjab. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 12. [Abstract].
- 869.—Sarwar, M. M. Coenurus cyst as a cause of recurrent tympanites in sheep. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 13. [Abstract].
- 870.—Sarwar, M. M. Some hitherto unrecorded nematodes domestic ruminants in Pakistan. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect.: 14. [Abstract].
- 871.—Sarwar, M. M. A new lungworm, Pneumostrong ylus ovis n. sp. from sheep in Pakistan. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 14. [Abstract].
- 872.—Sarwar, M. M. Distribution of Protostrong ylus sp. and Varestrongylus pneumonicus, lungworms of sheep and goats, in the Punjab and bionomics of their intermediate hosts. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 14–15. [Abstract].
- 873.—Sarwar, M. M. Capillaria columbae in pigeons in Pakistan. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 16. [Abstract].
- 874.—Sarwar, M. M. & Rauf, A-Incidence and bionomics of Dityocadus filaria in the Punjab. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 13–14. [Abstract].
- 874a.—Sarwar, M. M. see Abdus-salam, M.
- 874b.—Sasser, J. N. see Tarjan, A. C.
  - 874c.—Savel, J. see Cavier, R.
- 875.—[Savinov, V. A.] [Peculiarities in the development of Alaria alata in the organism of final and reservoir host.] K. I. Skrjabin Anniv. Vol. 1953: 611–616. [Russian].
- 876.—Sawada, I. On the lifehistory of the poultry cestode, Raillietina. (Raillietina) echinobothrida. Zool. Mag., Tokyo 62 1953: 202-205 3 figs. [Japanese, with English summary].

- 877.—Schad, G. A. Leptophyllum ovalis Byrd and Roudabush, a synonym of Leptophyllum tamiamiensis McIntosh. J. Parasit. 39 6 1953: 673.
- 878.—Schell, S. C. Four new species of Microtetraneres (Nematoda: Spiruroidea) from North American birds. Trans. Amer. micr. Soc. 72 3 1953: 227-236 3 pls.
- 879.—Schiller, E. L. Studies on the helminth fauna of Alaska. xiv. Some cestode parasites of the Aleutian teal (Anas crecca L.) with the description of Diorchis longiowum n. sp. Proc. helminth. Soc. Wash. 20 1953: 7-12 5 figs.
- 880.—Schiller, E. L. Studies on the helminth fauna of Alaska. xv. Some notes on the cysticercus of *Taenia polyacantha* Leuckart, 1856, from a vole (Microtus oeconomus operarius Nelson). J. Parasit. 39 3 1953: 344–347 1 pl.
- 881.—Schroeter, L. v. Ein bisher wenig beachteter Schädling im Aquarium. Aquar. Terrar. Z. 6 1953: 234–235 1 fig.
- 882.—Schuurmans Stekhoven, J. H., Jr. Epidemiological investigations with respect to the distribution of parasites, more especially nematodes among the population of the island Apipe Grande, situated in the Alto Paraná, Provincia Corrientes Repüblica Argentina. G. S. Thapar Commemoration Volume, Lucknow 1953: 251–258.
- 883.—Schwartz, E. Etude quantitative des chimiotropismes de *Planaria* [= Dugesia] lugubris O. Sch. Action d'une base, d'un acide et d'un sel minéral. C.R. Soc. Biol., Paris 147 9–10 1953: 879–882.
- 884.—Schwetz, J. On a new schistosome of wild rodents found in the Belgian Congo, Schistosoma mansoni var. rodentorum var. nov. Ann. trop. Med. Parasit. 47 2 1953: 183–186.
- 885.—Sciacchitano, I. Fauna di Romagna Collezione Zangheri Oligocheti, Irudinei, Gordii. Boll. Zool. 20 1953: 3–11.
- 886.—Scott, D. M. Experiments with the harbour seal, *Phoca vitulina*, a definitive host of a marine nematode *Porrocaecum decipiens*. J. Fish. Res. Bd. Can. 10 1953: 539-547.

- 887.—Scott, J. A. & Macdonald, E. M. Experimental filarial infections in cotton rats. Exp. Parasit. 2 2 1953: 129-140.
- 888.—Scott, J. A. & Macdonald, E. M. Recent developments in methods for maintaining and transmitting *Litemosoides carinii* in the laboratory. J. Parasit. 39 4 Sect. 2 1953: 37. [Abstract].
- 888a.—Scott, J. A. see Macdonald, E. M.
- 889.—Seitz, E. Evaluation of various methods of treatment of urinary schistosomiasis in a coastal area of Tanganyika. J. trop. Med. Hyd. 56 1 1953: 2-4.
- 890.—[Semenov, V. D.] [Influence of helminths on activity of some blood ferments in relation to the functional state of the central nervous system of the animal.] K. I. Skrjabin Anniv. Vol. 1953: 649–654. [Russian].
- 891.—[Semenova, N. E.] [Clinical observation of the early stages of ascariasis.] K. I. Skrjabin Anniv. Vol. 1953: 655-657. [Russian].
- 892.—Sengel, P. Sue l'induction d'une zone pharyngienne chez la planaire d'eau douce *Dugesia lugubris* O. Schm. Arch. Anat. micr. Morph. exp. 42 1 1953: 57-66 7 figs.
- 893.—Senger, C. M. Xiphidiotrema lockerae, gen. et sp. nov. (Trematoda: Troglotrematidae) from shrews in the Northwestern United States. J. Parasit. 39 3 1953: 341-343 1 pl.
- 894.—Senger, C. M. & Macy, R. W. A new digenetic trematode (Cephalouterina dicamptodoni n.g., n. sp., Pleurogenetinae) from the Pacific giant salamander. J. Parasit. 39 3 1953: 352–355 1 pl.
- **895.—Serra,** F. Osservazioni sull' evoluzione della cellula vitellina nel bozzolo di Planarie. P. V. Soc. tosc. Sci. nat. **54** 3 1947: 33–36.
- 896.—[Shaldibin, L. S.] [New trematodes of Insectivores.] K. I. Skrjabin Anniv. Vol. 1953: 747–755 4 figs. [Russian].
- 897.—[Shaldibina, E. S.] [Species of Oribatidae as vectors of *Moniezia* in the pastures of Gorkov Province.] K. I. Skrjabin Anniv. Vol. 1953: 740–746. [Russian].

- 898.—[Sharafutdinova, R. Sh.] [Helminths of the digestive tract of dogs in the town Tashkent.] K. I. Skrjabin Anniv. Vol. 1953: 756-757. [Russian].
- **899.—Shaver,** R. J. The effects of 10°C. and 16°C. on the viability and infectivity of *Trichinella spiralis* larvae. Proc. Ind. Acad. Sci. **62** 1953: 325–330.
- 900.—Shelswell, M. The use of serological methods in investigations of the ontogeny of parasites. Bull. Bur. biol. Res. Rutgers Univ. No. 11 1953: 3–5.
- 901.—Shelton, G. C. Re-examination of some aspects of the hydatid tapeworm Echinococcus granulosus (Batsch, 1786). N. Amer. Vet. 34 7 1953: 487-490.
- 902.—Shelton, G. C. & Bailey, W. S. Experimental infection of the chinchilla with *Hymenolepis nana* var. fraterna. J. Parasit. 39 5 1953: 533-534.
- 903.—Sher, S. A. & Allen, M. W. Revision of the genus *Pratylenchus* (Nematoda: Tylenchidae). Univ. Calif. Publ. Zool. 57 1953: 441–469 4 pls.
- 904.—Shibue, H. The life history of Cercaria takahashii, a xiphidiocercaria found in Oncomelania nosophora. Jap. med. J. 4 5 1951: 315–324 2 figs.
- 905.—Shibue, H. The first intermediate host of a frog trematode, Pleurogenes japonicus Yamaguti. Jap. J. med. Sci. & Biol. 6 2 1953: 213-220 5 figs.
- 906.—[Shigin, A. A.] [Tetrameres ardeae nov. sp., a new nematode of birds.] K. I. Skrjabin Anniv. Vol. 1953: 758-760 fig. [Russian].
- 907.—[Shikhobakova, N. P.] [Experimental study on immunity against trichinosis. iii. Immunity obtained as a result of vaccination.] K. I. Skrjabin Anniv. Vol. 1953: 761–769. [Russian].
- 908.—Shilkin, J. Internal parasites of the horse. J. Agric. W. Aust. 28 4 1951: 430-441 l fig.
  - 909.—[Shleikher, E. I. & Samsonova, A. V.] [Parasitic worms of Rhombomys opimus in Uzbekistan.] K. I. Skrjabin Anniv. Vol. 1953: 770–773. [Russian].

- 910.—Short, R. B. A new blood fluke Cardicola laruei n.g., n. sp., (Aporocotylidae) from marine fishes. J. Parasit. 39 3 1953: 304-309 l pl.
- 911.—Short, R. B. Uniparental miracidia of Schistosomatium douthitti and their progeny (Trematoda, Schistosomatidae). Amer. Midl. Nat. 48 1952: 55–68.
- 912.—[Shpolyanskaya, A. Y.] [Peculiarities in localization of some species of *Dactylogyrus*, parasite of gills in *Carassius*.] K. I. Skrjabin Anniv. Vol. 1953: 774–777 2 figs. [Russian].
- 913.—[Shpolyanskaya, A. Y.] [Influence of *Ligula* on changes occurring in leucocytes-formula for the blood of fishes.] C.R. Acad. Sci. URSS N.S. 90 2 1953: 319–320. [Russian].
- 914.—[Shulman, S. S.] [New species of monogenetic trematodes, parasites of Cyprinid fish.] K. I. Skrjabin Anniv. Vol. 1953: 778-780 3 figs. [Russian].
- 915.—[Shulman-Albova, R. E.] [New Capillaria of the White-Sea Coregonus.] K. I. Skrjabin Anniv. Vol. 1953: 781–782 fig. [Russian].
- 916.—[Shultz, R-S. & Andreeva, N. K.] [On the telamon and genital cone in trichostrongyles.] K. I. Skrjabin Anniv. Vol. 1953: 783–792 4 figs. [Russian].
- 917.—[Shumiline, Z. V.] [The study of camel dictyocaulosis.] K. I. Skrjabin Anniv. Vol. 1953: 793–800 4 diagms. [Russian].
- 918.—[Shumkina, O. B.] [Embryonic development of *Hirudo medicinalis*.] Trud. Inst. Morf. Zhiv. 8 1953: 216–279 18 pls. 4 text-figs. [In Russian].
- 919.—Siang, T. K. & Joe, L. K. Redescription of Oesophagostomum apiostomum (Willach, 1891, Raillet and Henry, 1905) from man and monkeys in Indonesia. Docum. Med. geogr. trop. 5 2 1953: 123–127 9 figs.
- 920.—Siewing, R. Morphologische Untersuchungen am "Kopf" der Pisioniden (*Pisione puzae* nov. spec., Annelida, Polychaeta). Zool. Anz. **150** 1953: 298–313 14 figs.
- 921.—Sillman, E. I. The life history of Azygia longa (Leidy, 1851) (Trematoda: Azygiidae). J. Parasit. 39 4 Sect. 2 1953: 15. [Abstract].

- 922.—Sillman, E. I. Notes on the life history of Opisthorchis tonkae Wallace and Penner, 1939 (Trematoda: Opisthorchiidae). J. Parasit. 39 4 Sect. 2 1953: 21. [Abstract].
- 923.—Sillman, E. I. Microtus pennsylvanicus pennsylvanicus, a new final host for Opisthorchis tonkae Wallace and Penner, 1939 (Trematoda: Opisthorchiidae). J. Parasit. 39 4 Sect. 2 1953: 22. [Abstract].
- 924.—Sillman, E. I. A Korean case of infestation with *Thelazia callipaeda* with notes on human thelaziasis. J. Parasit. 39 6 1953: 669–670.
- 925.—Simitch, T., Nevenitch, V. & Petrovich, Z. Citellus citellus animal du choix pour démontrer l'identité biologique entre Hymenolepis nana, de l'homme, et H. nana var. fraterna du rat. Arch. Inst. Pasteur Algér 31 1 1953: 84-90.
- 926.—Simitch, T. & Petrovitch, Z. La réinfestation de Citellus citellus par Hymenolepis nana après le sommeil hibernal, est elle possible? Arch. Inst. Pasteur Alger 31 4 1953: 397–399.
- 927.—Sinclair, L. R. & Enzie, F. D. Toluene against ascarids and bots in horses. Amer. J. Vet. Res. 14 50 1953: 49–50.
- 928.—Singh, K. S. Echinostoma thapari n. sp. from an Indian fish, Notopterus chitala (Hamilton). G. S. Thapar Commemoration Volume, Lucknow, 1953: 247-250 figs.
- 929.—Sioli, H. Limnologische Untersuchungen und Betrachtungen zur erstmaligen Entdeckung endemischer Schistosomiasis (Sch. mansoni) im Amazonasgebiet. Arch. Hydrobiol. 48 1 1953: 1–23 1 pl. 5 figs.
- 930.—Sioli, H. Schistosomiasis and limnology in the Amazon region. Amer. J. trop. Med. Hyg. 2 4 1953: 700-707 map.
- 931.—[Skalinski, E. I.] [Pathology of the spontaneous strongyloidiasis in pig.] K. I. Skrjabin Anniv. Vol. 1953: 658–668 8 figs. [Russian].
- 932.—[Skarbilovitch, T. S.] [Role of helminths in pathology of agricultural plants.] Trud. gel'mint. Lab. 3 1950: 68–73. [Russian].

- 933.—[Skarbilovitch, T. S.] [Nematode-fauna of beetroot seedlings.] Trud. Mat. zool. Acad. Sci. U.R.S.S. 9 1951: 597-601. [Russian].
- 934.—[Skarbilovitch, T. S.] [Changes in the environment as controlling measures against sugar-beet nematode.] K. I. Skrjabin Anniv. Vol. 1953: 669-675. [Russian].
- 935.—Smith, C. F., Jr. Studies on the helminth fauna of small mammals in the areas of the High Plains, Central and Southern Rockies. Abstr. doct. Diss. Univ. Neb. 1953 1953: 300–304.
- 936.—Smith, C. S., Jones, F. E. & Eyles, D. E. Three additional Tennessee cases of *Hymenolepis diminuta* infection in man. J. Tenn. Acad. Sci. 28 3 1953: 196-197.
- 937.—Smith, P. E. Host specificity of *Heterakis spumosa* Schneider, 1866 (Nematoda: Heterakidae). Proc. helminth. Soc. Wash. 20 1953: 19–21.
- 938.—Smith, P. E. Life history and host parasite relations of *Heterakis spumosa*, a nematode parasite in the colon of the rat. Amer. J. Hyg. 57 1953: 194–221 22 figs.
- 939.—Smith, P. E. Incidence of Heterakis spumosa Schneider, 1866 (Nematoda: Heterakidae) in wild rats. J. Parasit. 39 1953: 225-226.
- 940.—Smith, R. I. The distribution of the polychaete Neanthes lightin the Salinas River estuary, California, in relation to salinity, 1948–1952. Biol. Bull. Woods Hole 105 1953: 335–347 2 figs.
- 941.—Smith, R. J. An ancylid snail, Ferrissia novangliae, a first intermediate host for trematodes. J. Parasit. 39 4 Sect. 2 1953: 23. [Abstract].
- 942.—Smyth, J. D. Fertilization of the cestode Schistocephalus solidus in vitro. J. Parasit. 39 5 1953: 573–574.
- 943.—Smyth, J. D. Standardization of methyl green for specific staining of egg-shell material in a trematode. Quart. J. micr. Sci. 94 3 1953: 243–246.
- 944.—Sobolev, A. A. [Soviet helminthology in struggle against formality in phylogenesis.] Trud. gelmint. Lab. 3 1950: 36–41. [Russian].

- 945.—[Sobolev, A. A.] [Contribution to the knowledge on *Rhabditis* belonging to the superfamilies Rhabditoidea and Aphelenchoidea, parasites of insects.] K. I. Skrjabin Anniv. Vol. 1953: 676–684. [Russian].
- 946.—Soliman, K. N. Observations on the survival on pasture of preparasitic stages of *Dictyocaulus viviparus* in southern England. I. Brit. vet. J. 108 1952: 167-172.
- 947.—Soliman, K. N. Observations on the survival on pasture of preparasitic stages of *Dictyocaulus viviparus* in Southern England. II. Brit. vet. J. 108 1952: 204–214 l pl.
- 948.—Soliman, K. N. Studies on the bionomics of the preparasitic stages of *Dictyocaulus viviparus* with reference to the same in the allied species in sheep "D. filaria". Brit. vet. J. 109 9 1953: 364–381 1 pl.
- 949.—Soliman, K. N. Migration route of *Dictyocaulus viviparus* and *D. filaria* infective larvae to the lungs. J. Comp. Path. & Therap. 63 2 1953: 75-84.
- 950.—Soliman, K. N. A study of the conditions favouring the survival in vitro of the cattle lungworm, Dictyocaulus viviparus. J. Helminth. 27 1953: 169–180.
- 951.—Soltys, A. Helminthofauna of Soricidae in the Bialowieza National Park. Acta Parasit. polon. 1 1–18 1953: 353–402 figs. [Polish, with English and Russian summaries].
- 952.—Sommerville, R. I. Development of Ostertagia circumcincta in the abomasal muscosa of the sheep. Nature, Lond. 171 4350 1953: 482–483 1 fig.
- 953.—Sone, T. V-CR relation of the ventral nerve cord of the earthworm. Zool. Mag., Tokyo 62 1953: 376-379. [Japanese, with English summary].
- 954.—Sordi, M. Osservazioni intorno ad una Microcercaria. Mem. Soc. tosc. Sci. nat. 55B 1948: 134–143 2 figs.
- 955.—Sordi, M. La metacercaria di un trematode digenetico: Acanthostomum sp. Nota preliminare. Mem. Soc. tosc. Sci. nat. 57B 1950: 16-20 1 fig.

- 956.—Southward, A. J. The fauna of some sandy and muddy shores in the South of the Isle of Man. Trans. L'pool biol. Soc. 59 1953: 51-71 7 figs.
- 957.—[Spasskaya, L. P.] [New schistosomatid from the veins of Rallus aquaticus.] K. I. Skrjabin Anniv. Vol. 1953: 685–687 2 figs. [Russian].
- 958.—[Spasski, A. A.] [Metamerism of organisms and a factor of time.] C.R. Acad. Sci. URSS N.S. 79 3 1951; 549–551 fig. [Russian].
- 959.—[Spasski, A. A.] [On the grade of specificity in helminth fauna of Ondatra.] K. I. Skrjabin Anniv. Vol. 1953: 688-693 fig. [Russian].
- 960.—Spedding, C. R. W. Variation in the nematode egg content of sheep faeces from day to day. J. Helminth. 27 1953: 9–16 3 graphs.
- 961.—Spereiter, G. Die Besiedlung des "Dauerdüngsversuche Dikopshof" mit Erdnematoden und eine neue Methode zu ihrer quantitativen Isolierung. Z. Pfl. Ernähr. Düng. 61 1 1953: 48-64 9 figs.
- 962.—Spindler, L. A. Transmission of trichinae to swine through feces. J. Parasit. 39 4 Sect. 2 1953: 34. [Abstract].
- 963.—Sprent, J. F. A. Intermediate hosts in *Ascaris* infections. J. Parasit. 39 4 Sect. 2 1953: 38. [Abstract].
- 964.—Sprent, J. F. A. On the migratory behavior of the larvae of various Ascaris species in white mice. ii. Longevity of encapsulated larvae and their resistance to freezing and putrefaction. J. Infect. Dis. 92 1953: 114–117.
- 965.—Sprent, J. F. A. On the life history of Ascaris devosi and its development in the white mouse and the domestic ferret. Parasitology 42 1953: 244-258 l pl. 28 figs.
- 966.—Srivastava, D. S. Extrusion of nucleolar material in the female germ-cells of *Lumbricus terrestris* L. Nature, Lond. 170 4331 1952: 757 5 figs.
- 967.—Srivastava, D. S. Nucleolus and nucleolar extrusions in the occytes of *Lumbricus terrestris* L. Cellule 55 1952: 129–136 l pl. 1 fig.
- 968.—Srivastava, D. S. Cytological studies on the egg-cells of

- Lumbricus terrestris L. Cellule **55** 1953 : 185–200 1 pl.
- 969.—Stammer, H.-J. Fortpflanzung und Artbildung bei freilebenden und insektenparasitischen Nematoden. Verh. dtsch. zool. Ges. 1951 1952: 433–438.
- 970.—Standen, O. D. The relationship of sex in Schistosoma mansoni to migration within the hepatic portal system of experimentally infected mice. Ann. trop. Med. Parasit. 47 1953: 139–145.
- 971.—Staniland, L. N. & Stone, L. E. W. Chlorphenol and related compounds as nematicides. J. Helminth. 27 1953; 41-74 5 figs.
- 972.—Stefánski, W. Rhabditis gingivalis sp. n. parasite trouvé dans an granulome de la gencive chez un cheval. Acta Parasit. polon. 1 1–18 1953: 329–336 I fig. [French, with Polish and Russian summaries].
- 973.—Stefánski, W. & Tarczyński, S. Sur le développement de l'Agamodistomum suis Duncker, 1881. Acta Parasit. polon. 1 1–18 1953: 149–158 2 figs. [French, with Polish and Russian summaries].
- 974.—Steiner, G. Changes in basic concepts in plant nematology. Plant Dis. Reptr. 37 4 1953: 203-205.
- 975.—Stewart, D. F. Studies on resistance of sheep to infestation with Haemonchus contortus and Trichostrongylus spp. and on the immunological reactions of sheep exposed to infestation. v. The nature of the "self-cure" phenomenon. Austr. J. Agric. Res. 4 1 1953: 100-117.
- 976.—Stewart, D. F. & Gordon, H. McL. Studies on resistance of sheep to infestation with Haemonchus contortus and Trichostrongylus spp. and on the immunological reactions of sheep exposed to infestation. vi. The influence of age and nutrition on resistance to Trichostrongylus colubriformis. Austral. J Agric. Res. 4 3 1953: 340–348.
- **977.—Stewart,** I. E. Helminths in history. Sci. Mon., N.Y. **72** 6 1951: 345–352 figs.
- 978.—Stirewalt, M. A. Penetration of definitive host skin by cercariae of Schistosoma mansoni. J. Parasit. 39 4 Sect. 2 1953: 18. [Abstract].

- 979.—Stirewalt, M. A. The influence of previous infection of mice with Schistosoma mansoni on a challenging infection with the homologous parasite. Amer. J. Trop. Med. Hyg. 2 5 1953: 867–882.
- 980.—Stirewalt, M. A. & Evans, A. S. An unsuccessful attempt to protect mice against Schistosoma mansoni by transfer of immune rat serum. Proc. helminth. Soc. Wash. 20 1953: 15–19.
- 980a.—Stitnimankarn, T. see Veranuvatti, V.
- 981.—Stoll, N. R. Continued infectivity for Japanese beetle grubs of Neoaplectana glaseri (Nematoda) after seven years axenic culture. G. S. Thapar Commemoration Volume, Lucknow, 1953: 259–267.
- 982.—Stoll, N. R. Axenic cultivation of the parasitic nematode, Neoaplectana glaseri, in a fluid medium containing raw liver extract. J. Parasit. 39 4 Sect. 1 1953: 422-444 7 figs.
- 983.—Stoll, N. R. Infectivity for Japanese beetle grubs retained by Neoaplectana glaseri after seven years axenic culture. J. Parasit. 39 4 Sect. 2 1953: 33. [Abstract].
- 984.—Stone, L. E. W. Observations on the occurrence to the eelworm, *Pratylenchus pratensis* Filipjev, in delphinium roots. Ann. appl. Biol. 40 4 1953: 742–749 l pl. 1 fig.
- 984a.—Stone, L. E. W. see Staniland, L. N.
- 985.—Stough, B. D. A new lungworm parasite from the bobcat, *Lynx rufus rufus*. J. Tenn. Acad. Sci. 28 3 1953: 189.
- 986.—Stout, V. M. A note on the occurrence in New Zealand of Mesostoma ehrenbergii (Focke) Schmidt, 1848 (Turbellaria, Rhabdocoela). Trans. roy. Soc. N.Z. 81 2 1953: 295–301 6 figs.
- 987.—Strenzke, K. Zuckmücken als Zwischenwirte für Saugwürmer. Mikrokosmos 42 8 1953: 169-174 10 figs.
- 988.—Stunkard, H. W. Life histories and systematics of parasitic worms. Syst. Zool. 2 1953: 7–18.
- 989.—Stunkard, H. W. Natural hosts of *Microphallus limuli* Stunkard, 1951. J. Parasit. 39 2 1953: 225.

- 990.—Stunkard, H. W. Raillietina demerariensis (Cestoda), from Proechimys cayennensis trinitatus of Venezuela. J. Parasit. 39 1953: 272–279 figs.
- 990a.—Sudarikov, V. E. see Rizhikov, K. M.
- 991.—Sudzuki, M. On Japanese fresh-water nemerteans. Zool. Mag., Tokyo 62 1953: 212–219 3 figs. [Japanese, with English summary].
- 992.—Supperer, R. Capillaria böhmi spec. nov., eine neue Haarwurmart aus den Stirnhöhlen des Fuchses. Z. Parasitenk. 16 1 1953: 51–55 2 figs.
- 993.—Supperer, R. Filariosen der Pferde in Österreich. Wien, tierärztl. Mschr. 40 4 1953 : 193–220 14 figs. [English summary].
- 993a.—Supperer, R. see Böhm, L. K.
- 994.—[Svadzhyan, P. K.] [Infection of land-snails in Armenia with larval stages of *Dicrocoelium lanceatum*, and the factors influencing the discharge of the accumulated cysts.] K. I. Skrjabin Anniv. Vol. 1953: 642–648 fig. [Russian].
- 995.—Swank, G., Jr., & Perry, V. G. Control of disease in celery seedbeds with methyl bromide. Univ. Florida Agric. Exp. Stat., Circ. No. 5–55 1953: 8 pp. 4 figs.
- 996.—Sweatman, G. K. Distribution and incidence of *Echinococcus granulosus* in man and other animals with special reference to Canada. Canad. J. publ. Hlth. 43 11 1952: 480-486 2 figs.
- 997.—Talice, R. V. & Gurri, J. Sobre biología de Taenia echinococcus. Arch. Soc. Biol. Montevideo 20 1–3 1953: 61–64. [English summary].
- 997a.—Tansurat, P. see Viranuvatti, V.
- 998.—Tarazona Vilas, J. M. Sobre unas microfilarias halladas en un Ctenocephalus canis (Curtis 1876). Rev. ibér. Parasit. 13 4 1953: 363-374 4 figs.
- 998a.—Tarczyński, S. see Stefański, W.
- 999.—Tarjan, A. C. Known and suspected plant-parasitic nematodes of Rhode Island, i. Proc. helminth. Soc. Wash. 20 1953: 49-54 2 figs.

1000.—Tarjan, A. C. Pathogenicity of some plant-parasitic nematodes from Florida soils. iii. Growth of Chinese waterchestnut, Eleocharis dulcis Burm. f.) Henschel inoculated with Dolichodorus heterocephalus Cobb (Tylenchinae). Proc. helminth. Soc. Wash. 20 1953 : 94-96.

1001.-Tarjan, A. C. & Sasser, I. N. Observations on Heterodera weissi Steiner, 1949 (Heteroderidae, Nematoda). Proc. helminth. Soc. Wash. 20 1953: 62-64 fig. 1.

1001a.—Taylor, A. L. see Cobb,

1001b .- Taylor, A. L. see Feldmasser, J.

1002.—Taylor, E. L. & Michel, J. F. The parasitological and pathological significance of arrested development in nematodes. J. Helminth. 27 1953: 199-205.

1003.-[Tchebotarov, R. S.] [Material to the study of parascaridiosis in horses.] Trud. Inst. Zool. Kiev 4 1950: 100-107. [Ukranian].

1004.-Tebble, N. On a new and aberrant marine annelid from Natal, South Africa. Ann. Mag. nat. Hist. (12) 6 1953: 938–944 6 figs. 1 pl.

1005.—Tebble, N. A review of the genus Ophelia (Polychaeta) with descriptions of new species from South African and Californian waters. Ann. Mag. nat. Hist. (12) 6 1953: 361-368

1006.—Tebble, N. The control of Mercierella enigmatica (Polychaeta) in Radipole Lake, Weymouth, England. XIV Intern. Zool. Congr. Copenhagen 1953: 1 p.

1007.—Tebble, N. A source of danger to harbour structures. Encrustation by a tubed marine worm. J. Inst. Municipal Engineers, Nov. 1953: figs. [Reprint 7 pp.].

1008.—Teixeira de Freitas, J. F. Echinuriinae parasito de mamifero (Nematoda, Spiruroidea). G. S. Thapar Commemoration Vol., Lucknow 1953: 89–94 4 figs.

1009.—Tetley, J. H. Inhibition of populations of Haemonchus contortus in sheep fed on white clover (Trifolium repens) high in lotaustralin. Nature, Lond. 171 4346 1953: 311.

1010.—Théodoridés, J. Sur un nématode parasite de la courtilière Gryllotalpa gryllotalpa (L.) (Orthoptera Gryllotalpidae): Gryllophila skrjabini (Serguiev) Basir var. ovipolita nov. (Oxyuroidea, Thelastomatidae). Ann. Parasit, hum. comp. 28 4 1953 : 300-304 2 figs.

1011.—Théodoridés, J. Statistique du parasitisme par helminthes chez Miniopterus schreibersi Natt. (Cheiroptera Vespertilionidae). Milieu 4 1 1953 : 128-129.

1011a .- Thiem, N. Van see Thoai, N.-Van.

1012.—Thienpont, D., Herin, V., Fain, A. & Deramee, O. Etude clinique et histo-pathologique de la bilharziose canine a Schistosoma rodhaini au Ruanda-Urundi. Ann. Soc. Belge Med. Trop. 33 5 1953: 487-494 3 pls.

1012a.—Thienpont, D. see Deramee, O.

1012b.—Thienpont, D. see Fain, A. 1012c.—Thillet, C. J. see Moore, D. V.

1012d.—Thillet, C. J. see Pérez-Santiago, E.

1013.-Thoai, N.-Van, Roche, J., Robin, Y. & Thiem, N. Van. Sur le phosphagène de Lumbricus terrestris. C.R. Soc. Biol., Paris 147 21-22 1953:

1014.—Thomas, E. H., Bozice-vich, J. & Hoyem, H. M. Flocculation reactions in rabbits experimentally infected with Truchinella spiralis. J. Infect. Dis. 92 1953: 89-96.

1015.—Thomas, L. J. Bothriocephalus abyssmus n. sp., a tapeworm from the deep-sea fish, Echiostoma tanneri (Gill) with notes on its development. G. S. Thapar Commemoration Volume, Lucknow, 1953: 269–276 2 pls.

1016.—Thomas, R. J. On the nematode and trematode parasites of some small Mammals from the Inner Hebrides. J. Helminth. 27 1953: 143-

168 figs.

1017.—Thompson, J. H., Jr. Hostparasite relationships of Schistosoma mansoni. J. Parasit. 39 4 Sect. 2 1953: 18. [Abstract].

1018.—Thorne, G. Control of sugar beet nematode. Fmrs. Bull. U.S. Dept. Agric. 2054 1952: 1-18 16 figs.

- 1019.—Thorson, R. E. Studies on the mechanism of immunity in the rat to the nematode Nippostrongylus muris. Amer. J. Hyg. 58 1953: 1-15.
- 1020.—Thorson, R. E. Formation in the rabbit of antibodies against Nippostrongylus muris. J. Parasit. 39 5 1953: 574.
- 1021.—Thorson, R. E. Infection of rabbits with a rat nematode, Nitpostrongylus muris. J. Parasit. 39 5 1953: 575.
- 1022.—Timm, R. W. Observations on the morphology and histological anatomy of a marine Leptosomatum acephalatum (Chitwood, 1936, new combination (Enoplidae: Leptosomatinae). Amer. Midl. Nat. 49 1 1953: 229-248 figs.
- 1023.—Timon-David, J. Sur une métacercaire de la sardine et ses affinités avec le groups Rhodometopa. C.R. Acad. Sci. Paris 237 19 1953: 1182-1184.
- 1024.—Timon-David, J. Un Renicola nouveau chez la Pie. Renicola bretensis nov. sp. (Trematoda, Renicolidae). Bull. Soc. zool. Fr. 77 1953: 504-511 4 figs.
- 1025.—Timon-David, J. Recherches sur les trématodes de la Pie en Provence. Ann. Parasit. hum. comp. 28 4 1953: 247-288 27 figs.
- 1026.—Tiner, J. D. The migration, distribution in the brain, and growth of ascarid larvae in rodents. J. infect. Dis. 92 2 1953: 105–113 4 figs.
- 1027.—Tiner, J. D. Fatalities in rodents caused by larval *Ascaris* in the central nervous system. J. Mammal. 34 2 1953: 153–167.
- 1028.—Tischler, W. Biozönotische Untersuchungen an Ruderalstellen (Ein Beitrag zur Agrarökologie). Zool. Jb. (Syst) 81 1952 : 122–174.
- 1029.—Travassos, L. Introdução ao estudo de helmintologia. Rio de Janeiro 1950 173 pp. 197 figs.
- 1030.—Travassos, L. Nematódeos parasitos de *Gryllotalpa*. G. S. Thapar Commemoration Volume, Lucknow, 1953: 277-288 figs.
- 1031.—Travassos, L. Algunas observações sõbre a bionomia de *Schistosoma mansoni* Sambon, 1907, feitas ua lidade do Salvador, Bahia.

- An. Acad. bras. Sci. **25** 2 1953 : 157–165 4 pls.
- 1032.—Treviño, A. H. & Sandoval, A. C. Tratamiento con atelrina, de 62 pacientes parasitados con *Taenia*. Rev. Inst. Salubr. Enferm. trop., Méx. 13 1 1953: 77-79.
- 1033.—Tromba, F. G. & Douvres, F. W. A modified *en face* technique. Proc. helminth. Soc. Wash. 20 1953: 59.
- 1034.—[Tuinov, V. I.] [Pathological and anatomical changes occurring in horse colon, provoked by *Trichonema.*] K. I. Skrjabin Anniv. Vol. 1953: 694–709 12 figs. [Russian].
- 1035.—Turner, J. H. Viability studies on eggs and infective larvae of Nematodirus spathiger (Railliet, 1896), a trichostrongylid nematode of ruminants. J. Parasit. 39 6 1953: 589-598 4 figs.
- 1036.—Turner, J. H. & Colglazler, M. L. Further studies of the value of phenothiazine, free-choice, against mixed infections of Nematodirus and Haemonchus in lambs. J. Parasit. 39 4 Sect. 2 1953: 39. [Abstract].
- 1036a.—Turner, J. H. see Kates, K. C.
- 1037.—Ulmer, M. J. Studies on the nervous system of Postharmostomum helicis (Leidy, 1847) Robinson, 1949 (Trematoda: Brachylaematidae). J. Parasit. 39 4 Sect. 2 1953: 19.
- 1038.—Ulmer, M. J. Studies on the nervous system of Postharmostomum helicis (Leidy, 1847) Robinson 1949 (Trematoda: Brachylaematidae). Trans. Amer. micr. Soc. 72 4 1953; 370–374 1 pl.
- 1039.—[Ulyanov, S. D.]. [Seasonal occurrence of Haemonchosis in sheep of Alma-Atinsk Province.] K. I. Skrjabin Anniv. Vol. 1953: 710-715 3 diagrams. [Russian].
- 1040.—Ungría, C. D. & Vergani, F. Contribucion al estudio del genero *Triodonlophorus* en Venezuela. Bol. Inst. Invest. vet., Caracas 4 20 1952: 673–710 22 figs. [English summary].
- 1040a.—Ungría, C. D. see Vergani, F.
- 1041.—Ussing, H. Leverikten (Fasciola hepatica). Flora og Fauna 58 3-5 1952: 101-104 4 figs.

Vermes

1042.—[Ustinov, A. A.] [Geographical variation of gall-nematode]. K. I. Skrjabin Anniv Vol. 1953: 716—722. [Russian].

1043.—Uzmann, J. R. Cercaria milfordensis nov. sp., a microcercous trematode larva from the marine bivalve, Mytilus edulis L. with special reference to its effect on the host. J. Parasit. 39 4 Sect. 1 1953: 445-451 2 pls.

1043a.—Vajrasthira, S. see Sadun, E. H.

1044.—Van Cleave, H. J. A preliminary analysis of the acanthocephalan genus *Corynosoma* in mammals of North America. J. Parasit. 39 1 1953: 1–13 2 pls.

1045.—Van Cleave, H. J. Acanthocephala of North American mammals. Illinois biol. Monogr. 23 1–2 1953: 1–179 13 pls. figs.

1046.—Van der Laan, P. A. Aaltjes als parasisten van planten. Vakbl. Biol. 33 10 1953: 181-196.

1047.—Van der Woude, A., Cort, W. W. & Ameel, D. J. The early development of the daughter sporocysts of the Strigeoidea (Trematoda). J. Parasit. 39 1 1953: 38–44 2 pls.

1047a.—Van der Woude, A. see Ameel, D. J.

1047b.—Van der Woude, A. see Cort, W. W.

1048.—Vannucci, M. Biological notes I. On the Glossoscolecid earthworm *Pontoscoles corethrurus*. Dusenia 4 3–4 1953: 287–300 figs.

1049.—Van Volkenberg, H. L., McMullen, D. B., Christie, J. R. & Harwood, P. D. A preliminary list of common names for helminths. J. Parasit. 39 3 1953; 348–351.

1050.—Varma, A. K. On Fasciola indica n. sp. with some observations on F. hepatica and F. gigantica. J. Helminth. 27 1953: 185-198 figs.

1051.—[Vasilkova, Z. G. & Gefter, V. A.] [The problem of the duration period in prolonged basic Ascaris infection.] K. I. Skrjabin Anniv. Vol. 1953: 99-105. [Russian].

1052.—Vavrouskova, K. Farbwechsel des Egels *Protoclepsis tesselata* O. F. Müller. Mém. Soc. 2001. tchéosl. 16 1952: 334–353 l fig.

1053.—Vegors, H. H. & Porter, D. A. Experimental cross transmission of Strongyloidss papillosus in ruminants. Proc. helminth. Soc. Wash. 20 1953: 91–92.

1054.—[Veitzman, V. R.] [Development and reduction of the female genital system in *Taenia solium*.] Trud. Inst. Morf. Zhiv. 8 1953: 173–204 21 figs. [Russian].

1055.—[Veitzman, V. R.] [Development and reduction of female genital system in *Taenia crassicollis*.] Trud. Inst. Morf. Zhiv. 8 1953: 205–215 14 figs. [Russian].

1056.—Venard, C. E. & Warfel, J. H. Some effects of two species of Acanthocephala on the alimentary canal of the largemouth bass. J. Parasit. 39 1953: 187–190 pl.

1057.—Venkatachalam, P. S. & Patwardhan, V. N. The role of Ascaris lumbricoides in the nutrition of the host. Effect of ascariasis on digestion of protein. Trans. R. Soc. trop. Med. Hyg. 47 2 1953: 169–175.

1058.—Vercruysse, R. A. F. Some remarks upon the polymorphic aspect of *Schistosoma bovis*. G. S. Thapar Commemoration Volume, Lucknow, 1953: 289-292.

1059.—Vergani, F. & Ungría, C. D. Bibliografia veterinaria venezolana (Fichero venezolano de bibliografia veterinaria y ganadera). Bol. Inst. vet. Caracas 5 21 1953: 1–1895.

1059a.—Vergani, F. see Ungría, C. D.

1059b.—Vernberg, W. B. see Hunter, W. S.

1060.—Villella, J. B. The life history of Entosiphonus thompsoni Sinitsin, 1931 (Trematoda: Brachylacmatidae). J. Parasit. 39 4 Sect. 2 1953: 20. [Abstract].

1061.—Villella, J. B. The life history of Ectosiphonus rhomboideus Sinitsin, 1931 (Trematoda: Brachylaematidae) from the short-tailed shrew, Blarina brevicauda. J. Parasit. 39 4 Sect. 2. 1953: 21. [Abstract].

1062.—Villella, J. B. Retinella indentata (Say), a first intermediate host of Entosiphonus thompsoni Sinitsin (1931) (Trematoda: Brachylaemidae) J. Parasit. 39 6 1953: 667.

- 1063.—Viranuvatti, V. & Mettiyawongse, S. Observations on two cases of opisthorchiasis in Thailand. Ann. Trop. Med. Parasit. 47 3 1953: 291–293.
- 1064.—Viranuvatti, V., Stitnimankarn, T. & Tansurat, P. A fatal case of infection with Fasciolopsis buskii in Thailand. Ann. trop. Med. Parasit. 47 1953: 132–133.
- 1065.—[Vlastov, B. V.] [Mutual interrelationship of Cladocera and Rotifera of the genus *Proales.*] Trud. vsesoyuz. Gidrobiol. Obshch. Mosk. 5 1953: 299–317 9 figs. [Russian].
- 1066.—Voge, M. New host records for Mesocestoides (Cestoda: Cyclophyllidea) in California. Amer. Midl. Nat. 49 1 1953: 249–251 l fig.
- 1067.—Voge, M. Exogenous proliferation in a larval taeniid (Cestoda: Cyclophyllidea) from the body cavity of Peruvian rodents. J. Parasit. 39 4 Sect. 2 1953: 32. [Abstract].
- 1068.—Voge, M. Hymenolepis parvissima n. sp., a minute cestode from the shrew Sorex bendirei bendirei (Merriam) in California. J. Parasit. 39 6 1953: 599-602 figs.
- 1069.—Voge, M. & Davis, B. S. Studies on the cestode genus Anon-chotaenia (Dilepididae, Paruterininae) and related forms. Univ. Calif. Publ. Zool. 59 1953: 1–30 5 pls.
- 1076.—Voge, M. & Read, C. P. Diplophallus andinus n. sp. and Monoecoestus rheiphilus n. sp., avian cestodes from the High Andes. J. Parasit. 39 5 1953: 558-567 2 pls.
  - 1070a.-Voge, M. see Read, C. P.
- 1071.—Vogelsang, E. G. Contribucion al estudio de la parasitologie animal en Venezuela. XIX. Cisticercosis del canino (Canis Fam) por Cysticercus cellulosae. Rev. Med. vet. Caracas 11 3-4 [1953]: 317-322 figs.
- 1072.— Vojtechovska Mayerova, M. Neue Funde parasitischer Würmer bei unseren Vögeln. Mém. Soc. 200l. tchéosl. 17 1953 : 71–88 1 pl. 9 figs.
- 1073.—[Vorontzov, S. A.] [Medical and prophylactic action of phenothiazine in ascaridasis and heteratidiasis of chickens.] K. I. Skrjabin Anniv. Vol. 1953: 115–124. [Russian].

- 1073a.—[Vselododov, B. P.] [The pathological morphology of the more important helminthoses of domestic, agricultural and industrial animals.] Alma-Ata, 1953: 1-108. (D.S.I.R. No. 68 1954: 99).
- 1074.—[Vsevolodov, B. P.] [Pathomorphology in helminthiasis of ondatra.] K. I. Skrjabin Anniv. Vol. 1953: 106-114 10 figs. [Russian].
- 1075.—Vuylsteke, C. Notes sur les Nematodes parasites de l'Elephant d'Afrique. Rev. Zool. Bot. afr. 48 1953: 213-239 108 figs.
- 1076.—Wagner, E. D. A new species of *Proteocephalus* Weinland, 1858 (Cestoda), with notes on its life history. Trans. Amer. micr. Soc. 72 4 1953: 364-369 1 pl.
- 1077.—Wantland, W. W. Cysticercus fasciolaris in the Syrian hamster. J. Parasit. 39 4 Sect. 2 1953: 29. [Abstract].
- 1078.—Wantland, W. W. Cysticercus fasciolaris in the wild rat and the development of this strobilocercus in the white rat. J. Parasit. 39 4 Sect. 2 1953: 29. [Abstract].
- 1079.—Wantland, W. W. Cysticercus fasciolaris in the Syrian hamster. J. Parasit. 39 6 1953: 667-668.
- 1080.—Ward, H. L. A new genus and species, Floridosentis elongatus, of Neoechinorhynchidae (Acanthocephala). J. Parasit. 39 4 Sect. I 1953: 392-394 1 pl.
- 1081.—Ward, H. L. A new genus and species of Neocchinorhynchidae (Acanthocephala). J. Tenn. Acad. Sci. 28 3 1953: 189.
- 1082.—Ward, J. W. & Franklin, M. A. Further studies on the occurrence of the dog heart worm, *Dirofilaria immitis* in dogs in Missisippi. J. Parasit. 39 5 1953: 570-571.
- 1082a.—Ward, J. W. see Franklin, M. A.
- 1083.—Wardle, R. A. The distribution of tapeworms in the Pacific area and the conclusions to be drawn therefrom. Proc. 7th Pacif. sci. Congr. 4 1953: 70–74.
- 1083a.—Warfel, J. H. see Venard, C. E.

- 1084.—Warren, B. H. A new type of metacercarial cyst of the genus Apophallus, from the perch, Perca flavescens, in Minnesota. Amer. midl. Nat. 50 2 1953: 397–401 3 figs.
- 1085.—Watson, J. M. Bilharziasis in South Persia. Trans. R. Soc. trop. Med. Hyg. 47 1 1953: 49–55 map.
- 1086.—Watson, J. M. Human trichostrongylosis and its relationship to ancylostomiasis in Southern Iraq, with comments on world incidence. Parasitology 43 1953: 102–109 3 figs.
- 1086a.—Webb, F. O. see Mizelle, J. D.
- 1087.—Weber, T. B. Preliminary observations on the effects of P<sup>82</sup> on the development of *Catylopharon catylopharon* (Digenea: Paramphistomidae). J. Tenn. Acad. Sci. 28 3 1953: 189–190.
- 1087a.—Wehr, E. E. see Herman, C. M.
- 1088.—Weingärtner, I. Die Nematoden des Kompostes. S. B. phys-med. Soz. Erlangen 76 1953: 86–107 4 figs.
- 1089.—Weinstein, P. P. The cultivation of the free-living stages of hookworms in the absence of living bacteria. Amer. J. Hyg. 58 1953: 352-376 1 pl.
- 1090.—Weinstein, P. P. The effect of cortisone on the development of the immune response in the white rat to Nippostrongylus muris. J. Parasit. 39 4 Sect. 2 1953: 35. [Abstract].
- 1090a.—Weinstein, P. P. see Olivier, L.
- 1091.—Wells, G. P. Defaecation in relation to the spontaneous activity cycles of *Arenicola marina* L. J. Mar. biol. Ass. U.K. 32 i 1953; 51-63 6 figs.
- 1092.—Wesenberg-Lund, E. Serpulidae (Polychaeta) collected by C. Dons (†) along the Norwegian coast. K. norske vidensk. Selsk. Skr. 1952 6 1953: 1–22 3 figs.
- 1093.—Wesenberg-Lund, E. The zoology of East Greenland. Polychaeta. Medd. Grønland 122 3 1953: 1-169 8 figs. 27 charts.
- 1094.—Wessing, A. Biologische Beobachtungen bei der Zucht der Regenwurmnematoden *Rhabditis ano*mala P. Hertwig. Zool. Anz. 151 1953: 28–38 6 figs.

- 1095.—Wessing, A. Histologische Studien zu den Problemen der Zellkonstanz: Untersuchungen an Rhabditis anomala P. Hertwig. Zool. Jb. (Anat.) 73 1953: 69-102 16 figs.
- 1096.—Westblad, E. Some new "Alloeocoels" (Turbellaria) from the Scandinavian West coast. Univ. Bergen Årb. naturv. R. 1952 7 1953: 1–28 8 figs.
- 1097.—Westblad, E. Marine macrostomida (Turbellaria) from Scandinavia and England. Ark. zool. 4 1953: 39-408 11 figs.
- 1098.—Wetzel, R. Zur Verbreitung von Fasciola hepatica, Dictyocaulus viviparus, Hypoderma boris und H. lineatum im Lande Nordrhein-Westfalen. Vet. Med. Nachr. 1953 3-4: 1-36 7 maps. [English summary].
- 1099.—White, J. H. Wind-borne dispersal of potato-root eelworm. Nature, Lond. 172 4380 1953: 686-687
- 1100.—Whitear, M. The stomatogastric nervous system of Arenicola. Quart. J. micr. Sci. 94 (3) 3 1953: 293–302 1 pl. 5 figs.
- 1101.—Whittard, W. F. Palaeoscolex piscatorum gen. et sp. nov., a worm from the Tremadocian of Shropshire. Quart. J. geol. Soc. Lond. 109 2 1953: 125–135 pls. 4–5.
- 1102.—Wieser, W. Der Sexualdimorphismus der *Enchelidiidae* (freilebende marine Nematoden) als taxonomisches Problem. Zool. Anz. 150 1953: 152–170 4 fios.
- 1103.—Wieser, W. Die Beziehung zwischen hundhöhlengestaet, Ernährungsweise und Vorkommen bei freilebenden marinen Nematoden. Eine ökologisch-morphologische Studie. Ark. Zool. 4 1953: 439–484 2 figs.
- 1104.—Wieser, W. On the structure of the cyst wall in four species of Heterodera Schmidt. Medd. Stat. Växtskydd. Stockholm No. 65 1953: 1–15.
- 1105.—Wilcke, D. E. Über die vertikale Verteilung der Lumbrieden im Boden. Z. Morph. Ökol. Tiere 41 1953: 372–385 8 figs.
- 1106.—Wilcke, D. E. Zur Kenntnis der Lumbricidenfauna Deutschlands. Zool. Anz. 151 1953: 104-106 3 figs.

- 1107.—Wilke, U. Mesonerilla intermedia sp. nov., ein neuer Archiannelide aus dem Golf von Neapel. Zool. Anz. 150 1953: 211-215 figs.
- 1108.—Williams, R. W. Helminths of the snapping turtle, Chelydra serpentina from Oklahoma, including the first report and description of the male of Capillaria serpentina Harwood, 1932. Trans. Amer. micr. Soc. 72 2 1953: 175–178 2 figs.
- 1109.—Wilson, A. L., Morgan, D. O., Parnell, I. W. & Rayski, C. Helminthological investigations on an Argylshire hill farm. Brit. Vet. J. 109 5 1953: 179–190.
- 1110.—Wilson, D. P. The settlement of *Ophelia bicornis* Savigny larvae. The 1951 experiments. J. Mar. biol. Ass. U.K. 31 1953: 413-438.
- 1111.—Wilson, D. P. The settlement of *Ophelia bicornis* Savigny larvae. The 1952 experiments. J. Mar. biol. Ass. U.K. 32 1 1953: 209-233.
- 1112.—Wilson, W. L. & Heilbrunn, L. V. The protoplasmic cortex in relation to stimulation. Biol. Bull. Woods Hole 103 1952: 139-144.
- 1113.—Winslow, R. D. Hatching responses in some *Heterodera* species. Ann. appl. Biol. 40 1 1953: 225-226.
- 1113a.—Winslow, R. D. see Jones, F. G. W.
- 1114.—Winter, H. A., Presencia de Spirocamallamus spiralis (Baylis, 1923) Olsen, 1952 (Nematoda) en peces marinos de aguas mexicanas. Ciencia, Mex. 13 7–8 1953: 137–140 4 figs.
- 1115.—Witenberg, G. Notes on Galactosomum and related genera (Trematoda: Heterophyidae). G. S. Thapar Commemoration Volume, Lucknow, 1953: 293–300 figs.
- 1116.—Wolff, E. Les phénomènes d'induction dans la régénération des planaires d'eau douce. Rev. suisse Zool. 60 1953 : 540-546 3 figs.
- 1117.—Wolfgang, R. W. Pseudocruzia (Oxyuroidea: Kathlaniidae). A new genus of nematode from domestic swine in India. Canad. J. Zool. 31 1953: 16-19 7 figs.
- 1118.—Wolfgang, R. W. Studies on the endoparasitic fauna of Trinidad mammals. IX. *Didelphonema*, a new

- genus of nematode from marsupials. Canad. J. Zool. **31** 1953: 519–521.
- 1118a.—Wolfgang, R. W. see Myers, J.
- 1119.—Woodhead, A. E. Bisexual reproduction in the mother sporocyst of Paragonimus kellicotti (Trematoda). J. Parasit. 39 4 Sect. 2 1953: 17. [Abstract].
- 1120.—Woodruff, A. W. Refresher course for general practitioners. Intestinal worms. Brit. med. J. No. 4791 1952: 988-991.
- 1121.—Woodwick, K. H. Polydora nuchalis, a new species of polychaetous annelid from California. J. Wash. Acad. Sci. 43 11 1953: 381–383 1 fig.
- 1122.—Wright, C. A. Probable relationship between the *Rhodometopa* group of Cercariae and the trematode genus *Remicola* Cohn. Nature, Lond. 171 4363 1953: 1072.
- 1123.—Wu, L.-Y. A study of the life history of *Trichabilharzia cameroni* sp. nov. Canad. J. Zool. 31 1953: 351–373 21 figs.
- 1124.—Wu, L.-Y. On the life history and biology of Notocotylus stagnicolae Herber, 1942. Canad. J. Zool. 31 1953: 522–527 6 figs.
- 1125.—Wu, L. Y. & Kingscote, A. A. A note on Lymnea stagnalis (L.) as a snail host for Fascioloides magna (Bassi, 1875) (Trematoda). J. Parasit. 39 5 1953: 568.
- 1126.—Yamaguti, S. Systema Helminthum. Part i. Digenetic trematodes of fishes. Publ. by the author. Tokyo 1953: 405 pp. 32 pls.
- 1127.—Yamaguti, S. Ceylonocotyle scoliocoelium (Fischoeder, 1904) Näsmark, 1937 (Trematoda : Paramphistomidae) from Japanese goat. G. S. Thapar Commemoration Volume, Lucknow, 1953 : 301–304 pl.
- 1128.—Yamaguti, S. Parasitic worms mainly from Celebes. Part 2. Monogenetic trematodes of fishes. Acta Med. Okayama 8 1953: 203–256 9 pls.
- 1129.—Yamaguti, S. Parasitic worms mainly from Celebes. Part 3. Digenetic trematodes of fishes, ii. Acta Med. Okayama 8 1953: 257-295 4 pls.

- 1130.—Yamamoto, K. Rotatorian fauna of Ozegahara, with description of two new species. Annot. zool. jap. 26 1953: 14-19 l fig.
- 1131.—Yamamoto, K. Preliminary studies on the rotatorian fauna of Korea. Pacif. Sci. 7 2 1953: 151-164.
- 1132.—Yamao, Y. Histochemical studies on endoparasites. V. Distributions of the glycero-monophosphatases in the tissues of flukes, Eurytrema coelomaticum, E. pancreaticum, Dicrocoelium lanceatum, and Clonorchis sinensis. J. Coll. Arts Sci. Chiba Univ. Nat. Sci. Ser. 1 1 1952: 9–13 8 figs. [English summary].
- 1133.—Yagub, M. Cysticercus bovis in a bullock. Proc. Pakistan Sci. Conf. 5 Med. & Vet. Sci. Sect. 1953: 13. [Abstract].
- 1134.—[Yarulin, G. R.] [Development of helminth eggs in the sea and in shore-soil.] K. I. Skrjabin Anniv. Vol. 1953: 804–807. [Russian].
- 1135.—Yasuraoka, K. Ecology of the miracidium. I. On the perpendicular distribution and rheotaxis of the miracidium of *Fasciola hepatica* in water. Jap. J. med. Sci. & Biol. 6 1 1953: 1–10 5 figs.
- 1136.—Yokogawa, M. Studies on the biological aspects of the larval stages of Paragonimus westermanii, especially the invasion to the second intermediate hosts (III). Jap. J. med. Sci. & Biol. 6 2 1953: 107–116 1 pl.
- 1136a.—Yokogawa, M. see Komiya, Y.
- 1137.—Yosufzai, H. K. Shell gland and egg-shell formation in *Fasciola* hepatica L. Parasitology 43 1953: 88– 93 2 pls. 1 fig.
- 1138.—Yosufzai, H. K. Cytological studies on the oogenesis of Fasciola hepatica L. Cellule 55 1953: 165–176 l pl.
- 1139.—Yosufzai, H. K. Fertilisation in Fasciola hepatica L. Cellule 55 1953: 177–184 l pl.
- 1140.—Young, R. T. Postmonorchis donacis, a new species of monorchid trematode from the Pacific coast, and its life history. J. Wash. Acad. Sci. 43 3 1953: 88-93 3 figs.

- 1141.—Yutue, L. M. & Cosio, H. F. The incidence and frequency distribution of parasitic worms in naturally infected cats. G. S. Thapar Commemoration Volume, Lucknow, 1953: 305–308.
- 1142.—Zaffino, C. L'ossiurosi nelle colonie estive. Riv. Parassit. 14 1953: 19-21.
- 1143.—Zaiman, H. Studies on the nature of immunity to Trichinella spiralis in parabiotic rats. I. A preliminary study of the immune response of the uninfected rat as determined by observation of the intestinal phase. Amer. J. Hyg. 57 1953: 297–305.
- 1144.—Zaiman, H., Ami, G. & Gapinski, L. Studies on the nature of immunity to Trichinella spiralis in parabiotic rats. II. A preliminary study of the immune response of the uninfected rat as determined by observations of muscular invasion. Amer. J. Hyg. 57 1953: 306–310.
- 1145.—Zaiman, H. and Rubel, J. Studies on the nature of immunity to *Trichinella spiralis* in parabiotic rats. III. The immune response in parabiotic surgically separated from their mates five days after one member of the experimental pairs received an immunizing dose of *Trichinella spiralis*. Amer. J. Hyg. 57 1953: 311-315.
- 1146.—Zarnowski, E. A new tapeworm Hymsnolepis stefański sp. n. from the intestine of the common shrew—Sorex araneus L. Acta Parasit. polon. 1 1-18 1953: 313-328 figs. [Polish, with English and Russian summaries].
- 1147.—[Zekhnov, M. I.] [Variation of helminthological fauna in Corvus cornix and its connection with age of host.] Zool. zh., Moscow 32 1953: 53-59. [Russian].
- 1148.—[Zheltvai, V. V.] [Cestodiasis in Chickens of Transcarpathian]. K. I. Skrjabin Anniv. Vol. 1953: 244–250. [Russian].
- 1149.—[Zhinkin, L. & Korsakova, G.] [Early stages in the development of Halicryptus spinulosus.] C.R. Acad. Sci. URSS N.S. 88 (3) 1953: 571-573 fig. [Russian].

# SUBJECT INDEX

# PLATYHELMINTHES NEMERTINEA MESOZOA

GENERAL

Text-books; Monograph.—Introduction to helminthology, Travassos 1029; Systematics of the Strigeida, Dubots 237; Synopsis of families and genera of Digenea from fishes, Yama-outt 1126.

Addresses; Reviews.—Helminth research in India, Anantaraman 27; Importance of morphological variation in classification of trematodes, Bychovs-KAYA-PAVLOVSKAYA 120; Biology of bird-helminths in Russia, Levashov 566; Problems of parasitology in Australia, Mackerras & Mackerras
602; Zoogeography of the Rhynchodemid Turbellaria, Marcus 627;
Larval stages and generations in
development of helminths, Markov 630; Problem of symmetry in Taenia pisiformis, MUELLER 678; Fluke situation in American ruminants, PRICE 780; Review of the genus Echinococcus, RAUSCH 808; Soviet helminthology and formality in phylogenesis, Sobolev 944; Helminths in history, Stewart 977; Correlation between life-histories and systematics of parasitic worms, STUNKARD 988 : Bionomics of Fasciola hepatica in N. Rhine-Westphalia region, Wetzel 1098.

Bibliography.—Index-catalogue of medical and veterinary zoology, Doss & Humphrey 217; List of common names for helminths, Van Volkenberg et al. 1049; Bibliography of veterinary helminthology in Venezuela. Vergani & Ungria 1059.

Taxonomy.—Classification of the Temnocephalidea, BARR 49; Taxonomic note on the genus Collastoma, KOZLOFF 519; Systematic notes on Rhynchodemids, PANTIN 724; Criterion for specific differentiation of male schistosomes, ABDUSSALAM & SARWAR 3; Systematic position of the subfamily Gymnophallinae, CABLE 127; Systematic note on Haplorchinae, DAYAL & GUPTA 179; Systematics of the subfamily Prosorhynchinae, DOLLFUS 208; Relationships of the genus

Echinoparyphium, DOLLFUS 209; Classification of the Strigeids, DUBOIS 237; Colour in Leucochloridium sporocysts as a systematic character, GINETZINSKAYA 337; Differential key to Schistorchis spp., Hanson 379; Pseudobenedenia nototheniae possibly a synonym of Lophocotyle cyclophora, Johnston & Mawson 454; Constitution of the genus Prosorhynchus, MANTER 625; Relationships of the genera Galactosomum and Stictodora, WITENBERG 1115 : Relationship between the Rhodometopa cercariae and the genus Renicola, Wright 1122; Systematic relationships of Digramma interrupta, Bezubik 74; Systematic notes on Multiceps, Bondareva 89; Differentiation of eggs of Taenia saginatus and T. solium, KAMALOVA 471; Differentiation of plerocercoids of four Diphyllobothrium spp. from fishes, Kuhlow 532; Taxonomy of Diphyllobothrium in birds, Kuhlow 533; Validity and relationships of the families Acoleidae, Amabiliidae and Nematoparataeniidae, LÓPEZ-NEYRA 581; Differentiation of Gyrocotyle spp., MANTER 624; Systematic reconsideration of some groups within the superfamily Hymenolepidoidea, Matevosyan 636; Systematic status of Linstowiine cestodes, MILLEMAN & READ 660; Constitution of the genus Liga, Neiland 690; Systematic position of Sparganum hamadryadis, Pujatti 786; Systematic relationships of the genus Diplophallus, Voge & Read 1070; Key for differentiation of eggs of helminths in dogs, López-Neyra 582.

Technique; Methods.—New techniques for examination of helminths, Ballenger & Neuzll 51; Value of the Thorn test in diagnosis of helminth infections, Galliard et al. 306; Chloretone for relaxing trematodes, Harges 384; Fixation and preservation of Turbellaria, Hauser 393; Method for whole mounts of miracidia and cercariae, Hunt 428; Method for obtaining Paragonimus eggs from stools, Komiya & Yokogawa 514; Methods for differentiation of eggs of canine helminths, López-Neyra 582; Methods for diagnosis of Schistosoma mansoni in faeces, Maldonado & Acosta-Mattenzo 614; Diagnosis of schistosomiasis by antigens, Oliver-Gonzalez 705; Method for examination of

helminth ova in dogs' faeces, Perez Fontana 745; Method for exposing large laboratory animals to schistosomes, Price 777; Method for ecological study of marine Turbellaria, Riedla 830; New method for preparation of antigen for intradermal diagnosis of schistosomiasis, Ruiz 848; Methods for treatment of urinary schistosomiasis, Settz 889; Serological methods for ontogenetic investigations of helminths, Shelswell 900; Method for specific staining of eggshell material in trematodes, Smyth 943.

Obituary.—†H. J. Van Cleave, MIZELLE 667; PRICE 779.

### STRUCTURE

Anatomy.—Of Diphyllobothrium dendriticum, Kuhlow; 534

Reproductive System.—Gonads of Lineus ruber hermaphrodite, Boie 87; Shell-gland in Fasciola hepatica, Yosu-rzai 1137; Female genital system in Taenia solium, Veitzman 1054; Development of yolk-nuclei in oocytes of Raillietina urogalli, Logachev 574; Cytology of uterine epithelium in Diphyllobothrium latum, Logachev 575; Influence timonucleic acid on cellormation in cestodes, Logathev 576; Anomalous larva of Taenia polyacantha, Schiller 880; Female genital system in Taenia crassicollis, Veitzman 1055

Nervous system.—Of Postharmostomum helicis, ULMER 1037, 1038.

Head-organs.—Of Cleidodiscus mirabilis, Brown 102.

Larval forms.—Miracidia of *Tri*chobilharzia, Ameel, Van der Woude & Cort **26**.

Histology; Cytology.—Meiosis in Opistomum pallidum, Papri 726; Histology of eyes in planarians, Pertusa 748; Rhabdites in Stenostomum virginianum, PULLEN 791; Origin of vitelline cell in egg-capsule of planarian, Serra 895; Chromosomes in Fasciola hepatica, John 450; Chromosomes in Spirorchis magnitestis, Jones & Mayer 458; Mucoid glands in Paragonimus kellicotti cercaria, Kruddenier 529; Chromosome number in Fasciola hepatica, Sanderson 865; Structure of

parenchyma in cestodes, Logachev 577.

Abnormal.—Triradiate Taenia pisiformis, Byrd & Frre 123; Tatria spp. abnormal Hymenolepidids, López-Neyra 579; Anomalous Cysticercus fasciolaris, Pujatti 785.

#### PHYSIOLOGY

Metabolism.-Constitution; Effects of inanition on Prostoma rubrum, Kadis 466; Respiration in planarians, LØVTRUP 584; Function of head-organs in Cleidodiscus, BROWN 102; Hyaluronidase activity in cercariae of Schistosoma mansoni, Evans 260; Deoxyribonucleic acid in ovocyte of Fasciola hepatica, GOVAERT 352; Formation and function of mucoid glands in cercariae, Kruidenier 525, 526, 528; Metabolism in helminths. Bueding & Most 107; Hyaluronidase activity in cercariae of Schistosoma mansoni, Kuntz 537: Glycero-monophosphatases in trematodes, YAMAO 1132; Vitamin C in Hymenolepis nana, COLEMAN 159; Chemical constitution of Hymenolepis diminuta, DACRES, NYBERG & DAUGH-ERTY 172; Synthesis of amino acids in Hymenolepis diminuta, DAUGHERTY 173; GARSON & DAUGHERTY 309; Vitamin B<sub>12</sub> uptake by Hymenolepis diminuta, NYBERG 701; Enzymeactivity in Hymenolepis diminuta, READ

Environmental Effects.-Physiological tolerance of Planaria alpina and P. gonocephala, BLASING 81; Effect of temperature on sexual maturity in Procetyla, De Witt 199; Rheotaxis in Planaria alpina, HAUSER 392; Influence of temperature on distribution of Polycelis felina and Crenobia alpina, REYNOLDSON 825; Chemotropism in planarians, Schwartz 883; Effects of temperature on development of amphistome larvae in molluscan interhost, Durie 244; Effect of anaerobiosis on Schistosoma mansoni in Australorbis, OLIVIER, BRAND & MEHLMAN 707: Chemotaxis of Fasciola hepatica miracidium, Neuhaus 692; Effect of Pss on development of Cotriophuran eggs. Weber 1087; Rheotaxis in Fasciola hepatica miracidium. YASURAO-KA 1135; Effect of temperature on Taenia hydatigena larva. GAVRILOVIĆ 312: Effect of ultrasonic waves on hydatid of Echinococcus granulosus, Osi-Mani, Micliaro & Abella 719; Effect of host on size in Hymenolepis diminuta, Read & Voge 814; Influence of environment on helminths in pond-fishes, Bauer 59; Effects of acclimatization on parasitic worms in Ameurus nebulosus in Poland, Chechina Et al. 150; Effect of hot air on helminth eggs, Miretzki 665.

Vitality.—Longevity of Schistosoma haematobium and S. mansoni, Berberlan, Paquin & Fantauzzi 70; Longevity of Fasciola hepatica miracidia, Yasurao-ka 1135.

Destrobilization; Metamerism.—Destrobilization in Drepanidotaenia, FEOKTISTOV 276; Metamerism in cestodes, SPASSKI 958.

# REPRODUCTION AND DEVELOPMENT

Reproduction.—Reproduction in Procesyla fluviatilis, De Witt 199; Pseudogamy in biotypes of Dugesia, Lentati 564; Lentati & Piergaja 565; Fertilization in Fasciola hepatica, Yosufzai 1139; Bisexual reproduction in sporocyst of Paragonimus kellicotti, Woodhead 1119; Fertilization of Schistocephalus solidus in vitro, Smyth 942.

Bionomics of ova and larvae .--Penetration of Opisthioglyphe ranae cercariae in tadpoles, Joyeux & BAER 463; Mechanical distribution of cercariae, BUTTNER 118; Production of ochetosomatids in Physa gyrina, BYRD 121; Emergence of ochetosomatid cercariae from physid snails, BYRD 122: Bionomics of Schistosoma mansoni cercaria în Belgian Congo, FAIN 262; Mode of skin-penetration by Schistosoma mansoni cercariae, GRIFFITHS 360; Egg-load in urinary schistosomiasis, GERRITSEN ET AL. 329; Effect of environment on emergence of Schistosoma japonicum cercaria, Gumble et al. **367**: Life-history of Limnaea truncatula. KENDALL 493; Encystment of Fasciola hepatica cercaria, Kruidenier 527; Nocturnal emergence of Schistosoma mansoni cercariae, LUTTERMOSER 588; Partially-twinned daughter redia, NA-JARAN 688; Entrance of Echinoparyphium cercariae into tadpole kidneys, NAJARIAN 687; Migration of avian schistosome cercariae in mammals, OLIVIER 706; Penetration of avian hosts by Cercaria littorinalinae, Penner 739; Uniparental miracidia of Schistosomatium douthitti, Short 911; Biology of Dicrocoelium dendriticum larvae in land-snails, Svadzhyan 994; Penetration of definitive host by Schistosoma mansoni cercariae, Strrewalt 978; Migration of Schistosoma mansoni in mice, Standen 970; Egg-shell formation in Fasciola hepatica, Yosufzai 1137; Long-evity and rheotaxis of Fasciola hepatica miracidia, Yasuraoka 1135; Exogenous proliferation in a larval taeniid, Voge 1067.

Life-histories.—Life-history Petasiger chandleri, ABDEL-MALEK 2; Of Szidatia joyeuxi, BALOZET 54; Partial life-cycle of new Spelotrema sp., BELOPOLSKAYA & USPENSKAYA 69; Life-history of Metagonimoides oregonensis, Burns & Pratt 114; Of new gymnophalline trematode, CABLE 127; Life-history note on gorgoderids, Con-158; Experimental life-histories of Ceylonocotyle streptocoelium and Paramphistomum ichikawai in Australia, Durie 244; Life-histories of Maritrema and Levinseniella spp., ETGES 225, 256; Life-history of Paramacroderoides echinus, HOLLIMAN & LEIGH 416 : Of Hysteromorpha triloba, Hugghins 427; Of Fasciola hepatica in S. Australia, JOHN-STON & BECKWITH 452; Experimental life-cycle of Plagiorchis megalorchis, JOR-DAN 460; Life-history of Fasciola gigantica, KENDALL & PARFITT 494; Life-histories of four spp. of Diphyllobothrium, Kuhlow 533; Life-history of Diphyllobothrium dendriticum, Kuhlow 534; Of Echinoparyphium recurvatum, Kuntz 538; Experimental life-history of Gorgoderina vitelliloba, LEES 557; Life-history note on Schistosoma japoni-cum in Formosa, Li 571; Partial life-cycle of Phagicola lageniformis, MARTIN 632; Life-history note on Posthodiplo-stomum minimum, MILLER 661; Lifehistory of Echinoparyphium flexum, NAJA-RIAN 686; Of Echinoparyphium petrovi, NEVOSTRUEVA 694: Life-history note on Echinostoma miyagawi, NEVOSTRUEVA 693; Life-history of Spirorchis artericola, PREPER 757; Experimental life-cycle of Raillietina (R.) echinobothrida in Japan, SAWADA 876; Life-history of Azygia longa, SILLMAN 921; Of Pleurogenes japonicus, SHIBUE 905; Of Maritrema caridinae, SHIBUE 904; Life-history note on Opisthorchis tonkae, SILLMAN

922; Life-history of Plagiorchis maculosus, Streenzke 987; Of Alaria alata, Stefanski & Tarczyński 973; Of Ectosiphonus rhomboideus, VILLELLA 1061; Of Entosiphonus thompsoni, VILLELLA 1060; Of new Postmonorchis sp., Young 1140; Of Notocophus stagnicolae, Wu 1124; Life-history note on Oochoristica, MILLEMAN & READ 660; Life-history of Diphyllobothrium latum in Chile, Neghme 689; Of Diphyllobothrium erinacei in Queensland, Sandars 864; Life-history note on new Proteocephalus sp., Wagner 1076.

Development.-Early development in Macrostomum appendiculatum, PAPI 725; Germ-cell cycle of digenetic trematodes, Cort 162; Development of daughter sporocysts of Schistosomatium douthitti, CORT, AMEEL & VAN DER WOUDE 163; Early stages of Gynaecotyla adunca, Hunter & Vernberg 432; Germ-cell cycle of Spirorchis artericola, PIEPER 757; Development of Alaria alata in final host, SAVINOV 875; Maturation in Fasciola hepatica, SAND-ERSON 865; Unisexual infections of Schistosoma mansoni in mice, STANDEN 970; Development of daughter sporocysts in Strigeoidea, VAN DER WOUDE, CORT & AMEEL 1047; Maturation of Schistocephalus solidus plerocercoid, CLARKE 155; Development of Monie-zia expansa in Galumna virginiensis, Edney & Kelley 247; Development of Cysticercus pisiformis in rabbit, POTZELUEVA 775; Early development of Bothriocephalus abyssmus, THOMAS 1015.

Oogenesis.—In Fasciola hepatica, Yosufzai 1138.

Spermatogenesis.—In Fassiola hepatica, John 450; In Spirorchis magnitestis, Jones & Mayer 458; In Nematotaeniid cestodes, Douglas 226.

Regeneration; Reconstitution.—Effect of ribonucleic acid on regeneration in planarians, Bronsted & Bronsted 98; Regeneration in starved planarians, Bronsted 99; Anomalies in head-regeneration in Proceeds lobata, Chaudebois 147; Regeneration and eye-duplication in planarians, Kaudewitz 490; Effects of temperature on head-regeneration in planarians, MI-Fune 659; Effects of chemical stimuli on regeneration of planarian head, Pard 730; Induction in planarians

SENGEL 892; Induction phenomena during regeneration in freshwater planarians, Wolff 1116.

## EVOLUTION AND GENETICS

Evolution; Phylogeny.—Significance of progenesis in digenetic trematodes, BUTTNER 117; Phylogeny of the subfamily Pleurogenetinae, KAW 491; Geological age of cestodegroups in Australasia, WARDLE 1083.

Host-Parasite Relations.—Host-relationships of the Temnocephalids, BAER 49; Host-tolerance, BECKER 65; Host-specificity among Strigeids, DUBOIS 237; Host-specificity of Echinococcus spp., RAUSCH 808; Host-parasite relationships of Schistosoma mansoni, THOMPSON 1017; Host-specificity of monogenetic trematodes on Westhampton Lake fishes, HARGIS 383.

Genetics; Variation.—Geographical strains of human schistosomes, CRAM 168; Morphological variations in the genus Leucochloridium, NEILAND 691; Polymorphism in eggs of Schistosoma bovis, VERCRUYSSE 1058; Morphological variations in Echinococcus, RAUSCH 808.

#### ETHOLOGY

General.—Ecology of Planaria alpina and P. gonocephala, BLÄSING 81; Ecology of parasites of Californian freshwater fishes, HADERLIE 373; Biology of Dactylogyrus on gills of Carassius, Shpolyanskaya 912; Biology of Fasciola hepatica in Denmark, USSING 1041; Bionomics of Schistosoma mansoni in Brazil, Travassos 1031; Biology of Paragonimus larvae in crustaceans, Yokogawa 1136; Prostoma graecense as a noxious aquariumanimal, Schroeter 881; Biological notes on nemertines in I. of Man, Southward 956.

Immunobiology.—Susceptibility of Tropicorbis hownessis to miracidia of Schistosoma mansoni, Brooks 100; Mineral-deficient diet as a factor in resistance of fowls to parasitism, GAAFAR & ACKERT 299; Resistance in mouse to Hymenolepis nana, HEYNEMAN 407; Cross-immunity to Hymenolepis diminuta and H. nana in mice, HEYNEMAN 406; Effect of chemotherapy on

immunity in mice to Schistosomatium douthitti, KAGAN & LEE 469; Immunity to superinfection with Schistosoma spp. in monkeys, Meleney & Moore 644; Acquired resistance in laboratory animals to Schistosoma mansoni. OLIVIER & SCHNEIDERMANN 708: Immunity in helminthiasis, Nosik 700; Susceptibility of Australorbis glabratus to Schistosoma mansoni, NEWTON 696; Susceptibility of Tropicorbis havanensis to Schistosoma mansoni, McQuay 609; Inefficacy of immune rat-serum in mice against Schistosoma mansoni, STIRE-WALT & EVANS 980; Resistance in mice to Schistosoma mansoni, STIREWALT 979; Coenurus immunity in lamb, PUKHOV, ZINICHENKO & CHERNOBAEV

Pathology; Effect on Host .-Contamination of ponds and reservoirs from helminthological aspect, ALF 14; Pathology of Fasciola gigantica in man, ALICATA 15; Food as a factor in human helminthiasis in Russia, BAR-CHENKO 57; Sparganosis in wild pigs, Australia, BEARUP 61; Helminthiasis of cats and bears in Moscow Zoo, BURDELEV 113; Acute fascioliasis in sheep, DAVTYAN 176; Pulmonary invasion by Schistosoma bovis in sheep and cattle, DEIANA 187; Clinical manifestations of Schistosoma rodhaini in dog. DERAMEE ET AL. 196; Effect of male Schistosoma mansoni infections on lungs in mice, DE Wrrt 200; Influence of Schistosoma mansoni on eosinophil level of mice, DE WITT 201; Clinical conditions associated with Taenia saginata infection, DZIECIO-LOWSKI & KUZMICKI 245; Pathology of schistosomiasis in man, Gelfand & Ross 314, 315; Blood-loss in urinary schistosomiasis, Gerritsen et al. 329; Effect of Fasciola gigantica in sheep, Grigoryan 361; Effect of helminths on nutrition in host, Hunter 1000. 429; Hydatigenous cysticercosis in lambs, Ivanova et al. 439; Plagiorchis megalorchis associated with death in turkey-poults, JORDAN 460; Pathology of Ornithobilharzia turkestanica in zebu, Kolesnikov 513; Symptoms sociated with Taenia saginala infection in French W. Africa, LAPIERRE 549; Effects of Amphimerus and Taenia on liver of cat, LEWERT & LEE 570; Histopathology of Schistosoma spp. in laboratory animals, Meleney et al.

645; Effects of procercoid-infestations on Cyclops populations, Michajlon 654; Schistosome dermatitis in rab-bits, OLIVIER & WEINSTEIN 709; Schistosomiasis in Indian elephants, RAO & HIREGAUDAR 802; Pathogenecity of helminths in sea-otter, RAUSCH 809; Early effects of Coenurus infection in sheep, Ronzhina 842; Effect of Ligula on leucocyte-formula in Gobius minutus, SADOVSKAYA 856; Recurrent tympanites in sheep infested with coenurus, SARWAR 869; Effect of helminths on blood-ferments of host, Semenov 890; Influence of Ligula on changes in blood-picture of fishes, Shpolyanskaya 913; Histopathology of Schistosoma rodhaini in dog, THIENPONT ET AL. 1012: Effect of microcercous cercaria on Mytilus edulis, Uzmann 1043; Adenocarcinoma of liver associated with Opisthorchis viverrini in man, Viranuvatri & Mettiva-wongse 1063; Fatal case of Fasciolopsis buski infection, Viranuvatri et al. 1064; Pathology of helminths of domestic animals, VSELODODOV 1073; Effect of Cysticercus fasciolaris on liver of rat, WANTLAND 1078; New Trichobilharzia sp. causing swimmer's itch in Ottawa R., Montreal, Wu 1123; Cestode infection of Transcarpathian chickens, ZHELTVAI 1148.

Epidemiology; Incidence.—African schistosomiasis, Amberson 25; Incidence of Cysticercus bovis in Dorset cattle, Anon. 35; Seasonal incidence of Proteocephalus stizostethi, CONNOR 160; Schistosomiasis in Mauritius, Cowper 166; Prevalence of helminths among rural population of Fayette County, Tennessee, EYLES ET AL. 261; Incidence of Taenia and Dipylidium in dogs, U.S.A., EHRENFORD 249; Schistosomiasis in the Belgian Congo, GILLET 336; New endemic area for Fasciolopsis buski in China, Hsu & Li 424; Incidence of cestodes in kittens, Michigan, HITCHCOCK 412; Helminth infections of children in Warsaw, IWAŃCZUK 443; Epidemiology of Skrjabinotrema ovis in sheep of Central Asia, Kasyanov 486; Endemicity of Fasciolopsis buski in Saharsa Dist. of N. Bihar, KANT 473; Human helminth infection in the Yemen, KUNTZ ET AL. 539; Hymenolepis ondatrae associated with an epizootic in muskrats, MACY & Anderson 611; Endemicity of schistosomiasis in the Philippines, McMullen ET AL. 607; Incidence of hydatid infection in Canada, MILLER 662; New foci of schistosomiasis in Portuguese Guinea, PINTO 759; Specific cercarial index of Schistosoma mansoni in Minas Gerais, Brazil, Ruiz 847; Persistance of Urocleidus spp. on Lepomis gibbosus acclimatized in Danube, ROMAN 841; Endemicity of helminth infection in man in Japan, RITCHIE ET AL. 833; Schistosomiasis in Formosa, RITCHIE 832; Epidemiology of Fasciolopsis buski in Central Thailand, SADUN & MAIPHOOM 860; Incidence of Opisthorchis viverrini in man, Thailand, ŜADUN 858; Infection percentage of Fasciolopsis buski in central Thailand, SADUN 857; Schistosomiasis in the Amazon region, SIOLI 929, 930; Frequency of Lepoderma vespertilionis in Miniopterus schreibersi, France, Théodorides 1011; Incidence of Echinococcus granulosus in Canada, SWEATMAN 996; Schistosomiasis in Salvador, Bahia, TRAVASSOS 1031; Incidence of cestodes in domestic cats, Philippines, Yutuc & Costo 1141; Schistosomiasis in Iran, WATSON 1085.

Control.—Effects of antibiotics on helminths in cats, Brown et al. 101; Efficacy of CCl<sub>4</sub> against Fasciola in sheep, Demidov 194; Control of Triaenophorus crassus in Canada, DOAN 206; Control of schistosomiasis, FAUST 265; Effect of terramycin on Schistosoma spp. in man, Gelfand & Alves 313; Effect of lead arsenate and phenothiazine mixture on cestodes in sheep and goats, HARWOOD 388; Method for control of Fasciola in sheep, IVANOVA 438; Control of hydatid disease, López-Neyra 582; Vermifuges for helminth infections, Muns-SYNSKI 682; Control of Drepanidotaenia in geese, Palimpsestov et al. 722; Measures against sheep-fascioliasis on Tikhbin farms in Leningrad Prov., PANOVA 723; Effect of atebrin on Hymenolepis nana in man, Peralta Diaz & Mazzotti 744; Control of helminths in silver-foxes on Russian fur-farms, Petrov 753; Experimental therapy in opisthorchiasis, PLOTNIKOV 762; Pumpkin-seeds as anthelmintic against cestodes in cats and dogs, POTEMKINA 774; Anthelmintic treatment of polar fox, RODKEVICH &

MALISHEV 794; Effect of "Aralen" on Opisthorchis in man, SADUN & CHARMNARNKITCH 859; Control of Pasciola gigantica among domestic livestock in Pakistan, SARWAR 868; Effects of atebrin on Taenia in man, TREVIÑO & SANDOVAL 1032.

#### HOST-DISTRIBUTION

Annelida. — New Collastoma sp. in Dendrostoma pyroides, California, Koz-LOFF 519; Metacercaria of new Spelotrema in Amphithoe rubricata, E. Murman, BELOPOLSKAYA & USPENSKAYA 69; Procercoid of new Caryophyllaeus sp. in Limnodrilus udekemianus, Poland, Janiszewska 447.

Mollusca.—Pseudosuccinea columella as interhost of Fasciola gigantica in Hawaii, ALICATA 18; Thysanosoma actinioides in pronghorn antelope, N. America, Allen & Kyles 19; Cercaria setifera in Phyllirhoe bucephala, France, ARVY 38; List of cotylocercous cercariae from freshwater molluscs. BALOZET 53; Szidatia joyeuxi cercaria in Melanopsis algerica, Algeria, BALOZET 54; Echinostome cercaria and metacercaria in Sardinian gastropods, BIOCCA & LE ROUX 78; Metagonimoides oregonensis cercaria in Goniobasis silicula, N. America, Burns & Pratt 114; Cercaria and metacercaria of new gymnophalline in Gemma purpurea and Cerithidea costata, respectively, Cuba, CABLE 127; New gorgoderid cercaria in Lampsilis ventricosa, U.S.A., COIL 157: New Echinoparyphium cercaria and metacercaria in Bulinus contortus, Sardinia, DOLLFUS 209; Experimental molluscan hosts of Ceylonocotyle streptocoelium and Paramphistomum ichikawai in Australia, Durie 244; Cercariae of Maritrema and Levinseniella spp. in Amnicola pilsbryi, ETGES 255, 256; Gyraulus sp. as interhost of Plagitura salamandra, ETGES 257; Many new cercariae from molluscs in the Belgian Congo, FAIN 262; Schistosoma betgian Congo, FAN 202; Schisusman rodhaini cercaria in Biomphalaria alexandrina pfeifferi, Ruandi-Urundi, FAN ET AL. 263; New rhopalocercaria in freshwater clam, N.Y., FISCHTHAL 282; Helisoma normalis duryi as interhost of Paramacroderoides echinus, N. America, Holliman & Leigh 416; Molluscan interhosts of helminths of domestic animals in India, HORA 422;

Cercaria of Hysteromorpha triloba experimentally in Gyraulus hirsutus, Hugghins 427; Cercaria of Gynaecotyla adunca developing experimentally in Nassarius obsoict2, Hunter & Vernberg 432; New furcocercous cercaria in Hiatella arctica and H. striata, Britain, HUTTON 433; Opisthioglyphe range cercariae in Limaea crata and L. palustris. JOYEUX & BAER 463; Limnaea auricularia rufescens DAER 100; Lumace autocam in gesens as interhost of Fasciola gigantica, Kennall & Parritt 494; Interhosts of Echinoparychium recurvatum in Egypt, Kuntz 538; New schistosome cercaria in Haminoca antillarum guadalupensis, Leigh 561; Physa heterostrobha as interhost of Posthodiplostomum minimum, MILLER 661; Experimental infection of Bulinus truncatus with Schistosoma haematobium, MOORE ET AL. 675; Molluscan vectors of Echino-complyium flexum in N. America, Najarian 686; Echinostoma miyagawai metacercaria in Limnaea ovala and L. auricularia, Russia, Nevostrueva 693; Viciparus ciciparus as interhost of Echinoparyphison petrowi, Russia, Nevo-STRUEVA 694; Ornithobilharzia canaliculata cercaria in Batillaria minima, N. America, Penner 741; Helisoma tri-America, Fenner 191; Heisoma involvis as interhost of Spirorchis arteriola, N. America, Pieper 757; Vertigo wata as probable interhost of Hassilesia tricolor, ROBUNSON 838; Vertigo ventricosa as interhost of Hassilesia tricolor, N. America, Rowan 845; Australorbis immunis interhost of Schistosoma mansoni, Estado de São Paulo, Ruz & Carvalnosophora, Japan, Shibue 904; Pleurogenes japonicus and Loxogenes liberum
cercariae in Bulimus kiushuensis, Shibue 905; Cercaria of Azygia longa experimentally in Amnicola limosa, SILLMAN 921; Amnicola limosa as experim. interhost of Opistherchis tonkae. N. America, Sillman 922; Cercariae in Ferrissia novangliae, Michigan, SMITH 941; Microcercous cercaria in Pseudamnicola, Italy, SORDI 954; Zebrina, Chondrula and Helicella spp. as interhosts for Dicrocoelium dendriticum in Armenia, SVADZHYAN 994; New microcercous cercaria in Mytilus edulis, New York, UZMANN 1043; Land-snails as interhosts of Entosiphonus thompsoni, VILLELLA 1060; Retinella indentata experimental interhost of Entesiphonus thompsoni.
VILIELLA 1062; Notocotylus stagnicolae
cercaria and metacercaria in Stagnicola palustris, Canada, Wu 1124; Lymnaea stagnalis as experimental interhost of Fascioloides magna, Wu & Kingscotte 1125; Cercaria and metacercaria of Postmonorchis in Donax gouldii, California, Young 1140.

Crustacea.—New Temnocephalid on Cherax, New Guinea, Baer 49; Metacercariae of Maritrema and Levinseniella spp. in Asellus communis, N. America, Erges 255, 256; Uca and Talorchestia spp. as natural interhosts of Gynaecotyla adunca, N. America, HUNTER & VERNBERG 432; Crustacean interhosts of Diphyllobothrium latum in Chile, NECHME 689.

Insecta.—Dicrocoelium dendriticum metacercaria in Formica fusca, N. America, KRULL & MAPES 530; Plagiorchis maculosus metacercaria in Chironomus thummi and Chaoborus crystallinus, STRENZKE 987; Oochoristica cysticercoids in Coleoptera, MILLEMAN & READ 660; Tetramorium caespitum jacoti as experimental interhost of Raillietina (R.) echinobothrida, SAWADA 876.

Arachnida. — Moniezia expansa cysticercoids in Galumna virginiensis, U.S.A., EDNEY & KELLEY 247; Moniezia benedeni cysticercoids in Zygoribatula longiporosa, Australia, ROBERTS 837; Oribatid vectors of Moniezia in the Gorkov Prov., Russia, Shaldibina 897.

Fishes.—Trematodes from marine fishes, Panama, Caballero y C., Bravo H., & Grocott 126; Two new Cryptogonimids from Pacific coast of Mexico, Bravo H. 95; Monogenetic trematodes of Indian fishes, Chauthan 149; Diplostomum spathaceum larva in Ameiurus nebulosus, Poland, Chechina et al. 150; Four new Haplorchoides spp. in freshwater fishes, India, Dayal & Gupta 179; Two new Opisthorchiid genera in Rita rita, Assam, Dayal & Gupta 180; New Monorchiid genus in Ophicephalus punctatus, Assam, Dayal & Gupta 181; New Haplocladine genus in Clarias batrachus, Assam, Dayal & Gupta 182; New Reniferine genus in Heteropneustes fossilis, India, Dayal & Gupta 183; New Ganeo sp. in Wallago attu, India, Dayal & Gupta 184; Metacercaria of Skrjabiniella aculeata in marine fishes, Senegal, Doll-Us 208; Three new species of Monogenea from

shovelnose guitarfish, California, Dor-An 216; New Otodistomum sp. in Lord Plunket's shark, N. Zealand, Fyfe 298; Two new Schistorchis spp. in Hawaiian fishes, Hanson 379; Monogenetic trematodes of Westhampton Lake fishes, Virginia, HARGIS 381, 382; Sanguinicola inermis egg barbel, Austria, HIRSCHMANN-DAVID 411: Metacercaria of Paramacroderoides echinus encysting in Gambusia affinis holbrookii, N. America. Holliman & Leigh 416; Metacercaria of Hysteromorpha triloba in Ameiurus melas, N. America, Hugghins 427; Trematodes From marine fishes, Adriatic, JANIS-ZEWSKA 446; New Opisthadena sp. in Cebidichthys violaceus, California, JOHN-SON & COPSEY 451; Diplostomulum phoxini in Phoxinus phoxinus and D. cobiditis in Cobitis barbatula, France, JOYEUX & BAER 462; New Diplostomulum sp. in eyes of Salmo trutta. Scotland, LAL 546; Two new Prosorhynchine trematodes from Fijian fishes, Manter 625; Monogenetic trematodes from marine fishes, Fiji, MANTER & PRINCE 626; Redescription of Probolitrema californiense from guitar-fish, California, MARKELL 628; New Nagmia sp. in sting-ray, Florida, MARKELL 629; Phagicola lageniformis metacercaria in gills of Fundulus pallidus, N. America, Martin 632; Dactylogyridae on N. American fishes. MIZELLE & KLUCKA 669; MIZELLE & Webb 670; New Lecithochirium sp. in Moray eel, N. Hebrides, Myers & Wolfgang 685; New Megalocotyle sp. on gills Sebastodes paucispinus, Oregon, PRATT & ALDRICH 776; New Gastrocotyline trematode on gills of Sphyraena acutipinnis, India, RAMALINGAM 797, 798; New Vallisia sp. on fishes of Madras, RAMALINGAM 799; Trematodes from Icelandic fishes, REES 816, 817: New blood-fluke in marine fishes, Florida, SHORT 910; Two new Gyrodactylus spp. on Cyprinid fishes, Russia, Shulman 914; Azygia longa in Esox vermiculatus and Amia calva, Michigan, Sulman 921; Metacercaria of Opistvorchis tonkae in Lepomis gibbosus and Hyborhynchus notatus, Michigan, SILLMAN 922; New Echinostoma sp. in a fish, Notopterus chitala, India. SINGH 928; Acanthostomum metacercaria in Gambusia, SORDI 955; Rhodometopa metacercaria in the sardine, TIMON-DAVID 1023; Metacercaria of new Apophallus sp. encysted in musculature of Perca flavescens, N. America, WARREN 1084; Digenetic trematodes of fishes, YAMAGUTI 1126; Trematodes from fishes, Celebes, YAMAGUTI 1128, 1129; New Postmonorchis sp. in marine fishes, California, Young 1140; Köllikeria filicollis and plerocercoids of Gymnorhynchus gigas, from Brama raii, Scotland, RAE & WILSON 792; Tetraphyllideans in selachians of Pacific coast of America, ALEXANDER 12; Five new Acanthobothrium spp. in rays, S. California, ALEXANDER 13; Plerocercoids of Diphyllobothrium sp. in Salmo gairdnerii, Alaska, Babero 44; New Tetraphyllidean in Dasyatis pastinaca, France, Euzer 258; New Tetraphyllidean from Negaprion brevirostris, EAZET 259; New Hypocaryophyllaeus sp. in Utah chub, N. America, FISCHTHAL 280; New Caryophyllaeid in hornyhead chub, Wisconsin, FISCHTHAL 281; Redescription of Bothriocephalus manubriformis from Istiophorus, Mexico, FLORES-BARROETA 284; New Caryo-phyllaeus sp. in cyprinids, Poland, JANISZEWSKA 447; Two new Disco-bothrium spp. in elasmobranchs, India, KHAMBATA & BAL 501; Three new Otobothrium spp. in Elasmobranchs, India, KHAMBATA & BAL 500: Plerocercoids of Diphyllobothrium spp. in fishes, Kuhlow 533; Gyrocotyle spp. in elephant-fish, New Zealand, MANTER 624; Diphyllobothrium latum plerocercoids in Salmo irideus and S. fario, Chile, Neghme 689; Cestodes from marine fishes, Iceland, Rees 815; New Bothriocephalus sp. in Echiostoma tanneri, Bermuda, THOMAS 1015; New Proteocephalus sp. rainbow-trout and brook-trout, California, WAGNER 1076; Helminths in marine fishes, Senegal, CADENET 128: Parasites of freshwater fishes, Maine, DE ROTH 197; Helminths of the cod, DOLLFUS 210; Helminths in fishes, Wisconsin, FISCHTHAL 278, 279; Helminths of European Coregonids acclimatized in Siberia, GREZE 358; Parasites of freshwater fishes in Washington State, GRIFFITH 359; Parasites of freshwater fishes of California, HADER-LIE 373; Helminths of Idus in Russia, RAKOVA 795; Helminths of freshwater fishes, Indonesia, SACHLAN 854.

Amphibia.—New Prohemistomulum sp. in kidney of Rana ridibunda, Algeria,

BALOZET 54; Diblediscus megalochrus and Gorgoden australiersis in Hyro aurea, New Zealand, Brace et al. 93; Tremateoirs in amphibians of the Bizhowieza National Park, Poland. Grossman & Sandner 362; Redestription of Gorgoderina circlinioù from Bombine salse. France, Joyeux & Baer 462; Tadpoles and adults of Rans spd. as interhosts of Echinoborgodenia. Natural Adulta (1988). Sew Pleurogenetine trematode in Pacific giant salamander. Oregon, Nender & Macy 894.

Reptilia.—Two Ocietosoma spp. redescribed from Panamanian snake, Flores-Barrosta & Grocott 285; Spicestrik attribute in Claysome siete. N. America. Pieper 757; Leneghyllum taminismin in Elegia padricitista declerii Schald 877; Trematodes in snapping tarrile. Okiahoma. Williams 1108; Redescription of Opinitaria beriana from Lenadara resmosfera, Panama, Flores-Barrosta 284; Dispilloboticium crinase larva in Natrix mairii, Queensland. Sandars 864; Meocensiais larvae in lizards and snakes. California. Voge 1066.

Aves .- Pseudobilharzia eggs in Nettion cressa and Anas platinhynches. Pakistan, ABDUSSALAM & SARWAR 5; New Votoretrius so, in bursa Fabricii of Anas pictyrinishas. Russia. ABLASOV 9; New Digistromer sp. in Indian kite, ANANTARAMAN & BALASTBRAMANIAM 28 : New Sociotrema in Arenaria interpres, E. Murman, Belopolskaya & Uspen-SKAYA (3); Trematodes from birds in Leningrad Prov., Bychowskaya-Par-LOVSKAYA 119; New Renicola sp. in a pelican, Panama, CABALLERO Y C. 124; Adults of new Gymnophalline tremaude obtained experimentally in chicken. Cable 127; Meterchic xanthosome in duodenum of duck. Dollarus & BUTTNER 211; New Diploctomer sp. in guillemet. London Zoo. DuBois 235; New Notocopylus sp. in Resignamus sociabilis. Cuba. Dubois & Pérez Vigueras 238; Two new Allocreadiid trematodes from fish-eating birds. Kurile Is. Gubanov 363; Scabhana-cebhala: espansus in osprey, Iowa, Hoffman 414; Hysteromorpha triloba in double-crested commorant. N. America. Hogomas 427; New Pseudospelotrems sp. in seaside-sparrow. N. Carolina. HUNTER & VERNBERG 431;

Echinoparyphium flexum in Anas discors. N. America, Najarian 686; New Leucochloridium sp. in Oregon jay, Nemand 691; New Echinoparyphium sp. in domestic fowl, Russia, Nevo-STRUEVA 694; Austrobilhar zia variglandis recorded from Mergus serrator, N. America, Penner 740; New Philophthalmus sp. in domestic geese, Yugo-slavia, RICHTER ET AL. 829; New Pseudobilharziella sp. in veins of Rallus aquaticus, Russia, Spasskaya 957; Larus argentatus as experimental final host for Microphallus limuli, STUNKARD 989; New Renicola sp. in kidneys of magpie, France, TMON-DAVID 1024; Trematodes in magpies, France, Timon-DAVID 1025; New Trichobilharzia sp. obtained experimentally in canaries. pigeons and ducks, Wu 1123; Experi-Diphyllobothrium sp., Alaska, BABERO 44; Redescription of Raillietina (Paroniella) urogalli, FEDYUSHIN 271; New Aploparaksis sp. in Larus franklini, Panama, Flores-Barroeta 284; Coenurus in subcutaneous tumour in Columba livia, India, JOHRI 455; New Dipylidiine cestode in fantail snipe, India, JOHRI 457; Cestodes from fowls, France, JOYEUX & BAER 462; Four new Dilepidid cestodes from Russia, Krorov 524; New Diphyllobothrium sp. experimentally in gulls. KUHLOW 533; Diphyllobothrium dendritiour, redescribed from Larus argentatus, Germany, Kuhlow 534; Tetrathyridium larvae in a fowl, Russia, Popov 767; New Diorchis and other cestodes in Aleutian teal, Alaska, SCHILLER 879; New Paruterinine cestodes in Mexican birds, Voce & DAVE 1069; Two new species of cestodes in birds, Andes, Voge & READ 1070; Helminths of Troglodytes troglodytes. ARMSTRONG 36; Helminths in ptarmigan. Alaska. Babero 42; Helminths of Charactriformes in Russia, Belopolskaya 68; Helminths of fowls, Chile, BOLELLI 88; Helminths from Charadriiforms in Volga-delta, GINETZINSKAYA 338; Helminths in Ammospica maritima macgillivraii, N. Carolina. Hunter & Quay 430; Review of helminths from game-birds in Russia, Kastmov 485; Helminths in game-birds of Gruzia, Russia, Kurash-VILI 540; Helminths of chickens in Mariisk Republic, Russia, POMRYAS-KINSKAYA 766; Helminths of birds,

Czechoslovakia, Vojtechovska-Mayerova 1072; Helminths of Corvus cornix, Russia, Zekhnov 1147.

Marsupialia.—Helminths from Isoodon obesulus, Queensland, MACK-ERRAS ET AL. 603; Diphyllobothrium erinacei larva in muscles of Tasmanian tiger-cat, Tasmania, SANDARS 864.

Cetacea.—New records of Braunina cordiformis in cetaceans, America, Mc-Intosh 601; Cestodes from whales in Ross Sea, Regs 318.

Ungulata.—Schistosoma nasalis buffaloes and sheep, Punjab, ABDUS-SALAM & SARWAR 4; Alaria alata larva in pig, Dollfus & Chabaud 212; Schistosoma bovis in mesenteric veins of cattle, Somalia, Pellegrini 738; Trematodes in N. American ruminants, PRICE 780; Two new Cotylophoron spp. in American sheep, Price & Mc-INTOSH 781; Agamodistomum suis in musculature of pig, Poland, Stefański & TARCZYŃSKI 973; New Fasciola in goats, cattle and buffaloes, India, VARMA 1050; Ceylonocotyle scoliocoelium redescribed from Japanese goat, Yama-curi 1127; Fasciola hepatica in Scottish hill-sheep, Wilson et al. 1109; Spirometra plerocercoids in wild pigs, Australia, BEARUP 61; Cysticercus tenuicollis in lambs, Russia, IVANOVA ET AL. 439: Moniezia expansa and M. benedeni in cattle and sheep, N. America, PORTER 773; Cestodes from horses in the Yakut Republic, Russia, Safronov 862; Taenia echinocoecus larvae in viscera of pigs, Talice & Gurri 997; Cysticercus boois in a bullock, Pakistan, YAQUB 1133; Helminths from Gazella subgutturosa in Kazakhstan, Russia, KARMANOVA & MURTAZAEV 476; Helminths of bison in northwest U.S.A., LOCKER 573; Helminths of Scottish hill-cattle, PARNELL ET AL. 731; Helminths of horse, W. Australia, Shilkin 908.

Rodentia.—Natural infestation of Ratus ratus frugivorus by Schistosoma mansoni, Brazil, Barbosa et al. 56; New Echinopayphium sp. obtained experimentally in white rats, Dolleus 209; Schistosoma rodhaini in wild rodents, Ruanda-Urundi, Faln et al. 263; Sylvilagus floridanus mearnsi natural host of Dicrococlium dendriticum, N. America, Krull & Mapes 530; White rats and guinea-pigs as experi-

mental final hosts for Echinoparyphium recurvatum, Kuntz 538; Schistosoma mansoni experimentally in Dasyprocta aguti, PRICE 778; New variety of Schistosoma mansoni in wild rodents, Belgian Congo, Schwetz 884; Cuniculus p. pacca as experimental host of Schistosoma mansoni, Ruiz 849; Opisthorchis tonkae in Microtus p. pennsylvanicus, Michigan, SILLMAN 923; Trematodes in Apodemus sylvaticus, Inner Hebrides, Thomas 1016; New Bertiella sp. in Anomalurus peli, W. Africa, BAER 48; New Catenotaenia sp. in kangaroorats, California, DOWELL 227; Cestodes of rats and mice in Chernovitz, Poland, Gumenyuk 368; New Anoplocephaline from "rats", S. Rhodesia, Lynndale 590; Cestodes in Osage wood-rat, N. America, Murphy 684; Cysticercus fasciolaris in muskrats, Germany, Müller 680; New Anoplocephalid cestode from Lagidium peruanum, Peru, PARRA 732, PARRA ORMEÑO 733; Mesocestoides lineatus larva in Pitymys multiplex, Italy, PUJATTI 784; Echinococcus larvae in microtine rodents, N. America, RAUSCH 808; Taenia polyacantha cysticercus in tundra vole, Alaska, Schiller 880; Experimental infection of chinchilla with Hymenolepis nana, SHELTON & BAILEY 902; Cestodes from Rhombomys opimus in Uzbekistan, Russia, Shleik-HER & SAMSONOVA 909; Hymenolepis nana in Citellus citellus, Simitch, Neven-itch & Petrovitch, 925; Simitch & PETROVITCH 926; Cysticerci in Ctenomys ferianus, Peru, Voge 1067; Cysticercus fasciolaris experimentally in syrian hamster, Wantland 1077, 1079; Helminths in Alaskan beavers, Babero 43; Helminths of Oryctolagus cuniculus in New Zealand, Bull 108; Helminths in kangaroo-rats, N. America, READ & MILLEMANN 813; Helminths from rodents in central and southern Rockies, SMITH 935; Parasitic worms of muskrats in Russia, SPASSKI 959; Redescription of Raillietina demerariensis from Proechimys, Venezuela, STUNKARD 990.

Carnivora.—Schistosoma rodhaini in serval and dog, Ruanda-Urundi, Derame Et Al. 196; Schistosoma rodhaini in Felis serval, Ruanda-Urundi, FAN ET Al. 263; Platynosomum fastosum in a cat, Jamaica, Gullbride 366; Opisthorchis felineus in Western Siberian foxes, Kadenatzn 465; New Cryptocotyle

sp. in Brazilian Otter, Nat. Zool. Park. Washington, D.C., McIntosh 600; Grison furax as experimental host of Schistosoma mansoni, Ruzz 849; Diecocoelium dendriticum in Ursus arous caucasicus, Russia, Rukhlyadev & RUKHLYADEVA 851; New Spiciosons sp. in cat, Israel. WITENBERG 1115 ; Experimental infection of cats with Diphyllobothrium. BABERO & RAUSCH 45; Two new Oochoristica spp. from skunks, Chandler 144: Toenia pisiformis in arctic fox. Russia. DUBNITZKI 232; Echinococcus granulosus in dogs. Mississippi, Franklin & Ward 288; New Spirometra sp. in wolf and lynx, Poland, Furmaga 293; Cestodes of cats and dogs in Chernovitz, Poland. GUMENYUK 368; Cestodes of mustelids in the Burvat-Mongolian Republic. MACHULSKI 599; Diphyllobothrium latum in cats and dogs. Chile. NEGEME 689: Cestodes in jackal. Azerbaijan. Russia. Sadikhov 855; Cestodes in dogs, Tashkent, Russia. Sharafutdinova 898; Echinococcus granulosus in dog. U.S.A., SHELTON 901; Mesocestriaes variabilis in Californian carnivores. Voge 1066; Cysticercus cellulosae in a dog, Venezuela, Vogelsang 1071; Cestodes in domestic cat, Philippines, YUTUC & Costo 1141; Helminths of dogs in Poland, KOZLOWSKA 520; Helminths in raccoons, Pacific County, Washington, McNeil & KROGSDALE 608; Helminths in silver-foxes on Russian fur-farms, Petrov 753; Helminths in sea-otters, Alaska, RAUSCH 809.

Insectivora.—Trematodes in Desmana moscheta. Russia. Karpovich 477; New Brachmaina sp. in shrews. Tennessee, Mason 633; Four new trematodes of insectivores. Russia. Shaldirin 896; New troglotrematid in shrews, U.S.A., Senger 833; Trematodes in Sorex, Inner Hebrides. Thomas 1016; Cestodes from shrews. France. Joyfel & Barr 462; Redescription of Humanichis sincularis from Sorex and Crocidura. Hungary. Kobulel 511; Cestodes in shrews. Oregon. Nelland 690; New Humanichis sp. in a shrew. California. Vose 1068; New Humanichis sp. in Sorex anneus. Poland. Zarnowski 1146; Helminths of Hungarian Soricidae. Kobulel & Versheni 512; Helminths of Soricidae in the Bialowicza National Park. Soltys 951.

Chiroptera.—New Castrola sp. in gall-harder of Viscota, Russia Gyop-DEV 372; Heterophyes helestophyes in a bat, Yemen, Macy 610.

Primates. Schistosoma mansoni in spinal cord of man. ABBOTT & SPENCER 1; Fasciola gigantica in man, Hawaii, Alecara 15; Five spp. of echinostomes from man in Malavan Archipelar . Bonne et al. 91; Intestinal helminths of patients in a Virginia Hospital, FURR ET AL. 296 ; Dicrococlium down now in Himalayan languer, India. HAWKINS ET AL. 395; Five new cases of Fundament make infection in Formuse. Hsu & Li 424 : Experimental infection of theses monkeys with promountainer. douthitti, KAGAN 468 : Fasciolopsis bushi in nat. Trailand. Viravioletti et AL 1064; Diphyllobotherium latium in Chile. Newvie 689: Spargar for carm of woman, Italy, Purkum 788: Hymenolepis diminuta in man, Termessee. SMITH, JONES & EYLES 936; Helminths of monkeys in Portuguese Guinea, AZEVEDO & MEIRA 41; Intestinal helminths of man, Wood-RUFF 1120.

General.—Parasites in animals at the London Zoo, Porter 771, 772.

# GEOGRAPHICAL DISTRIBUTION

Europe.—Turbellaria in sandfaunas of fresh and brackish waters. France, ANGELIER 34; New Proxentes sp. from the Baltic and the Mediterranean, Ax 39; New Gnathorhynchid turbellarian from Kiel Bay, Ax 40; Occurrence of Dendrocoelopsis spinosipenis in Sweden, Holmoust 419; New Eukalyptorbynonic turbellaman from Sweden, Kariana 475 : Pianamans in limoral fauna of the Rhone at Lyon. LAPON 542; Descriptions of six Macrostomics from Italy, Part 725; Rinabdocoeles from central Italy, Part 727; New Alloescoel purbellarians from Scandinavia and Britain, Wast-BLAD 1096; Macroscomic Turbellaria from England and Scandingvia, Wast-BLAD 1097; Lineus gesserensis in seawater storage-tanks at Port Erin. JUDGES & SOUTHWARD 464: Nemertines in fauna of I. of Man. SOUTHWARD Africa.—List of African landplanarians, MARCUS 627; Larval trematodes from Belgian Congo, FAIN 262.

Asia.—List of Monogenea of Indian region, Chauhan 148; Systematic list of Surgetia from India. Dubets 236; Freshwater nemertines from Japan. SUDZUKI 991.

N. America.—Polyclads from the Pacific coast of N. America, Hyman 434; New Dendroccelid from hlypends, Washington, D.C., Hywas 435; Freshwater Triclads from Alaska, Kank 495; Parasites of Taskawater fishes of California, Humanan 373; Helminths of small mammals in central and southern Rockies, Santu 935.

S. America.—Triclads from Peru and Panama, Du Bois-Reymond Marcus 239.

Australasia. — Land-planarians from Auckland and Campbell Is., Fyre 297; Occurrence of Mesostoma envenous in New Zealand. Spour 986.

Pacific Ocean.—Polyclads from the Galapagos Is., Hyman 436.

## SYSTEMATIC INDEX

#### PLATYHELMINTHES

#### TURBELLARIA

Acerotisa Strand defined p. 378, alba (Freeman) n. comb., Puget Sound, pp. 378-379 fig., arctica sp. nov., Alaska, p. 379 figs., californica sp. nov., Californica sp. 38-38. Res., Flynan Bull. Amer. Mus. nat. Hist. 100 1953.

Alluma Marcus, defined, p. 175, mexicana sp. nov., Gulf of California, Hyman Buil. Amer. Mus. nat. Hist. 100 1953 pp. 275-277 figs.

Alloioplana Piehn defined p. 346, systematic position p. 349, californica Heath & McGreg. a. cassic. California, 346–347 figs., sandiagensis (Boone) n. comb., California, pp. 349–350 figs. Hyman Bull. Amer. Mus. nat. Hist. 100 1953.

Amblyceraeus luteus (Plehn) transf. to Pseudoceros, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 p. 366. Ambippiano V. Graff, systematic none. flara V. Gr. transi de Communa. Parvir. J. Lina. Soc. Zool. 42 1988 pp. 110-213 figs.

defined p. 191, type: occasio sp. nov., Galaxiaers, Human Alan Haccock Pacif. Exped. 15 1953 pp. 191–193 4 figs.

Articestylas v. Graff. a syn. of Orientes. Powtry I. Linn. Sec. Zool. 42 1953 p. 208.

Artiopostkia carneyli sp. nov., Campbell and Auckland Is., N.Z., FYFE Bull. Cape Exped. Scr. No. 12 1953 pp. 9-10 figs.

Bullimania De Man, receited p. 5. brooken Sab, assista, communic Sab, and assista Komardo transi. 10 Recommunic Hyuan Amer. Mus. Novic. No. 1649, 1953 pp. 2, 6.

Supposed gen. nov., Monoceliditae, refined p. M. mpe Microsof sp. nov., Nurveat. Sweden and Britain. Wassman. Cast. Section Acts. nature. R. 1952 7 1953 pp. 14-18 fgs.

Callioplanidae fam. now. pro Diplusivenidae. Hywax Bull. Amer. Mus. nat. Hist. 100 1953 p. 357.

defined p. 12, type: fascs sp. nev., Auckland and Campbell Is., N.Z., Fyrz Ball. Case Expert. Sec. No. 12 1955 pp. 11-14 f. fast.

Collinson: Dirler, taxonomic note, carifles sp. nov. in get of Senaritama provide. California, Konnor J. Parasis 39 1983 pg. 386-181 hgs.

Compositions traditions Hyman a symof Pharmacole graphics Schmanba, Howay Bull, Amer. Mus. nat. Hist. 100 1953 p. 300.

Copidoplana Bock, 1913, defined p. 339, trigria sp. mov., California, Hysian Bull. Amer. Mes. nat. Hist. 100 1933 pp. 339–341 figs.

Consession Lang School of 194, which American Sp. nov., Carberria, Tewas Bull, American Mass and Mass. 100 1843 of 1952 of 1953 pp. 186–187 age.

Cryptophallus magnus Freeman, 1933, a syn. of Kabwakia excelsa Bock, 1925, Нуман Bull. Amer. Mus. nat. Hist. 100 1953 p. 290.

Cytocystis gen. nov., Zonorhynchidae, type ditellatus sp. nov., Sweden, Karling Ark. Zool. 4 1953 pp. 493– 504 figs.

Dendrocoelopsis piriformis pp. 174-178 figs., alaskensis pp. 178-180 figs., spp. nov., Alaska, Kenk Proc. U.S. nat. Mus. 103 1953.

Diceratocephala gen. nov., Temnocephalidae, defined p. 129, type: boschmai sp. nov. on Cherax spp., New Guinea, BAER Zool. Meded. 32 1953 pp. 121–129 figs.

Diplandros gen. nov., Leptoplanidae, defined p. 341, type singularis sp. nov., California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 341–343 figs.

Discosolenia Freeman a syn. of Pseudostylochus, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 p. 358.

Dugesia gonocephala (Dugès) pp. 6-12 figs., astrocheta sp. mov. pp. 13-17 figs., eccupiosa sp. nov. pp. 17-20 figs., Belgian Congo, monomyoda sp. mov., Natal, pp. 22-25 figs., Marcus Explor. Parc nat. Upemba. Miss. de Witte No. 21 1953.—D. festai (Borelli) redescr., Peru, pu Bots-Reymond Marcus An. Acad. bras. Sci. 25 1953 pp. 65-69 2 figs.

Enchiridium Bock defined p. 386, puntatum sp. nov., California and Gulf of California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 386–387 figs.

Euplana Girard defined p. 332 pacificola (Plehn) n. comb., Gulf of California, Hyman Bull. Amer. Mus. mat. Hist. 100 1953 pp. 332–333 figs.

Euprosthiostomum Bock defined p. 366, molle (Freeman) n. comb., Hyman Bull. Amer. Mus. nat. Hist. 100 1953 p. 386.

Eurylepta Ehr. defined p. 370, aurantiaca Heath & McGreg., California, pp. 370–372 figs., leoparda Freeman, some redescr., pp. 372–373, HYMAN Bull. Amer. Mus. nat. Hist. 100 1953.

Euryleptodes Heath & McGregor defined p. 375, insularis sp. nov.,

California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 375–376 figs.

Freemania gen. nov., Leptoplanidae, defined p. 336, type: Phylloplana litoricola Heath & McGregor, Brit. Columbia and California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 336–337 figs.

Geoplana aucklandica Dendy redescr. from Auckland Is. pp. 6-8 figs., ashleyi sp. nov. Auckland Is. pp. 8-9 figs., ranuii sp. nov. Campbell I. pp. 10-12 figs., New Zealand, FYFE Bull. Cape Exped. Ser. No. 12 1953.

Globuliphora gen. nov., Globuliphorinae, defined p. 26, type: rufifrons sp. nov., Norway, Sweden, Britain, Westblad Univ.-Bergen Årb. naturv. R. 1952 7 1953 pp. 19–23 figs.

Globuliphorinae subfam. nov., Monocelididae, Westblad Univ.-Bergen Årb. naturv. R. 1952 7 1953 pp. 19, 25.

Gnosonesima Reis. defined, Westblad Univ.-Bergen Årb. naturv. R. 1952 7 1953 p. 24.

Gnosonesimilia gen. nov., Gnosonesimidae, type: borealis sp. nov., Skagerrak, Westblad Univ-Bergen Årb. naturv. R. 1952 7 1953 pp. 4-9 figs.

Hoploplana californica sp. nov., California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 344-346 figs.

Incapora gen. nov., Rhynchodemidae, type: weyrauchi sp. nov., Peru, pu Bois-Reymond Marcus An. Acad. bras. Sci. 25 1953 pp. 73–77 figs.

Kaburakia Bock defined p. 290, excelsa Bock redescr. from Puget Sound, N. America. Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 290–291.

Latocestid (juvenile) Lower, California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 p. 277 fig.

Latocestus galapagensis sp. nov., Galapagos, Hyman Allan Hancock Pacif. Exped. 15 1953 pp. 183–185 2 figs.

Leptoplana Ehr. defined p. 310, chloranota (Boone, 1929) n. comb., Brit. Columbia and California, pp. 310–313 figs., vesiculata Hyman, note, p. 313, limnoriae sp. nov., California, pp. 313–314 figs., rupicola Heath &

McGregor (p. 315), saxicola N. & G. (p. 318), inquieta H. & G. (p. 319), acticola Boone (p. 321) and sciophila Boone (p. 323) transf. to Notoplana, pacificola Plehn to Euplana p. 332, Hyman Bull. Amer. Mus. nat. Hist. 100 1953.—L. ellipsoides Girard transf. to Plehnia, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 p. 279.

Leptoplanidae, systematic note, Hy-MAN Bull. Amer. Mus. nat. Hist. 100 1953 p. 343.

Longiprostatum gen. nov., Cryptocelidae, defined p. 300, type: rickettsi sp. nov., Gulf of California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 300–301 figs.

Macginitiella gen. nov., Leptoplanidae, defined p. 337, type: delmaris sp. nov., California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 337–339 figs.

Macrostomum curvituba Luther p. 392 fig., balticum Luther p. 393 fig., rubrocinctum Ax pp. 394-395 fig., Scandinavia, pusillum Ax, England and Scandinavia, pp. 395-396, Westblad Ark. Zool. 4 1953.—M. longituba sp. nov., Italy, pp. 4-7 figs., balticum Luther subsp. meridionalis subsp. nov., Italy, pp. 7-10 figs., mystrophorum Meixner redescr., Italy, pp. 10-14 figs., karlingi sp. nov., Finland and Italy, pp. 14-17 figs., distinguendum Papi redescr. from Finland and Italy, pp. 17-20 figs., Papi Acta zool. fenn. 78 1953.

Marcusia gen. nov., Cryptocelidae, type ernesti sp. nov., Gulf of California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 296–297 figs.

Mesostoma ehrenbergii (Focke) redescr., New Zealand, Stout Trans. Roy. Soc. N.Z. **81** 1953 pp. 295–301 figs.

Mexistylochus gen. nov., Stylochidae, type tuberculatus sp. nov., Gulf of California, pp. 291–293 figs., levis sp. nov., Mexico, pp. 293–294 fig., Hyman Bull. Amer. Mus. nat. Hist. 100 1953.

Microplana Vejd., systematics, Pantin J. Linn. Soc. (Zool.) 42 1953 pp. 213-215.—M. harea sp. nov., Belgian Congo, Marcus Explor. Pare nat. Upemba. Miss. de Witte No. 21 1953 pp. 30-33 figs.

Microstomum spiriferum sp. nov., Scandinavia and Scotland, pp. 396398 fig., hamatum sp. nov., England and Scandinavia, pp. 398-400 figs., septentrionale Sab., Scandinavia, pp. 400-402 figs., jenseni Riedel, Scandinavia, pp. 402-404 fig., rubromaculatum Graff, Scandinavia, pp. 404-405 fig., papillosum Graff, Scandinavia, pp. 406-407 fig., WESTBLAD Ark. Zool. 4 1953.

Monocelis bathycola **sp. nov.,** Norway, Westblad Univ.-Bergen Årb. naturv. R. **1952** 7 1953 pp. 9-14 figs.

Monosolenia gen. nov., Callioplanidae, defined p. 359, type asymmetrica sp. nov., California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 359–361 figs.

Myozona lutheri sp. nov., Italy, PAPI Acta zool. fenn. 78 1953 pp. 20–25 figs.

Nematodemus lumbricoides v. Graff, 1896, a heteronemertine, PANTIN J. Linn. Soc. (Zool.) 42 1953 p. 207.

Notodactylus gen. nov., Temnocephalidae, type Temnocephala handschini Baer, 1945, on Cherax spp., New Guinea, BAER Zool. Meded. 32 1953 pp. 120–121 figs.

Notoplana Laidlaw defined p. 315, atomata (O.F.M.), Alaska, p. 315, rupicola (Heath & McGreg.) n. comb., Oregon and California, pp. 315-317 figs., saxicola (Heath & McGreg.) n. comb., California, pp. 318-319 figs., inquieta (H. & G.) n. comb., Brit. Columbia and California, pp. 319-321 figs., acticola (Boone) n. comb., California, pp. 321-323 figs., sciophila (Boone) n. comb., California, pp. 325-325 figs., sanpedrensis Freeman, note on validity, p. 325, longastyletta (Freeman) n. comb., Brit. Columbia and Aleutians, pp. 325-327 figs., sanguina Freeman, Puget Sound, pp. 327-328 figs., natans Freeman, Puget Sound, pp. 328 329 fig., celeris Freeman, Puget Sound, pp. 329-330 fig., sanjuania Freeman, Puget Sound, pp. 330-332 fig., sagnis Freeman transf. to Freemania p. 336, HYMAN Bull. Amer. Mus. nat. Hist. 100 1953.

Oligocladus albus Freeman transf. to Acerotisa, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 p. 378.

Opistonum pallidum Schm., chromosome no. 2n = 4, n = 2, Papi Caryologia 5 1953 pp. 123–132 figs.

Othersonic Goan reviewed type-species committed Gray redesor. Particle J. Linds. Soc. Zool. 42 1995 pp. 18-21 fig. — 9. segum pp. 38-37 figs. means pp. 51-45 figs. polysomer pp. 51-45 figs. Beignan Goalgo, solom. Tanganuta. pp. 48-45 figs. Means Euplist. Part can Upernica. Miss. de Witte No. 2, 1985.

Propertiement gen nov., Sourarsilvas, type Community indice of Plane, by S. Bass, Zool, Medical, 32 1999 pp. 101–107

Foregrower: Larrian defined p. 151. Mangarut Schmarda, Gulf of California, Hydray Bull, Singer Manata, Hist. 100 1955 pp. 155-157 figs.

Pursualina gen. nov., Plainisdae. Tymbil Farras soomas brek type and Postylin Ram. Hussa Ball Amer. Man. nan Han. 160 1955 p. 179.

Provide gen. nov., Leptoplanidae.
Senira D. 114 Proc. Processione
Senira Marchael California From
Bull, Amer. Man. rat. Flor. 100 1955
pp. 514-515 fen.

Francisco Carlos Proposed p. 297, mexicana sp. nov. Gulf of California, Hyway Bull. Amer. Mus. nat. Hist. 100 1953 pp. 297–300 figs.

Proposition to sp. nov., Alaska. Kasa Proc. U.S. tan. Mus. 103 1963 pp. 164-166 figs.

Processes Lacilare defined p. 1831.
Toron. Franca in country, Pager
Scand in 184-306 light hardner
Francis in Musicagus manni, is fragmanic p. 336. Hypean Bull. Amer. Mus.
mat. Him. 100 1953.—P. chloromota Boone
transf. to Leptoplana, Hyman Bull.
Amer. Mus. nat. Hist. 100 1953 pp.
310, 311.

Plantari trademica sp. nov., Galapagas. Herese Allan Frantsch Pacif. Entren. 15 1961 pp. 188-191. – P. Salimana Healt & McGrasse p. 346 and sandagene Bonne p. 49 transi. L. Australia trademic H. & McG. McG. Beautifer and H. & Histon. Bull. Amer. Mus. nat. Hist. 100 1963.

Passes Book calmed p. 17. come sp. nov. pp. 17-17 feet care var. confers var. nov. pp. 17-18, fig. California, japonica Book and pacifica Kasa transf. to Parcolehnia p. 279, Hessan Bull, Amer. Mus. nat. Hist. 100 1953.

Polycelis borealis sp. nov., Alaska, KENR Proc. U.S. nat. Mus. 103 1953 pp. 168-173 figs.

Prognathorhynchus karlingi sp. nov. from Kiel Bay, Ax Kieler Meeresforsch. 9 1953 pp. 241–242 figs.

Prostheceraeus Schmarda defined p. 373 (?) bellostriatus sp. nov., California, Hymax Bull. Amer. Mus. nat. Hist. 100 1953 pp. 373–375 figs.

Prosthiostomum particelis Hyman redescr., Galapagos, Hyman Allan Hancock Pacif. Exped. 15 1953 pp. 193-194 5 figs.—P. Lutoclis sp. nov., California, pp. 382-384 figs., multicelis sp. nov., California and Gulf of California, pp. 384-386 figs., molle Freeman transf. to Eutrosubiostomum p. 386, Hyman Bull. Amer. Mus. nat. Hist. 100 1953.

Proxenetes falcatus sp. nov., Baltic and Mediterranean, Ax Kieler Meeresforsch. 9 1953 pp. 238–240 figs.

Pseudoceras Lang defined p. 363, mexicanus sp. nov., Gulf of California, pp. 363–365, bajas sp. nov., Gulf of California, p. 365 figs., luteus (Plehn) n. comb., California, pp. 366–368 fig., canadentis sp. nov., Brit. Columbia, p. 368 figs., Hyman Bull. Amer. Mus. nat. Hist. 100 1953.

Pseudostylochus burchami (Heath & McGreg.) n. comb., Puget Sound to Mexico, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 358–359 figs.

Parametrical gen. nov., Dendrocoelidad. type: Bdametrical mediature in Expensiona, including another sp. nov. in Expensiona, Washington, D.C., HYSIAN Amer. Mus. Novit. No. 1629 1953 pp. 1–6 figs.

Rhynchodemidae, classification, Panyin J. Linn. Soc. (Zool.) **42** 1953 pp. 215–216.

Rhynchodemus graetzi sp. nov., Panama, du Bos-Reymond Marcus An., Acad. bras. Sci. 25 1953 pp. 69-73 figs.—R. terrestris (Müller) transf. to Microplana, Panyen J. Linn. Soc. (Zool.) 42 1953 p. 215.

Scutariellidata sub-ord. nov., Temnocephalidea, BAER Zool. Meded. 32 1953 pp. 130, 132. Spinicirrus gen. nov., Planoceridae, defined p. 350, type: inequalis sp. nov., Gulf of California, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 350-353 figs.

Stylochoplana Stimpson defined p. 301, panamentis (Plehn), S. California, pp. 301–302 figs., gracilis Heath & McGregor, California, pp. 303–305 figs., tongipenis sp. nov., California, pp. 305–307 figs., tongipenis sp. nov., California, pp. 307–308 figs., california, pp. 307–308 figs., california, pp. 307–308 figs., california, Woodworth transf. to Parciplana p. 314, heathi Boone a syn. of Notoplana inquieta (Heath & McGreg.) p. 319, longasyletta Freeman transf. to Notoplana p. 325, wiridis Freeman to Phylloplana p. 334, Hyman Bull. Amer. Mus. nat. Hist. 100 1953.

Stylochus Ehr. defined p. 280, franciscanus pp. 280–282 figs., tripartitus pp. 282–283 figs., atentaculatus pp. 283–285 figs., californicus pp. 285–287 figs., criguus pp. 287–289 figs., insolitis p. 289 figs., spp. nov. Cairfornia. Hymen. Bull. Amer. Mus. nat. Hist. 100 1953.

Stylostonum Lang defined p. 376, lentum Heath & McGregor, note, Hyman Bull. Amer. Mus. nat. Hist. 100 1953 pp. 376, 378.

Tennocephala handschini Baer transf. to Notodactylus, BAER Zool. Meded. 32 1953 p. 120.

Temnocephalidea, BAER Zool. Meded. 32 1953 pp. 130, 132.

Temnocephalidea, classification, BAER Zool. Meded. **32** 1953 pp. 129-132.

Thysanozoon Grube defined p. 362, californicum sp. nov., California, pp. 362–363 figs., sandiagense sp. nov., California, p. 363, Hyman Bull. Amer. Mus. nat. Hist. 100 1953.

Zygantroplana Laidlaw, Leptoplanidae, defined p. 308, stylifera sp. nov., Gulf of California. Hywan Buil. Amer. Mus. nat. Hist. 100 1953 pp. 308–310 figs.

#### TREMATODA

Synopsis of families and genera of Digenea of fishes, YAMAGUTI 1126.

Aconthostomum imbutiforme (Molin) in Morone labrax and Dentex dentex.

measurements. Adriatic. JANISZEWSKA Zool. Polon. 6 1953 pp. 35–36.

Artinocleidus Jengureni Mizelle on Legemus in. marrieiteus Consensivitus continuius p. 9 6 flegs. Tagerilane Miz. & Seamser on C. amarriei and L. m. marrieiteus pp. 91–91 4 flegs. amarrieiteus pp. 91–92 4 flegs. amarrieiteus pp. 91–92 5 flegs. ateritational in M. & S. on C. amarriei p. 93 6 flegs. ateritational in M. & S. on C. amarriei p. 93 6 flegs. ateritational in M. & P. in Leg als. p. 94 7 flegs. algorithm M. & P. in Leg als. p. 94 7 flegs. algorithm M. & P. in Leg als. p. 94 6 flegs. Virginia. Hartis J. Parasit. 39 1411.—3. interformis (Mueller) on gills of Mirrogarus salmoides, California, Habertus Univ. Calif. Publ. Zoch 57 1955 p. 368 fleg.

Agamodistomum suis Duncker shown to be larva of Alaria alata, Stefanski & Tarczyński Acta Parasit, polon. 1 1953 pp. 149–156 figs.

Alaria alata (Gze.) metacercaria in musculature of pig, life-hist. note, DOLLETS & CHARAUD Ann. Parasit. hum. comp. 28 1953 pp. 352-364 figs.—A. alata (Gze.) larva in pig. actale experim. in dog. Potanet. Nursalski & Charczyński Acua Parasit. polon. 1 1955 pp. 195-156 figs.—f. anato Gze. harva in Bermane successor. Russia. Karpotych K. I. Sampoin. Anniv. Vol. 1953 pp. 293-300 figs.

Allodiscocyla gen. nov., Discocotylicae. diagn. p. 44. up. : homeous sp. nov. on gills of Cherinawas meadetta, Celebes, Yamaouri Acta Med. Okayama 8 1953 pp. 240–243 figs.

rus nebulous, Ictaliarus catus, California, Haderlie Univ. Calif. Publ. Zool. 57 1953 pp. 316–317 figs.

Anymore hain management on gills of Germe functions up. 204–205 fig., officialists on gills of Dregons currents up. 205–207 fig., platreephali on gills on D. g. pp. 207–209 fig., platreephali on gills of Platreephalists indicas pp. 209–210 fig., spp. nov., Celebes, Yamaguri Acta Med. Okayama 8 1953.—A. datas Chauhan redescr. from Management telimonalists. Article his course. Magni pareir. Happedin nelection. India. Chauhan Rec. Ind. Mus. 51 1953 p. 129 fig.

Articlesian grante Losss and faller Rud. in University states, measurements. Adviatic, January SSA Zool. Polon. 6 1953 pp. 34–35. anamone of republican Pack of Commonweal Commonweal Commonweal Zone Process 6 1801 of 1801 to 1801 to

April 10 reference April 1905st Sum Descriptions Descriptions Description and Market Summer april 1905 April 1

Aprillation to represent Taming ordered from Clarke Transition of Device to Device to Device to Communications of The Communication of

Attendant martin sp. pov. m Junior american Debries 1 - coum Arts Mers Dies ams 8 1911 pp 151-151 fg

Meralugia sp. p. 274, grappis sp. nov.
Colches, Yanaguri Aciz Med. Oka-

Angelia de l'acceptance de Prese formation de l'acceptance de Prese formation N. Limeton, l'acceptant Ameri Maria Nota 50 (181) de 197 (40) formation

Albertain gern. 2004. Egypointentalinate the salatations spaces, in the of First that Annalm Deviate & Departs From Institut Nati Congr. 45 (1988) on 86-196.

Am 100 America Configuration Ministra & Distribution of Distribution american 10.6 Ap Par 1923, J. Parasan 39 + Sept. L. 1960 of 20.

Attention organismos Staff in Mining omerwine Masse on Rose Trans. American Son 72 1988 in St.

Sensons various to livine recessor from Provinces of their Sensons of their Sensons of their particles. All fig. — B. marris, say, marris, on galactic figuration of Develope Sensons of their March Clear rates 2, 1981, pp. 1971 [366-55]

Same and the second of the same and the second of the seco

Braciniamus frantus Ruel, redeserfree ant. of Plus fine, messacereseria in the common frantus land. See an expense franco. Onco. 22 1963 of 156-166 figs. - 8 files.

Brandyam and Joseph Braill in the time of Brid rest France Theoreles in Jane Parasis burn some 28 1981 pp 178-1881 fags

Sections are gen nov., Minorcial temperature process. From Even. of Lewis from Indian Ser. Congr. 40 1 1991 o 134.

Bramons complemes Phild in Turcoper rotations and Sensing my Water. America. Motivions § Parano. 36 4 Sens. 2 1953 5 50.

Borestalism from Lintin recessor from Local papers H. B. Gardent Am. Rest. Sec. Méx. 24 1963 pp. 110-113 2 fee.

Busication paymental Best respect.

Busication on Payments Characters of C. Barris H. & Generater Am. Law.

Busication 24 1928 pg. 106-109 L.

Basication 24 1928 pg. 106-109 L.

Basication 24 1928 pg. 106-109 L.

Communication devices Dr. of Mirnue laboux and Dorter deuter, measurements. Advizinc, Januszevska Zool. Polem. 6 1953 co. 12–23.

Distance from Charman remesse from The war charman India, Charman Pen Ind. Man 51 1881 pp 161-140 figs.

Control gen nov. A consecution of the control of th

Sp. nov. It a set to the tweether pr. November 1. I seemed Range Contact Contact R. I seemed R. I seem

Cemocotyle sagae sp. nov. on gills of Caranx sp., Fiji, Manter & Prince Proc. Helminth. Soc. Wash. 20 1953 pp. 108-109 5 figs.

Cephalouterina gen. nov., Pleurogenetinae, diagn. p. 353, type: dicamptodoni sp. nov. in sm. int. of Dicamptodon ensatus, Oregon, Senger & Macy J. Parasit. 39 1953 pp. 352–355 figs.

Cercaria cochlea, monostome, in Biomphalaria alexandrina stanleyi pp. 49-51 figs., nigrita, amphistome, in Gyraulus natalensis pp. 54-58 figs., congoicola, amphistome, in Gyraulus spp., pp. 58-60 figs., obscurior, amphistome, in Biomph. alex. pfeifferi, pp. 60-62 fig., truncatulae, amphistome, in Galba truncatula, pp. 64-66 figs., bruynoghei, echinostome, in Biomph. alex. subspp., Gyraulus natalensis, pp. 68-70 figs., between the consistency in Bulinus natalensis, B. truncatus, pp. 71-73 fig., densi, echinostome, in Radix natalensis, pp. 73-74 fig. lagragei echinostome, in Radix natalensis, pp. 73-74 fig. lagragei echinostome. 73-74 fig., lagrangei, echinostome, in B. truncatus, pp. 74-75 fig., cuneata, echinostome, in B. alex. pfeifferi, pp. 76-77 figs., sigmoidea, gymnocephalous, in Melanoides tuberculata, Bithynia alberti, pp. 83-86 figs., atomica, gymnocephalous, in B. alberti, pp. 86-88 figs., bithyniella, gymnocephalous, in B. alberti, pp. 89–90 figs., lileta, gymnocephalous, in Biomph. alex. subspp., pp. 92-94 fig., dollfusi, gymnocephalous, in Melanoides tuberculata, pp. 94-96 fig., symphoriani, gymnocephalous, in Gyraulus natalensis, pp. 96-97 figs., ituriensis, gymnocephalous, in M. tuberculata, pp. 98-101 figs., aequatorialis, cystophorous, in Physopsis africana globosa, pp. 104-107 figs., bulla, cystophorous, in Biomphalaria alexandrina tanganyicensis, pp. 107-112 figs, pneumata, xiphidiocerc. in B. alberti, pp. 122-124 figs., porteri, xiphidiocerc. in Biomph. alex. subspp., pp. 124-125 figs., kawa, xiphidiocerc. in B. alberti, pp. 126-127 figs., dissimilis, xiphidiocerc., in M. tuberculata, pp. 128–129 figs., liliputa, xiphidiocerc., in M. tuberculata, pp. 129-131 figs., kunga, xiphidocerc., in B. alberti, pp. 131-132 figs., aciculata, xiphidiocerc., in M. tuberculata, pp. 132-133 figs., furtiva, xiphidiocerc., in B. alberti, pp. 134-135 figs., dureni, xiphidiocerc., in G. natalensis, pp. 135–136 figs., physopsa, xiphidiocerc., in Physopsis africana globosa, pp. 137-138 figs., blukwa, xiphidiocerc., in B. alex. pfeifferi, pp. 138-140 figs., dartevellei, xiphidiocerc., in B. natalensis mutandaensis pp. 140-142 figs., granulata, xiphidiocerc., in Radix natal. undussumae and Galba truncatula pp. 142-143 figs., guttera, xiphidiocerc., in R. n. u., pp. 144-145 figs., schoetteri, xiphidiocerc., in Melanoides tuberculata, pp. 145-146 figs., rieli, xiphidiocerc., in Segmentina kanisaensis, pp. 147-148 figs., albertiana, furcocercous, in Biomphalaria alexandrina stanleyi, pp. 180–181 figs., duboisi, furcocerc., in Segmentina kanisaensis, pp. 181-183 figs., schwetzi, furcocerc., in B. a. pfeifferi, pp. 183-186 figs., muda, furcocerc., in Gyraulus costulatus subsp., pp. 186-187 figs., congolensis, furcocerc., in G. natalensis, pp. 188-190 figs., letifera, furcocerc., in B. alex. subspp., pp. 190-192 figs., brutsaerti, furcocerc., in G. natalensis, pp. 193-194 figs., laticaeca, furcocerc., in M. tuberculata, pp. 195-196 figs., neujeani, furcocerc., in B. alex. stanleyi, pp. 197-198 fig., rodhaini, furcocerc., in Physopsis nasuta, P. globosa, pp. 198-200 figs., rufula, furcocerc., in B. alex. pfeifferi, pp. 200–201 figs., bequaerti, furcocerc., in G. costulatus subsp., pp. 202-203 figs., megacoelia, furcocerc., in M. tuberculata, pp. 203-205 fig., inflaticauda, furcocerc., in B. alex. stanleyi, pp. 205-207 figs., berghei, furcocerc., in B. alex. subspp., pp. 207-209 figs., wansoni, furcocerc., in R. natal. unduss., pp. 209-212 figs., kasenyi, furcocerc., in M. tuberculata, pp. 212-214 figs., schoutedeni, furcocerc., in M. tuberculata, pp. 214-215 figs., baeri, furcocerc., in B. alberti, pp. 216-217 fig., dimorpha, [unclassified], in M. tuberculata, pp. 219-222 figs., spp. nov., Belgian Congo, FAIN Mem. Inst. colon. Belge 8° 22 5 1953.—C. eriensis sp. nov., gorgoderid, in Lampsilis ventricosa, Ohio, Coll J. Parasit. 39 1953 pp. 183–186 figs.—C. inaurata in Melanopsis algerica pp. 75-77 fig., koleae in Amnicola dupoteliana pp. 78-79 fig., spp. nov., cotylocercous, Algeria, BALOZET Arch. Inst. Pasteur Algér **31** 1953.—C. setifera Monticelli, 1888, synonymy and morphology, in Phyllirhoe bucephala, France, ARVY Ann. Parasit. buen. Comp. 28 1953 pp. 289–299 figs.

—C. tiogae sp. nov., rhopalocercous, in Alasmidonia varicosa, New York, Fischthal J. Parasit. 39 4 Sect. 2 1953 p. 31. -C. reesi sp. nov., furcocercous, in Hiatella arctica and H. striata, Britain, HUTTON J. Mar. biol. Ass. U.K. 31

1953 pp. 581-585 fig.—C. parocellata Johnst. & Simps. and ellisi J. & S. in Simlimnea subaquatilis, S. Australia, JOHNSTON & BECKWITH Trans. Roy. Soc. S. Aust. 70 1946 p. 125.— C. huttoni sp. nov., schistosome, in Haminoea antillarum guadalupensis, Florida, Leigh J. Parasit. 39 1953 pp. 625-629 figs.—C. takahashii Yokogawa & Ito from Oncomelania nosophora develops to Maritrema caridinae, Shibue Jap. med. J. 4 1951 pp. 315-324 figs.—C. milfordensis sp. nov., microcercous, in Mytilus edulis, N. America, Uzmann J. Parasit. 39 1953 pp. 445-451, figs.

Cercarioides Witenberg distinct from Galactosomum, WITENBERG G. S. Thapar Commemoration Vol., Lucknow, 1953

Ceylonocotyle scoliocoelium (Fischdr.) redescr. from Capra hircus, Japan, YAMAGUTI G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 301-304

Chauhanea gen. nov., Gastrocotylinae, type madrasensis sp. nov., on gills of Sphyraena acutipinnis, India, RAMA-LINGAM Proc. Indian Sci. Congr. 40 1953 p. 188; J. zool. Soc. India 5 1953 pp. 59-63 figs.

Cleidodiscus capax Mizelle on Pomoxis nigromaculatus p. 94 fig., robustus Mueller on Lepomis m. macrochirus and Chaenobrythus coronarius p. 95 fig., sp. indet. on L. m. m. and C. c. p. 95 7 figs., stentor Mueller on P. nigromaculatus p. 96 9 figs., vancleavei Miz. on P. m. p. 97 6 figs., Virginia, HARGIS J. Parasit. 39 1953.—C. stentor Mueller on Pomoxis nigromaculatus, Virginia, HARGIS Virginian J. Sci. N.S. 3 1952 p. 113.— C. brachus Mueller on Semotilus a. atromaculatus p. 721 figs., floridanus Muell. on Ictalurus lacustris subspp. pp. 721-722 fig., pricei Muell. on I. l. lacustris pp. 722-723, Wisconsin, Miz-ELLE & KLUCKA Amer. Midl. Nat. 49 1953.—C. floridanus Mueller on gills of Ictalurus l. lacustris, Wisconsin, p. 207, pricei Mueller on I. l. lacustris, Wis., p. 208, vanckavi Mizelle on Pomoxis annularis, Wis., pp. 208-209, redescriptions, MIZELLE & WEBB Amer. Midl. Nat. 50 1953.

Clinostomum marginatum (Rud.) metacercaria encysted in Ameiurus, Lepomis, Salmo, Catostomus spp., California, HAD-ERLIE Univ. Calif. Publ. Zool. 57 1953 p. 317 fig.

Cotylophoron Stiles & Goldb., key to spp. 231, noveboracensis sp. nov. in Ovis aries, N.Y., pp. 228-229 fig., noveboracensis sp. nov. [sc. panamensis sp. nov. p. 231] in O. aries, Panama, pp. 229–230, okapi Leiper transf. to Orthocoelium p. 231, PRICE & MCINTOSH G. S. Thapar Commemoration Vol., Lucknow, 1953.

Crepidostomum farionis (Müller) in Salmo gairdnerii, S. clarkii, Salvelinus fontinalis, Oncorhynchus nerka kennerlyi, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 pp. 309-310 fig.--C. cornutum Osborn in Morone americana, Maine, DE ROTH Trans. Amer. micr. Soc. 72 1953 p. 50.

Creptotrematina gen. nov., Allocreadiidae, type Creptotrema dissimilis Freitas in Tetragonopterus argenteus, YAMAGUTI Systema Helminthum, I. Tokyo 1953 p. 120.

Cryptocotyle thapari sp. nov. in int. of Pteronura brasiliensis, Nat. Zool. Pk., Washington, D.C., McIntosh G. Thapar Commemoration Vol., Lucknow, 1953 pp. 209-210 fig.

Cryptogonimus cirrhiti sp. nov. in Cirrhitus rivulatus, Mexico, Bravo H. An. Inst. Biol. Méx. 24 1953 pp. 137-140 2 figs.

Cyclocoelum (Pseudhyptiasmus) dollfusi T.-D. redescr. from air-sacs of Pica pica, France, Timon-David Ann. Parasit. hum. comp. 28 1953 pp. 248-256 figs.

Cyclocotyla multaetesticulae Chauhan redescr. from Pellona sp., India, CHAU-HAN Rec. Ind. Mus. 51 1953 p. 157 fig.

Dactylogyrus attenuatus sp. nov. on Semotilus a. atromaculatus p. 725 figs., bulbus Mueller on Notropis cornutus frontalis p. 726 figs., claviformis sp. nov. on S. a. a. p. 726 figs., cornutus Muell. on N. c. f. p. 727, distinctus sp. nov. on N. v. volucellus pp. 727–728 figs., dubius sp. nov. on N. c. f. p. 728 figs., extensus Muell. & Van Cl. on Cyprinus carpio pp. 728–729 figs., lineatus sp. nov. on S. a. a. p. 729 figs., microphallus Muell. on S. a. a. p. 729, pyriformis sp. nov. on N. c. f. p. 730 figs., vannus sp. nov. on N. c. f. pp. 730-731 figs., Wisconsin, Mizelle & Klucka Amer. Midl. Nat. 49 1953.—D. bulbus Mueller on Notropis cornulus frontalis p. 214, cornulus Mueller on N. c. f. p. 215, extensus Muell. & Van Cl. on Cyprinus carpio pp. 215, 217, redescriptions, Wisconsin,

MIZELLE & WEBB Amer. Midl. Nat. 50 1953.—D. aureus Seamster on Notemigonus c. crysoleucas, Chaenobryttus coronarius, Lepomis m. macrochirus, p. 90 9 figs., parvicirrus Seamster on N. c. Sings., paratural Scannick of N. C. crysoleucas pp. 90-91 5 figs., Virginia, Hargis J. Parasit. 39 1953.—D. extensus Mueller & Van Cleave on gills of Cyprinus carpio, California, Haderlie Univ. Calif. Publ. Zool. 57 1953 p. 308 fig.-D. moorthyi Price redescr. from Puntius puckelli, P. ticto, India, CHAUHAN Rec. Ind. Mus. 51 1953 pp. 125-126

Derogenes varicus (Müll.) some redescr. from Platichthys flesus and Brosme brosme, Iceland, REES Parasitol. Cambridge 43 1953 pp. 19-20.-D. latus sp. nov. in Mullus barbatus, Adriatic, Janiszewska Zool. Polon. 6 1953 pp. 32-33 fig.—D. sp. innom. in int. of Oncorhynchus kisutch, California, HADER-LIE Univ. Calif. Publ. Zool. 57 1953 pp. 330-331 fig.

Diclidophora denticulata (Olss.) from Gadus virens, Iceland, REES Parasitol. Cambridge 43 1953 p. 194.

Dicrocoelium dendriticum (Rud.) in Semnopithecus entellus, India, HAWKINS, RAY & MEHRA Proc. Indian Sci. Congr. 40 1953 p. 191.—D. dendriticum (Rud.) naturally in Sylvilagus floridanus mearnsi, pp. 199-202, metacercaria in Formica fusca pp. 389-410, N. America, Krull & Mapes Cornell Vet. 43 1953. —D. soricis (Dies.) in Sorex minutus, Poland, Soltys Acta Parasit. polon. 1 1953 pp. 370-371 fig.

Didymozoon spirale Yamag. redescr. from Platycephalus indicus pp. 289-290, brevicolle Yamag. redescr. from P. indicus pp. 290-291, Celebes, YAMAguri Acta Med. Okayama, 8 1953.

Diplectanocotyla gen. nov., Dactylogyridae, diagn. p. 237, type: gracilis sp. nov. on gills of Megalops cyprinoides, Celebes, Yamaguti Acta Med. Okayama 8 1953 pp. 235-237 fig.

Diplectanum belengeri (Chauhan) redescr. from Sciaena belengeri, S. carulta and Muraenesox talabonoides, India, CHAUHAN Rec. Ind. Mus. 51 1953 pp. 131–133 fig.—D. serrani sp. nov. on gills of Serranus sp., Celebes, YAMAGUTI Acta Med. Okayama 8 1953 pp. 226-227 fig.

Diplostomum flexicaudum (Cort & Brooks) metacercaria encysted in eyes

of Catostomus, Orthodon, Lavinia, Cyprinus, Siphateles spp., California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 pp. 318-319 figs.—D. mahonae sp. nov. in Uria aalge, London Zoo, Dubois Bull. Soc. neuchâtel. Sci. nat. (3) 76 1953 pp. 59-61 fig.—D. dubois sp. nov. in Milvus migrans govinda, India, Anan-TARAMAN & BALASUBRAMANIAM Indian Vet. J. **29** 1953 pp. 465-469 fig.

Diplostomulum corti Hughes in flesh of Ameiurus nebulosus, Catostomus humbold-tianus, pp. 319–321 fig., scheuringi Hughes free in coelom of Gambusia affinis, Lepomis macrochirus, p. 321 fig., ictaluri sp. nov. encysted in Ictalurus catus p. 322 figs., sp. innom. encysted in Catostomus occidentalis p. 323 fig., California, HADERLIE Univ. Calif. Publ. Zool. 57 1953.—D. truttae sp. nov. in eyes of Salmo trutta, Scotland, LAL Nature, Lond. 171 1953 pp. 130-131 fig.

Diplozoon indicum Dayal redescr. from Barbus sarana, pp. 166-167 figs., kashmirensis Kaw redescr. from Schizo-thorax sp., pp. 167-170 fig., India, CHAUHAN Rec. Ind. Mus. 51 1953.

Discocotylidae Price: systematic note, Chauhan Rec. Ind. Mus. 51 1953 p. 164.

Distomum musculorum suis Duncker regarded as larva of Alaria alata, DOLLFUS & CHAUBAUD Ann. Parasit. hum. comp. 28 1953 pp. 352-364 figs.

Echinoparyphium Dietz, systematic relationships, pp. 659-665, bioccalerouxi sp. nov. cercaria and metacercaria in Bulinus contortus, adults experimentally in white rats, pp. 658-659, 665, figs., Sardinia, Dollfus R.C. Accad. Lincei (8) 14 1953.—E. recurvatum (Linst.) cercaria descr. from Bulinus truncatus, metacerc. experim. in Physa acuta, adults experim. in white rat and guineapig, Egypt, Kuntz G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 149–158 figs.—E. flexum (Linton) cercaria in Limnaea palustris, metacerc. in L. p., Gyraulus parvus, Physa gyrina and tadpoles and adults of Rana pipiens and R. sylvatica, adult nat. in Anas discors, experim. in chicks, N. America, Najarian Science 117 3047 1953 pp. 564-565.—E. petrowi sp. nov. in int. of fowls, larvae in Viviparus viviparus, Russia, Nevostrueva K. I. Skrjabin Anniv. Vol. 1953 pp. 436–439 figs. Echinostoma miyagawai (Ishii) metacerc. in Linnaea ovata and L. auriculata, Russia, Nevostrueva C.R. Acad. Sci. Moscow N.S. 90 1953 pp. 312— 318.—E. thapari sp. nov. in int. of Notopterus chitala, India, Singh G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 247—250 figs.

Ectenurus lepidus Looss in Trachurus trachurus, measurements, Adriatic, Janszewska Zool. Polon. 6 1953 p. 31.

Ectosiphonus rhomboideus Sinitzin transf. to Brachylaima, VILLELLA J. Parasit. 39 4 Sect. 2 1953 p. 21.

Entosiphonus thompsoni Sinitz. sporocysts in Retinella indentata, metacerc. in several species of land-snails, adults in Blarina brevicauda and Peromyscus leucopus noveboracensis, U.S.A., VILLELLA J. Parasit. 39 4 Sect. 2 1953 p. 20.

Eupolystoma rajar Kaw redescr. from Rana sp., India, Chauhan Rec. Ind. Mus. 51 1953 p. 152 fig.

Fasciola indica sp. nov. in goats, cattle and buffaloes, India, differentiated from hepatica L. and gigantica Cobbold, Varma J. Helminth. 27 1953 185–198 figs.—F. gigantica Cobb. cercaria in Radix natalensis undussumae, Belgia 8° 22 5 1953 pp. 101–103.—F. gigantica Cobbold cercaria in Pseudosuccinea columella, Hawaii, Ali-CATA J. Parasit. 39 1953 pp. 673–674.—F. hepatica L. cerc. in Simlimnea subaquatilis, S. Australia, Johnston & Beckwith Trans. Roy. Soc. S. Aust. 70 1946 pp. 121–124.

Fellodistomatidae Nicoll sensu nov., CABLE J. Parasit. 39 1953 pp. 416-418.

Fellodistomum fellis (Olss.) in Anarhichus lupus, Iceland, synonymy and diagn. features, REES Parasitol. Cambridge 43 1953 pp. 15–17.

Galactosomum Lss., defined, p. 294, key to spp., p. 295, cochleariforme (Rud.) transf. to Cercarioides p. 294, WITENBERG G. S. Thapar Commemoration Vol., Lucknow, 1953.

Ganeo gobindia sp. nov. in int. of Wallago attu, India, DAYAL & GUPTA G. S. Thapar Commemoration Vol., Lucknow 1953 pp. 62-68 fig.

Gastrocotyle indica Subhapradha redescr. from Caranx kalla, India, Chauhan Rec. Ind. Mus. 51 1953 p. 179 fig.

Gauhatinae gen. nov., Haplocladinae, type: batrachii sp. nov. in int. of Clarias batrachus, Assam. Dayal & Gupta Proc. Indian Sci. Congr. 40 3 1953 p. 190.

Genolinea argentinae nom. nov. pro G. anura (Manter, 1934) nec (Layman, 1930) in Argentina striata, YAMAGUTI Systema Helminthum 1 Tokyo 1953 p. 205.

Gonocerca crassa Manter, some redescr., from Molva byrkelange, Iceland, REES Parasitol. Cambridge 43 1953 p. 20.

Gorgoderina vitelliloba (Olss.) redescr. from Bombina salsa, France, Joyeux & Baer Bull. mens. Soc. linn. Lyon 22 1953 pp. 25–27.

Gotocotyla meservei sp. nov. on gills of Elagatis sp., Celebes, YAMAGUTI Acta Med. Okayama 8 1953 pp. 252–254.

Gyliauchen nahaensis Ozaki, measurement, in Teuthis sp., papillatus (Goto & Mats.) in Siganus sp., Celebes, YAMAGUTI Acta Med. Okayama, 8 1953 p. 270.

Gymnophallinae Odhn. relationships, Cable J. Parasit. **39** 1953 pp. 412-415.

Gynaecotyla adunca (Linton) (syn. nassicola (Cable & Humninen) cercaria experim. in Nassarius obsoleta, metacerc. nat. in Uca and Talorchestia spp., N. America, Hunter & Vernberg Trans. Amer. micr. Soc. 72 1953 pp. 163–170 figs.—G. Yamag. a syn. of Microphalloides, Etges J. Parasit. 39 4 Sect. 2 1953 p. 16; 39 1953 p. 657.

Gyrodactylus elegans v. Nordm. on Lepomis m. macrochirus pp. 89–90 5 figs., sp. innom. on Ameiurus n. nebulosus p. 90 5 figs., Virginia, HARGIS J. Parasit. 39 1953.—G. elegans v. Nordm. on gills and skin of Salmo gairdnerii, California, HADERILE Univ. Calif. Publ. Zool. 57 1953 p. 309 fig.—G. gobii sp. nov. on fins of Gobio gobio, Neman river and Rezka and Drevyata lakes, pp. 778–779 fig., vimbi sp. nov. on gills of Vimba vimba, western Dvina river, pp. 779–780 figs., Russia, SHULMAN K. I. Skrjabin Anniv. Vol. 1953.

Haliotrema lutiani on gills of Lutianus sp. pp. 211-212 fig., caesionis on gills of Caesio kuning pp. 212-213 fig., upenei on Upeneus sp. pp. 214-215 fig., spp. nov., alatum Yamag., 1942, redescr. from unident. Mullidae pp. 210–211, Celebes, YAMAGUTI Acta Med. Okayama 8 1953.

Hamatopeduncularia gen. nov., Dactylogyridae, diagn. p. 225, type: arii sp. nov. on gills of Arius sp.. Borneo, YAMAGUTI Acta Med. Okayama 8 1953 pp. 224–226.

Haplocladus typicus Odhn. in Trachurus trachurus and T. mediterraneus, Adriatic, JANISZEWSKA Zool. Polon. 6 1953 pp. 41-42.

Haplocleidus dispar (Mueller) on Chaenobryttus coronarius, Virginia, Hargis Virginian J. Sci. N.S. 3 1952 p. 113.—H. dispar (Muell.) on Lepomis m. macrochirus, L. gibbosus and Chaenobryttus coronarius, p. 97 7 figs., furcatus (Muell.) on Huro salmoides p. 97 6 figs., Virginia, Hargis J. Parasit. 39 1953.

Haplorchoides gomtioensis in int. of Silundia gangetica, Lucknow, ritai in int. of Rita rita, Assam, brahamputraensis in int. of R. rita, Assam, seenghali in int. of Macrones seenghala, Assam, spp. nov., DAYAL & GUPTA Proc. Indian Sci. Congr. 40 1953 pp. 188–189.

Haplosplanchrus acutus (Linton) redescr. from Tylosurus fodiator, Panama, CABALLERO V C., BRAVO H. & GROCOTT An. Inst. Biol. Méx. 24 1953 pp. 128–131 fig.

Helicometra fasciata (Rud.) in Conger conger, Labrus merula, Serranellus cabrilla, measurements, Adriatic, Janiszewska Zool. Polon. 6 1953 pp. 21–22.— H. epinepheli Yamag. redescr. from Serranus merra, Celebes, Yamaguti Acta Med. Okayama 8 1953 p. 261.

Hemiurus communis Odhn., some redescr., from Sebastes marinus, Iceland, REES Parasitol. Cambridge **43** 1953, pp. 20–21.

Heterocotyle papillata sp. nov. on gills of Rhinobatos productus, California, Doran J. Parasit. 39 1953 pp. 146–147 figs.

Heteromicrocotyla gen. nov., Micro-cotylidae, diag. p. 252, type: carangis sp. nov. on gills on Carans sp., Celebes, Yamaguti Acta Med. Okayama 8 1953 pp. 250–252 figs.

Heterophyes heterophyes (v. Sieb.) in a bat, Rhinolophus clivosus acrotis, Yemen, Macy J. Parasit. 39 1953 p. 571.

Hexangium sigani Goto & Ozaki redescr. from Siganus sp., Celebes, YAMAGUTI Acta Med. Okayama 8 1953 pp. 288–289.

Hurleytrematoides gen. nov., Monorchiidae, type Hurleytrema chaetodoni Manter in Chaetodon spp., Yamaguri Systema Helminthum, I Tokyo 1953, p. 264.

Hysterolecitha nahaensis Yamag, redescr. from Lobotes sp., Celebes, Yama-guti Acta Med. Okayama 8 1953 pp. 286–287.

Hysterolecithoides epinepheli Yamag, redescr. from Siganus sp., Celebes, Yamagurti Acta Med. Okayama 8 1953 pp. 287–288.

Hysteromorpha triloba (Rud.) cercaria experimentally in Gyraulus hirsutus. metacerc. nat. in Ameiurus melas, adult in Phalacrocorax a. auritus, Illinois, Hugghins J. Parasit. 39 4 Sect. 2 1953 p. 15.

Kuhnia scombri (Kuhn) redeser. from Scomber kanagunta pp. 238-239, otoitithis sp. nov. on Otolithes sp., pp. 239-240 figs., Celebes. Yamaguti Acta Med. Okayama 8 1953.

Lamellodiscus flexuosus on gills of Synagris taeniopterus pp. 230–231 figs., convolutus on S. t. pp. 231–233 fig., difficilis on Lethrinus sp. pp. 233–234 figs., duplicostatus on Lethrinus sp. pp. 234–235 fig., spp. nov., Celebes, Yamaguti Acta Med. Okayama 8 1953.—L. belengeri Chauhan transf. to Diplectanum, Chauhan Rec. Ind. Mus. 51 1953 p. 131.—L. belengeri Chauhan, 1945, transf. to Diplectanum, Chauhan G. S. Thapar Commemoration Volume, Lucknow, 1953 p. 34.

Lasiotocus lethrini sp. nov. in Lethrinus sp. (type-host) and Diagramma sp., Celebes, YAMAGUTI Acta Med. Okayama **3** 1953 pp. 266–267 fig.

Laterotrema vexans (Braun) in Garrulus glandarius Leningrad, BYCHOWSKAYA-PAVLOVSKAYA K. I. Skrjabin Anniv. Vol. 1953 p. 89 fig.

Lecithaster stellatus Lss. redescr. from Lobotes sp., Celebes, Yamaguti Acta Med. Okayama 8 1953 p. 288.

Lecithochirium rufoviride (Rud.) in Conger conger pp. 29-30, conviva Lühe in Ophidium barbatum p. 30, Adriatic, JANISZEWSKA Zool. Polon. 6 1953.— L. magniacetabulatum sp. nov. in stom. of Caranx sp., Panama, Caballero y C., Bravo H. & Grocott An. Inst. Biol. Méx. 24 1953 pp. 125–128 2 figs.—L. lycodontis sp. nov. in caecum and large int. of Lycodontis sp., New Hebrides, Myers & Wolfgang J. Parasit. 39 1953 pp. 520–522 figs.—L. priacanthi in Priacanthus hamrur pp. 276–277 fig., longicaudatum in Saurida argyrophanes pp. 277–278 fig., spp. nov., Celebes, Yamaguti Acta Med. Okayama 8 1953.

Lecithocladium excisum (Rud.) in Scomber scombrus, measurements, Adriatic, JANISZEWSKA Zool. Polon. 6 1953 p. 31.

—L. parviovum in Scomber kanagunta pp. 279–280 fig., megalaspis in Megalaspis sp. pp. 280–281 fig., angustiovum in Scomber kanagunta pp. 281–283 fig., scombri in S. k. pp. 283–284 fig., spp. nov., Celebes, YAMAGUTI Acta Med. Okayama 8 1953.

Lepidophyllum steenstrupi Odhn., some redescr., Anarhichas lupus, Iceland, Rees Parasitol. Cambridge **43** 1953 p. 21.

Leptophyllum tamiamiensis McInt. (syn. osalis Byrd & Roudabush) in Elaphe quadrivittata deckerti, N. America, SCHAD J. Parasit. 39 1953 p. 673.

Lethacotyle gen. nov., Discocotylidae, diag. p. 107, type: fijiensis sp. nov. on gills of "yellow jack" (Carangidae), Fiji, MANTER & PRINCE Proc. Helminth. Soc. Wash. 20 1953 pp. 105-107 6 figs.

Leucochloridiinae Ssinitsin defined, Shaldibin K. I. Skrjabin Anniv. Vol. 1953 p. 755.

Lewochloridium Carus: colour in sporocysts as a systematic character, GINETZINSKAYA C.R. Acad. Sci. Moscow N.S. 38 1953 pp. 177–179.—L. soricis Soltys in Neomys fodiens, Poland, Soltys Acta Parasit. polon. 1 1953 p. 369.—L. skrjabini sp. nov. in int. of Sorex araneus, S. minutus and Neomys fodiens, European Russia, SHALDIBIN K. I. Skrjabin Anniv. Vol. 1953 pp. 752–754 fig.—L. perisorisae sp. nov. in int. of Perisoreus o. obscurus, Oregon, NEILAND J. Parasit. 39 1953 pp. 553–557 fig.—L. variae McInt. in Lagopus spp., Alaska, BABERO J. Parasit. 39 1953 pp. 541–542 fig.

Levinseniella sp. innom. cercaria in Amnicola pilsbryi, metacercaria in Asellus

communis, N. America, ETGES J. Parasit.
39 4 Sect. 2 1953 p. 16; amnicola sp.
nov. cercaria in Amnicola pilsbryi,
metacerc. in Asellus communis, adults
experimentally in chicks and mice,
and nat. in ducks, ETGES J. Parasit. 39
1953 p. 652 figs.

Leyogonimus testilobatus sp. nov. in Garrulus glandarius, Leningrad, Вусноwsкаyа-Раусоукауа К. I. Skrjabin Anniv. Vol. 1953 pp. 88, 89, fig.

Liliatrema gen. nov., Allocreadiidac, defined p. 182, type: skrjabini sp. nov. in int. of Phalacrocorax carbo, P. pelagicus, Cepphus grylle and Larus argentatus, metacere. in Myoxocephalus scorpius, pp. 176–179 figs., sobolevi sp. nov. in int. of Phalacrocorax pelagicus and Cepphus grylle pp. 179–181 figs., Kurile Is., Gubanov K. I. Skrjabin Anniv. Vol. 1953.

Liliatrematinae **subfam. nov.**, Allocreadiidae, Gubanov K. I. Skrjabin Anniv. Vol. 1953 p. 182.

Linguadactyla molvae Brinkm. redescr. from Molva byrkelange, Iceland, Rees Parasitol. Cambridge **43** 1953 pp. 193– 194.

Lintaxine microcotyla sp. nov. on gills of "ribbon-fish", Fiji, pp. 109–110 6 figs., cokeri (Linton) types re-examined, pp. 110–112 2 figs., MANTER & PRINCE Proc. Helminth. Soc. Wash. 20 1953.

Loimos secundus (Chauhan & Bhalero) redescr. from Scoliodon sorrakowah, India, CHAUHAN Rec. Ind. Mus. **51** 1953 pp. 135–137 fig.

Loxogenes liberum Senoo cercaria in Bulinus kiushuensis, Japan, Shibue Jap. J. med. Sci. & Biol. 6 1953 p. 213.

Lyperosomum vitta (Duj.), measurements, in Apodemus sylvaticus, Inner Hebrides, Thomas J. Helminth. 27 1953, pp. 144–145.—L. petiolatum (Raill.) and longicauda (Rud.) in gall-bladder of Pica pica, France, TIMONDAVID Ann. Parasit. hum. comp. 28 1953 pp. 281–283 figs.

Magnacetabulum leiognathi sp. nov. in Leiognathus dussumieri, Celebes, YAMAGUITI Acta Med. Okayama 8 1953 pp. 285–286 fig.

Maritrema obstipum (Van Cl. & Mueller) cercaria in Amnicola pilsbryi, metacercaria in Asellus communis, N.

America, Erges J. Parasit. 39 4 Sect. 2 1953 p. 16:—M. obstipum (Van Cl. & Mueller) life-hist., adults naturally in ducks, Erges J. Parasit. 39 1953 pp. 645–651 figs.—M. caridinae Yamaguti & Nishimura cercaria in Oncomelania nasophora, metacerc. in Neocaridina denticulata and Anax parthenope julius, adult experim. in rat, nat. in Rostratula b. benghalensis, Japan, Shibue Jap. med. J. 4 1951 pp. 315–324 figs.

Maritreminoides Rankin distinct from Maritrema, Errors J. Parasit. 39 4 Sect. 2 1953 p. 16; 39 1953 p. 656.

Mazocraeoides prashadi Chauban redescr. from a "clupcid fish", India, CHAUHAN Rec. Ind. Mus. 51 1953 p. 162 fig.

Mazorrães orientalis Chauhan redescr. from Dussumieria sp., India, Chauhan Rec. Ind. Mus. 51 1953 p. 160 fig.

Megalocotyle tributa sp. nov. on gills of Sebastodes paucispinus, Oregon, Pratt & Aldrich J. Parasit. 39 1953 pp. 535–537 figs.

Metacercaria alestesi sp. nov. encysted in fins of Alestes baremosi and Clarias lazera, Belgian Congo, FAIN Mém. Inst. colon. Belge 8º 22 5 1953 pp. 90–91 figs.—M. renalis sp. nov. encysted in kidneys of Pica pica, France, TIMON-DAVID Ann. Parasit. hum. comp. 28 1953 pp. 266–267 fig.

Metacercariaeum bonei sp. nov. in Bitivinia alterti and Biomphalaria alexandrina stanleyi, Belgian Congo, FAIN Mem. Inst. colon. Belge 8º 22 5 1953 pp. 218–219 fig.

Metadena depressa (Stoss.) redescr. from Dentex dentex, Adriatic, JAMSZEWSKA Zool. Polon. 6 1953 pp. 42–44 figs.

Metagonimoides oregonensis Price, lifehistory, cercaria and metacercaria in Goniobasis silicula, metacercaria in Rana pipiens, R. a. amora, R. catesbiana, adult in Procyon lotor, Burns & Pratt J. Parasit. 39 1953 pp. 60-69 fios.

Metahaliotrema gen. nov., Dactylogyridae, diagn. p. 218, type-species seatophagi on gills of Scatophagus arsus pp. 215-217 fig., Celebes, arii on Arius sp. pp. 217-218 fig., Borneo, spp. nov., YAMAGUTI Acta Med. Okayama 8 1953. Metamicrocotyla gen. nov., Microcotylidae, diag. p. 250, type: bora on gills of Mugil cephalus pp. 247–248 figs., filtformis on M. c. pp. 248–250 figs., spp. nov., Celebes, Yamaguri Acta Med. Okayama 8 1953.

Metorchis albidus (Braun) in Neomys fodiens, Poland, Soetys Acta Parasit, polon. 1 1953 pp. 371-373 figs.

Microbilharzia Price a syn. of Austrobilharzia Johnst., Penner J. Parasit. 39 4 Sect. 2 1953 p. 20.

Microcotyle oceanicum sp. nov. on gills of Tylosurus fodiator, Panama, Caballero y C., Bravo H., & Grocott, An. Inst. Biol. Méx. 24 1953 pp. 103– 106 4 figs.

Muraytrena copulata Mueller redescr. from Catastomus fecundus, Wyoming, MIZELLE & WEBB Amer. Midl. Nat. 50 1953 pp. 209–210.

Nagmia floridensis sp. nov. in coclom of Amphatistius sabinus, Florida, MARKELL J. Parasit. 39 1953 pp. 45–51 fies.

Neidhartia polydactyli sp. mov. in Pelydacylas clebius, Fiji. Maxter G. S. Thapar Commemoration Vol., Lucknow, 1953, pp. 196–198 2 figs.

Neoglybke subgen. nov., Opisthioglybke, type loseines Koss., Shahidin K. I. Skrjabin Anniv. Vol. 1953 p. 750.

Notocotylus stagnicolae Herber cerc. and metacerc. in Stagnicola palustris, adult experim. in chickens, Canada, We Canad. J. Zool. 31 1953 pp. 522-527 figs.—N. lopezmeyrai sp. nov. in int. of Rastbramas sociabilis laxis, Cuba, Dubots & Pérez Vigueras Mem. Soc. cubana Hist. nat. 21 1953 pp. 251-253 figs.—N. skrjabini sp. nov. in bursa Fabricii of Anas platyrhynchos, Russia, Ablasov K. I. Skrjabin Anniv. Vol. 1953 pp. 15-16 fig.

Otherssome ellipticus Pratti redescr. from Xension solutirinus and Epitroluments associatis pp. 9-11 2 figs., brevisaeure Caballero n. comb. from X. stubricus pp. 11-13 2 figs., Panama, FLORES-BARROETA & GROCOTT An. Escuela nac. ciene. biol. 7 1953.

Octocotyle major Goto syn. of Kuhnia scombri, Yanaguri Acta Med. Oka-yama 8 1953 p. 238.

Opechona bacillaris (Molin.), some redescr., in Scomber scombrus, S. japonicus, pp. 26–27, polonii (Molin), some redescr. in Trachurus trachurus, T. mediterraneus, pp. 27, 46, orientalis (Layman), some redescr., in S. scombrus, S. jap., pp. 28–29, Adriatic, JANESZEWSKA Zool. Polon. 6 1953.—O. scombri Yamag, redescr. from Scomber kanagunta, Celebes, Yamagurta Acta Med. Okayama 8 1953 pp. 261–262.

Opecoeloides furcatus (Brems.) redescr. from Mullus barbatus, Adriatic, JANIS-ZEWSKA Zool. Polon. 6 1953 pp. 40-41 fig.

Opisthadena bodegensis sp. nov. in stom. of Cebidichthys violaceus, California, JOHNSON & COPSEY Trans. Amer. micr. Soc. 72 1953 pp. 78-81 figs.

Opisthioglyphe ranae (Fröhl., 1791), experimental life-cycle, Joyeux & Baer Bull. Soc. neuchâtel. Sci. nat. (3) 76 1953 pp. 63–86 3 figs.—O. (Opisthioglype subgen. nov.): type ranae (Fröl.) p. 750, (Neoglyphe subgen. nov.) oschmarini sp. nov. in int. of Neomys fodiens pp. 747–748 fig., sobolevi sp. nov. in int. of Sorex araneus and S. minutus pp. 748–749 fig., European Russia, Shalden K. I. Skrjabin Anniv. Vol. 1953.

Opisthorchis tonkae Wallace & Penner cercaria in Amnicola limosa, metacerc. in Lepomis gibbosus and Hyborhynchus notatus, adults experim. in muskrat cat and rat, U.S.A., SILLMAN J. Parasit. 39 4 Sect. 2 1953 p. 21.—O. tonkae Wallace & Penner in Microtus p. pennsylvanicus, U.S.A., SILLMAN J. Parasit. 39 4 Sect. 2 1953 p. 22.

Ornithobilharzia canaliculata (Rud.) cercaria in Batillaria minima, Florida, PENNER J. Parasit. 39 4 Sect. 2 1953 pp. 19-20.

Otodistomum veliporum (Crepl.) some redescr. from Raja clavata, Iceland, Rees Parasitol. Cambridge 43 1953 pp. 18–19.—O. plunketi sp. nov. in Scymnodom plunketi, N.Z., Fyre Parasitology 43 1953 pp. 187–190 figs.

Oudhia gen. nov., Reniferinae, type: horai sp. nov. in int. of Heteropneustes fossilis, India, DAYAL & GUPTA Proc. Indian Sci. Congr. 40 1953 p. 191.

Panopristus europaeus Soltys in Sorex minutus and Neomys fodiens, Poland, Sortys Acta Parasit. polon. 1 1953 p. 369 Paracryptogonimus acanthostomus Yamag. redescr. from Lutianus sp., Celebes, Yamagutt Acta Med. Okayama 8 1953 pp. 268–270 fig.—P. mexicanus sp. nov. in Cirrhitus rivulatus, Mexico, Bravo H. An. Inst. Biol. Méx. 24 1953 pp. 140–144 1 fig.

Paradactylogyrus catlarius Thapar redescr. from Catla catla, India, Chauhan Rec. Ind. Mus. 51 1953 p. 126 fig.

Parahemiurus clupeae sp. nov. in Clupea clupeoides, Celebes, Yamaguti Acta Med. Okayama 8 1953 pp. 270– 272 fig.

Paramacroderoides echinus Venard cercaria in Helisoma normalis duryi, metacerc. in Gambusia affinis holbrookii, adult in Lepisosteus platyrhincus, U.S.A., HOLLI-MAN & LEIGH J. Parasit. 39 4 Sect. 2 1953 p. 21.

Paramphistonum stunkardi Holl in int. of Pomoxis nigro-maculatus, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 pp. 329–330 fig.—P. stunkardi Holl transf. to Piscamphistoma, YAMAGUII Systema Helminthum I. Tokyo 1953, p. 249.

Parasterrhurus anurus Manter. 1934. from Argentina striata, renamed Genolinea argentinae nom. nov., YAMAGUTI Systema Helminthum I Tokyo 1953 p. 205.

Parastictodora Martin a syn. of Stictodora Lss., Wittenberg G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 293.

Parvatrema gen. nov., Gymnophallinae, type: borinqueñae sp. nov. adult experim. in Gallus domesticus, metacerc. nat. in Cerithidea costata, cerc. nat. in Gemma purpurea, Cuba, CABLE J. Parasit. 39 1953 pp. 408-421 figs.

Petalodistomum pacificum Cab. transf. to Nagmia, MARKELL J. Parasit. 39 1953 p. 48.

Petasiger chandleri Abdel-Malek, lifehistory, differentiated from nitidus Linton, Abdel-Malek J. Parasit. 39 1953 pp. 152–158 figs.

Phagicola lageniformis Chandler metacerc. in gills of Fundulus pallidus, adults experim. in chicks, N. America, MARTIN G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 201–208 figs.

Philopthalmus posaviniensis sp. nov. in eye of domestic geese, Yugoslavia, RICHTER, VRAŽIĆ & ALERAJ Vet. Arhiv. 23 1953 pp. 193–205 fig. Phyllodistomum staffordi Pearse in Ameiurus nebulosus, California, HADERLIE Univ. Calif. Publ. Zool. **57** 1953 p. 316 fig.

Pisciamphistoma gen. nov., Paramphistomatidae, type Paramphistomum stunkardi Holl in Eupomotis and Chaenobrythus, YAMAGUTI Systema Helminthum, I. Tokyo 1953 p. 249.

Plagioporus angusticolle (Hausm.) in Salmo gairdnerii p. 310 fig., serotinus Staff. in Archoplites interruptus p. 310 fig., macrouterinus sp. nov. in Ptychocheilus grandis pp. 311-312 figs., sp. innom. in S. gairdnerii pp. 312-313 figs., California, HADERLIE Univ. Calif. Publ. zool. 57 1953.—P. idonea (Nicoll) some redescr. from Anarhichas lupus, 1celand, REES Parasitol. Cambridge 43 1953 p. 17.

Plagiorchis exasperatus (Rud.) in Sorex and Neomys spp., p. 367, opisthovitellinus sp. nov. in S. minutus, S. macropygmaeus and Neomys fodiens pp. 367–369, 390, 397, fig., Poland, Soltys Acta Parasit. polon. 1 1953.

Plagitura salamandra Holl, morphology of metacercaria, Etges J. Parasit. **39** 1953 pp. 568–569.

Platynosomum sp. innom. in Isoodon obesulus, Queensland, Mackerras et Al. Proc. Roy. Soc. Qd. 63 1953 p. 61.

Pleurogenes japonicus Yamag. cercaria in Bulinus kiushuensis, metacercaria in Neocaridina denticulata, adult experimentally in Rana n. nigromaculata, Japan, SHIBUE Jap. J. med. Sci. & Biol. 6 1953 pp. 213–220 figs.

Pleurogenetinae Lss., phylogeny, Kaw G. S. Thapar Commemoration Vol., Lucknow, 1953, pp. 143–148.

Prosorhynchus Odhn., constitution, pp. 193–195, crucibulus (Rud.) distinct from squamatus Odhn., p. 194, thapari sp. nov. (syn. facilis Ozaki of Nagaty, 1937) in Plectropoma maculatum, Fiji, pp. 195–196 2 figs., MANTER G. S. Thapar Commemoration Vol., Lucknow, 1953.

Podocotyle pedicillatum (Stoss.) redescr. from Sparus auratus, Adriatic, Janiszewska Zool. Polon. 6 1953 pp. 23–26 fig.

Polystomoides kachugae (Stewart) redescr. from Kachuga lineata, India, CHAUHAN Rec. Ind. Mus. 51 1953 pp. 149–152 figs.

Posthodiplostomum minimum (MacCall.) cercaria in Physa heterostropha, metacerc. in Lepomis gibbosus and L. megalotus, adults experim. in chicks, U.S.A., MILLER J. Parasit. 39 4 Sect. 2 1953 p. 22.—P. minimum (MacCallum) metacercaria in several spp. of freshwater fishes, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 pp. 325–327 fig.

Postmonorchis donacis sp. nov. cercaria and metacerc. in Donax gouldii, adults naturally in Menticirrhus undulatus Roncador stearnsi and surf perches (Embiotocidae), California, Young J. Wash. Acad. Sci. 43 1953 pp. 88–93 figs.

Pricea Chauhan reviewed, comparative table of spp., Chauhan Rec. Ind. Mus. 51 1953 pp. 186-199 figs.

Priceinae **subfam. nov.**, Gastrocotylidae, to incl. *Pricea* Chauhan, *Thoracotyle* MacCallum and *Lithidiocotyle* Sproston, Chauhan Rec. Ind. Mus. **51** 1953 p. 186.

Probolitrema Lss., differential table of spp., californiense Stunkard redescr. from Rhinobatis productus and Platyrhinoides triseriatus, California, MARKELL Trans. Amer. micr. Soc. 72 1953 pp. 68–77 figs.

Prohemistomulum expeditum sp. nov. in kidney of Rana ridibunda, Algeria, BALOZET Arch. Inst. Pasteur Alger 31 1953 pp. 381–388 figs.

Prosorhynchinae Nicoll, key to genera, Dollfus Bull. Inst. franç. Afr. noire 13 1951 pp. 765–766.

Prosorhynchus crucibulus (Rud.) redescr. from Polynemus opercularis, Panama. CABALLERO Y C., BRAVO H. & GROCOTT An. Inst. Biol. Méx. 24 1953 pp. 113–117 3 figs.—P. longicollis sp. nov. in Sphyraena sp., Celebes, YAMACUTI Acta Med. Okayama 8 1953 pp. 258–259 fig.

Prosthogonimus cf. brauni (Skrj.) in bursa Fabricii of Pica pica pp. 262–263 fig., cuneatus (Rud.) redeser. from P. pica pp. 264–265 fig., France, TIMON-DAVID Ann. Parasit. hum. comp. 28 1953.

Protomicrocotyle celebesensis sp. nov. on gills of Caranx sp., Celebes, YAMAGUTI Acta Med. Okayama 8 1953 pp. 245–247 figs.

Psettarium cardicolum Manter, 1947, transf. to Cardicola, Short J. Parasit. 39 1953 pp. 304, 307.

Pseudaxine indicana Chauhan redescr. from Chrysophrys berda, India, CHAUHAN Rec. Ind. Mus. 51 1953 pp. 183-186 figs.—P. indicana Chauhan on "salala" (Scombridae), Fiji, MANTER & PRINCE Proc. Helminth. Soc. Washington 20 1953 p. 108.

Pseudoacanthostomum gen. nov., Cryptogonimidae, diag. p. 124, type panamensis sp. nov. in Galeichithys seemanni, Panama, Caballero y C., Bravo H. & Grocott An. Inst. Biol. Méx. 24 1953 pp. 121–125 2 figs.

Pseudobilharziella tatianae sp. nov. in venae renales of Rallus aquaticus, Barabin Lake, Russia, Spasskaya K. I. Skrjabin Anniv. Vol. 1953 pp. 685-687 figs.

Pseudocreadium scaphosomum Manter redescr. from Balistes polylepis, Panama, CABALLERO Y C., BRAVO H. & GROCOTT An. Inst. Biol. Méx. 24 1953 pp. 117–121 2 figs.

Pseudohaliotrema gen. nov., Dactylogyridae, type (P.) sphinateroporus on gills of Siganus sp. pp. 218–220 figs., (P.) sigani on Siganus sp. pp. 220—221 figs., (Pseudohaliotrematoides) fusiforme on Siganus sp. pp. 222–223 figs., spp. nov., Celebes, YAMAGUTI Acta Med. Okayama 8 1953.

(Pseudohaliotrematoides) subgen. nov., Pseudohaliotrema, type fusiforme sp. nov., YAMAGUTI Acta Med. Okayama 8 1953 p. 222.

Pseudohaplorchis gen. nov. [nec Dayal, 1949] Heterophyidae, type Haplorchis anguillarum Tubangui in Anguilla mauritiana, YAMAGUTI Systema Helminthum, I, Tokyo 1953 p. 150.

Pseudohurleytrema gen. nov., Monorchiidae, type Hurleytrema eucinostomi Manter in Eucinostomus lefroyi, YAMA-OUTI Systema Helminthum, I, Tokyo 1953 p. 264.

Pseudolamellodiscus gen. nov., Dactylogyridae, diagn. p. 229, type: sphyraena sp. nov. on gills of Sphyraena sp., Celebes, Yamaouti Acta Med. Okayama 8 1953 pp. 227–230 fig.

Pseudopecoeloides tenuis Yamag, redescr. from Priacanthus hamrur, Celebes, Yamaguri Acta Med. Okayama 8 1953 pp. 262–263.

Pseudosellacotyla gen. nov., Heterophyidae, type Sellacotyle lutzi Freitas in Hoplias malabaricus, YAMAGUTI Systema Helminthum, I. Tokyo 1953 p. 157.

Pseudospelotrema ammospizae sp. nov. in int. of Ammospiza maritima macgillivraii, N. Carolina, Hunter & Vernhero J. Parasit. 39 1953 pp. 84–87 fig.—P. Yamag. a syn. of Maritrema, Etoes J. Parasit. 39 4 Sect. 2 1953 p. 16; 39 1953 p. 656.

Pseudostrigea Yamag, a subgen, of Apatemon, Dubois G. S. Thapar Commemoration Vol., Lucknow 1953: 79.

Rajonchocotyloides emarginata (Olss.) redescr. from Raja clavata, Iceland, REES Parasitol. Cambridge 43 1953 pp. 194-195.

Renicola Cohn related to "rhodometopa" cercariae, sp. innom. in penguins and Uria aalge, Britain, Wright Nature, Lond. 171 1953 p. 1072.—R. bretensis sp. nov. in kidneys of Pica pica, France, Timon-David Bull. Soc. 2001. Fr. 77 1953 pp. 504-511 figs.—R. bretensis Timon-David redescr. from Pica pica, France, Timon-David Ann. Parasit. hum. comp. 28 1953 pp. 270-276 figs.—R. thapari sp. nov. in kidneys of Pelecanus occidentalis californicus, Panama, pp. 25-28 3 figs., lari Timon-David a syn. of glandoloba Witenberg, p. 28, Caballero y C., Thapar Commemoration Volume, Lucknow, 1953.

Renifer brevicaecus Caballero transf. to Ochetosoma, Flores-Barroeta & Grocott An. Escuela nac. cien. biol. 7 1953 p. 11.

Rhinobatonchocotyle gen. nov., Hexabothriidae, diagn. p. 146, type gyelovaginatus sp. nov. on gills of Rhinobatos productus, California, Doran J. Parasit. 39 1953 pp. 145–146 figs.

Rhipidocotyle khalili Nagaty redescr. from Sphyraena sp., Celebes, Yamaguti Acta Med. Okayama 8 1953 pp. 259–261.

Schistorchis Lühe defined, key to spp., p. 447, stenostoma in int. of Cantherines pardalis pp. 448 450 figs., zancli in int. of Zanclus cornutus pp. 450-451 figs., spp. nov., Hawaii, Hanson Pacif. Sci. 7 1953.—S. sigani Yamag., measurements, in Siganus sp., Celebes, Yamacutri Acta Med. Okayama 8 1953 p. 263.

Schistosoma bovis (Sons.) (syn. mattheei Veglia & Leroux), polymorphism in eggs, Vergruysse G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 289–292.—S. mansoni Sambon cercaria in Biomphalaria alexandrina subspp., Belgian Congo, FAIN Mém. Inst. colon. Belge 89 22 5 1953 pp. 163–180.—S. rodhaini Brumpt cercaria in Biomphalaria alexandrina ffeifferi, adult in dog, Felis serval, Oenomys hyboxantuus, Pelomys fallax concolor, Rattus coucha ugandae and Otomys irroratus vulcanius, Ruanda-Urundi, FAIN ET AL. Ann., Soc. Belge Med. Trop. 33 1953 pp. 423–444 figs.—Schistosoma mansoni var. rodentorum var. nov. in liver of Mastomys coucha, Pelomys fallax, Dasymys bentleyae and Lophuromys aquila, Belgian Congo, Schwetz Ann. Trop. Med. Parasit. 47 1953 pp. 183–186 figs.

Skrjabiniella aculeata (Odhn.) metacercaria in Sparisoma cretense, Rupiscartes atlanticus and Blennius sanguinolentus, Senegal, DOLLEUS Bull. Inst. franç, Afr. noire 13 1951 pp. 762-764 fig.

Skrjabinovermis gen. nov., Philophthalmidae, defined p. 53, type vesiculata sp. nov. in Arenaria interpres, USSR., BELOPOLSKAYA K. I. Skrjabin Anniv. Vol. 1953 pp. 53–55 fig. [New genus clearly a syn. of Echinostephilla].

Spelotrema arenaria sp. nov. in Arenaria interpres, USSR., BELOPOLS-KAYA K. I. Skrjabin Anniv. Vol. 1953 pp. 52–53 vg.—S. arenaria sp. nov. metacerc. in Amphithoe rubricata, adult naturally in Arenaria interpres, experim. in Larus argentatus and Fratercula arctica, E. Murman, BELOPOLSKAYA & USPENSKAYA C.R. Acad. Sci. URSS N.S. 89 1953 pp. 581–583 figs.

Spinuris gen. nov., Monocotylinae, diagn. p. 147, type lophosoma sp. nov. on gills of Rhinobatos productus, California, DORAN J. Parasit. 39 1953 pp. 147–148 figs.

Spirorchis artericola (Ward), life-hist., cercaria in Helisoma trivolvis, adult in Chrysemys picta subspp., N. America, PIEPER J. Parasit. 39 1953 pp. 310–325 figs.

Squamodiscus Yamag. a syn. of Diplectanum Dies., CHAUHAN Rec. Ind. Mus. 51 1953 p. 131.

Steganoderma pycnorganum sp. nov. in bile-duct of Anarhichas minor, Iceland,

Rees Parasitol. Cambridge 43 1953 pp. 21-25 2 figs.

Stephanostomum nipponicum nom. nov. pro casus Linton of Yamaguti, 1934, in Pagrosomus auratus, Yamaguti Systema Helminthum, I. Tokyo 1953 p. 144.

Sterrhurus fusiformis (Lühe) in Conger conger, measurements, Adriatic, Janiszewska Zool. Polon. 6 1953 pp. 30-31.

Stictodora Lss., diagnosis p. 296, key to spp., hancocki (Martin, 1950) n. comb., p. 298, thapari sp. nov. in int. of cat, Israel, p. 296 figs., WITENBERG G. S. Thapar Commemoration Vol., Lucknow, 1953.

Strigeida Poche, classification, Du-BOIS Mém. Soc. neuchâtel. Sci. nat. 8 2 1953 pp. 1–141 figs.

Symmetrovesicula chaetodontis Yamag., redescr. from Chaetodon sp., Celebes, YAMAGUTI Acta Med. Okayama 8 1953 pp. 265–266.

Szidatia joyeuxi (Hughes) cercaria in Melanopsis algerica, metacerc. in Rana ridibunda, Gambusia affinis and Anguilla anguilla, adults experimentally in Malpolon monspessulanus, Algeria, BALOZET Arch. Inst. Pasteur Alger. 31 1953 pp. 389—394.

Tagia ecuadori (Meserve) redescr. from Sphoeroides annulatus, Panama, CABALLERO Y C., BRAVO H., & GROCOTT An. Inst. Biol. Méx. 24 1953 pp. 97–103 5 figs.

Tamerlania zarudnyi (Skrj.) redescr. from ureters of Pica pica, France, TIMON-DAVID Ann. Parasit. hum. comp. 28 1953 pp. 267–270 figs.

Tetracotyle tahoensis sp. nov. encysted in heart of Catostomus tahoensis, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 pp. 323–325 fig.

Tetraonchus rauschi on gills of Thymallus signifer pp. 210-211 figs., variabilis on Prosopium w. williamsoni and P. cylindraceum quadrilaterale pp. 211-212 figs., spp. nov., Alaska, MIZELLE & Webb Amer. Midl. Nat. 50 1953.

Thaparotrema gen. nov., Opisthor-chiidae, type: vittalani sp. nov. in gall-bladder of Rita rita, Assam, Dayal & Gupta Proc. Indian Sci. Congr. 40 1953 pp. 189–190.

Trichobilharzia Skrj. & Zakh., germcells of miracidia, Ameel, Van der Woude & Cort Proc. Helminth. Soc. Washington, 20 1953, pp. 40–42 figs.— T. cameroni sp. nov. cercaria in Physa gyrina, adults experimentally in canaries, pigeons and young ducks, Canada, Wu Canad. J. Zool. 31 1953 pp. 351–373 figs.

Triganodistomum polylobatum Haderlie in Catostomus occidentalis pp. 313–314 figs., crassicrurum sp. nov. in C. rimiculus pp. 314–316 figs., California, Haderlie Univ. Calif. Publ. Zool. 57 1953.

Tubulovesicula angusticauda (Nicoll) redescr. from Saurida argyrophanes, Celebes, YAMAGUITI Acta Med. Okayama 8 1953 pp. 284—285.

Unitubulotestis gen. nov., Didymozoidae, diag. p. 293, type: carangis sp. nov. in pharyngobranchial region of Caranx sp., Celebes, Yamaguri Acta Med. Okayama 8 1953 pp. 291–293 figs.

Urocleidus chaenobryttus Mizelle & Seamster on Chaenobryttus coronarius Lepomis m. macrochirus p. 98, 6 figs., ferox Muell. on L. m. m., L. gibbosus and Chaenobryttus coronarius p. 98, principalis (Miz.) on Huro salmoides pp. 98–99 fig., procax Miz. & Donahue on L. gibbosus p. 99 7 figs., Virginia, HARGIS J. Parasit. 39 1953.—U. chrysops sp. nov. on Lepibema chrysops pp. 723–724 figs., mimus (Muell.) on L. c. p. 724 figs., copulata Muell. on Catostomus c. commersonnii and Moxostoma aureolum pp. 724–725 figs., Wisconsin, MIZELLE & KLUCKE Amer. Midl. Nat. 49 1953.—U. chrysops Mizelle & Klucka on Lepibema chrysops pp. 213, mimus (Mueller) on L. c. pp. 213–214, redescriptions, Wisconsin, MIZELLE & WEBB Amer. Midl. Nat. 50 1953.

Vallisia chorinemata sp. nov. [sine descr.] on gills of Chorinemus lysan, India, Ramalingam Proc. Indian Sci. Congr. 40 1953 p. 188.—V. chorinemi sp. nov. on gills of Chorinemus moadetta, Celebes, Yamaguri Acta Med. Okayarna 8 1953 pp. 243–245 figs.

Vallisinae Price: systematic note, Chauhan Rec. Ind. Mus. 51 1953 pp. 170–171.

Vallisiopsis contorta Subhapradha redescr. from Lactarius lactarius, India, CHAUHAN Rec. Ind. Mus. 51 1953 pp. 181–183 figs.

Xiphidiotrema gen. nov., Troglotrematidae, Nanophyetinae, type: lockerae sp. nov. in sm. int. of Sorex spp., U.S.A., SenGer J. Parasit. 39 1953 pp. 341–343 figs.

Zonorchis panduriforme (Raill.) redescr. from gall-bladder of Pica pica, France. Timon-David Ann. Parasit. hum. comp. 28 1953 pp. 283–285 fig.

#### CESTODA

Abothrium crassum (Bloch) in Oncorhynchus tshauytscha, California, Hader-Lie Univ. Calif. Publ. Zool. 57 1953 p. 340 figs.

Acanthobothrium microcephalum in spiral valve of Holorhinus californicus p. 481 figs., holorhini in sp. valve of H. e. pp. 481-482 figs., unilateralis in H. e. p. 482 figs., robustum in Rhinobatus productus p. 483 figs., rhinobatus in R. p. p. 483 figs., spp. nov., California, Alexander J. Parasit. 39 1953.

Acoleidae Fuhrm., validity and relationships, Lopez-Neyra Rev. ibér. Parasit. 13 1953 pp. 119–184.

Amabiliidae Braun, validity and relationships, López-Neyra Rev. ibér. Parasit. 13 1953 pp. 119-184.

Andrya sp. innom. in Neotoma floridana osagensis, N. America. Murphy Amer. Midl. Nat. 48 1952 p. 216.

Anomaloporus gen. nov., Paruterininae, defined p. 9, type hesperiphonae sp. nov. in Hesperiphone absillei pp. 11-13 figs., lambi sp. nov. in Streptoprocne semicollaris pp. 13-15 figs., Mexico, Voqe & Davis Univ. Calif. Publ. Zool. 59 1953.

Anonchotaenia brasiliense Fuhrm. in Loxops virens, Himatione sanguinea, Vestiaria coccinea, Hawaii, pp. 2–3 figs., globata (v. Linst.) in Melozone kieneri, Hawaii, pp. 3–4 figs., longiovata (Fuhrm.) in Pipilio aberti, California, pp. 4–5 figs., sp. innom. in Aimophila rufescens, Mexico, pp. 5–6 figs., sp. innom. in Alapetes torquatus, Mexico, pp. 6–7 figs., mexicana sp. mov. in Carpodacus mexicanus (type-host) and Pipilo erythrophthalmus, Mexico, pp. 7–9 figs., Voce & DAVIS Univ. Calif. Publ. Zool. 59 1953.

Aploparaksis galli Rausch in Lagopus spp., Alaska, Babero J. Parasit. 39 1953 p. 542.—A. caballeroi sp. nov. in Larus franklini, Panama, Flores-Barrocta Ciencia, Mex. 13 1953 pp. 33–34 figs.

Bertiella douceti sp. nov. in Anomalurus peli, W. Africa, BAER Acta trop., Basel 10 1953 pp. 79-82 3 figs.

Bialovarium gen. nov., Caryophyllidae, type nocomis sp. nov. in sm. int. of Nocomis biguttatus, U.S.A., FISCHTHAL J. Parasit. 39 4 Sect. 2 1953 p. 24.

Bothriocephalus manubriformis (Linton) redescr. from Istiophorus grayi, Mexico, FLORES-BAARROETA Ciencia, Mex. 13 1953 pp. 31–33 figs.—B. abyssmus sp. nov. in Echiostoma tanneri, Bermuda, THOMAS G. S. Thapar Commemoration Vol., Lucknow, 1953, pp. 269–276 figs.

Caryophyllaeus brachycollis sp. nov. in Barbus barbus, B. petenyi, Squalius cephalus and Leuciscus idus, procercoid in Linnodrilus udekemianus, Poland, JANISZEWSKA Zool. Polon. 6 1953 pp. 57–68 figs.

Catenotaenia californica sp. nov. in Dibodomys panamintinus mohavensis (type-host) and D. morroensis, California, Dowell Amer. Midl. Nat. 49 1953 pp. 738–742 figs.—C. sp. innom. in Dibodomys spp., California, Read & Millemann Univ. Calif. Publ. Zool. 59 1953 pp. 69–70.

Choanotaenia cholodkowskyi sp. nov. in Alauda arvensis lönnbergi, pp. 332–333 figs., dogieli sp. nov. in Calidris tenuirostris, pp. 333–334 figs., Russia, Krotov K. I. Skrjabin Anniv. Vol. 1953.

Choanotaeniidae **fam. nov.,** constitution, MATEVOSYAN K. I. Skrjabin Anniv. Vol. 1953 pp. 394–397.

(Cholodkovskya) subgen. nov., Choanotaenia, type skrjabini (Ivanitzky, 1940) n. comb., MATEVOSYAN K. I. Skrjabin Anniv. Vol. 1953 pp. 395, 397.

Corallobothrium fimbriatum Essex in Ameiurus nebulosus pp. 346–347 figs., giganteum Essex in Ictalurus catus pp. 347–349 figs., sp. innom. in I. catus pp. 347–349 fig., California, HADERLIE Univ. Calif. Publ. Zool. 57 1953.

Davainea proglottina (Dav.) in Lagopus spp., Alaska, BABERO J. Parasit. **39** 1953 pp. 542-543 fig.

Dicranobothrium gen. nov. [Onchobothriidae], type: Platybothrium spimulifera Southw., 1913, harpago sp. nov. in Negaprion brevirostris, EUZET Bull. Soc. neuchâtel. Sci. nat. (3) 76 1953 pp. 87-91 figs.

Dicranotaenia guschanskoi Krotov redescr. from Calidris minuta, C. alpina, Crocethia alba, C. ruficollis, pp. 57-59 fig., crocethia aba pp. 59-61 fig., USSR., BELOPOLSKAYA K. I. Skrjabin Anniv. Vol. 1953.—D. globosoides sp. nov. in Sorea caraeus, S. minutus, Neomys fodiens and N. anomalus, Poland, Soltys Acta Parasit. polon. I 1953 pp. 381-383, 394, 401, figs.

Digramma interrupta Rud., systematic relationships, Ведивік Acta Parasit. polon. 1 1953 pp. 411–443 4 pls.

Diorchis longiovum sp. nov. in Anas crecca, Alaska, p. 7 figs., reynoldsi Jones, 1944, transf. to Hymenolepis p. 10, longae Schmelz, 1941, a syn. of wigginsi Schultz, 1940, p. 10, SCHILLER Proc. Helminth. Soc. Washington 20 1953.

Diphyllobothrium dendriticum (Nitzsch), latum (L.), osmeri (v. Linst.) and vogeli sp. nov., differentiation of plerocercoids from fishes, Kuhlow Z. Tropenmed. u. Parasit. 4 1953 pp. 186-202 figs.—D. osmeri (v. Linst.) plerocercoids in Osmerus eperlangus, adults experim. in Larus argentatus pp. 203-209 2 figs., ditremum (Crepl.) found in Larus argentatus fed with O. eperlangus pp. 209-214 3 figs., vogeli sp. nov. plerocercoids from liver of Gasterosteus aculeatus and G. pungitius develop to maturity in Larus ridibundus pp. 214-221 5 figs., latum (L.) plerocercoids in Lota lota, experimental life-cycle discussed, pp. 221-225 fig., Kuhlow Z. Tropenmed. V. Parasit. 4 1953.—D. dendriticum (Nitzsch) anatomy and life-history, Kuhlow Z. Parasitenk 16 1953 pp. 1–35 figs.—D. erinacei (Rud.), life-history, spargana in Natrix mairii, Queensland, and Dasyurops maculatus, Tasmania, Sandars Proc. roy. Soc. Qd. 63 1953 pp. 65-70 pls.

Diplophallus Fuhrm.: systematic relationships; andinus sp. nov. in Recurvirostra andina, Peru, Voge & Read J. Parasit. 39 1953 pp. 558–562 figs.

Dipylidiidae fam. nov., to incl. Dipylidium Leuck., Diplopylidium Beddard, Joyeuxiella Lóp.-Neyr. and Diskrjabiniella gen. nov., MATEVOSYAN K. I. Skrjabin Anniv. Vol. 1953 pp. 393, 397

Discobothrium quadrisurculi and redacta spp. nov. in Trygon sephen, Rhynchobatus djeddensis and Aetomylaeus maculatus, India, KHAMBATA & BAL Proc. Indian Sci. Congr. 40 1953 p. 192 [no descriptions].

Diskrjabiniella **gen. nov.,** Dipylidiidae, type: Diplopylidium avicola (Fuhrm.), MATEVOSYAN K. I. Skrjabin Anniv. Vol. 1953 p. 394.

Echeneibothrium minimum v. Ben. redescr. from Raja clavata, Iceland, Parasitol. Cambridge 43 1953, pp. 8-13 figs.

Echinococcus Rud.: morphological variations, review of spp., RAUSCH G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 233–246 figs.

Glaridacris catostomi Cooper in int. of Catostomus occidentalis pp. 333–324 fig., oligorchis **sp. nov.** in int. of Catostomus tahoensis pp. 334–336 figs., sp. innom. in int. of C. occidentalis pp. 336–337 fig., California, HADERLIE Univ. Calif. Publ. Zool. **57** 1953.

Gyrocotyle Dies., differentiation of spp., Manter Tuatara 5 1953 pp. 49–51 fig.

Hepatoxylon trichiuri Holten plerocercoid in Gadus callarias, Iceland, REES Parasitol. Cambridge **43** 1953 p. 13.

Hymenolepis Weinl. key to spp. in N. American shrews pp. 489, sengeri sp. nov. in Sorex bendirii palmeri p. 488 4 figs., pauciproglottis sp. nov. in S. v. vagrans p. 489 figs., Oregon, Neiland J. Parasit. 39 1953.—Hymenolepis parvissima sp. nov. in sm. int. of Sorex b. bendirei, California, Voge J. Parasit. 39 1953 pp. 599-602 figs.—H. ondatrae Rider & Macy, redescr. from Ondata, Russia, Spasski K. I. Skrjabin Anniv. Vol. 1953 pp. 690-691 figs.—H. singularis Cholodk. redescr. from Sorex araneus and Crocidura leucodon, diaphana Cholodk. transf. to Neoskrjabinolepis, Hungary, Kobulei Acta Vet. Budapest 3 1953 pp. 431-438 figs.—H. magnirsstellata Baer in Neomys fodiens pp. 374-376, 392, 399, figs., tridontophora sp.

nov. in N. fodiens pp. 376-378, 392, 399, £gs., anacetabulata sp. nov. in N. fodiens pp. 378-381, 393, 400, figs., Poland, Sollys Acta Parasit. polon. 1 1953.—H. stefańskii sp. nov. in int. of Sorex araneus, Poland, Zarnowski Acta Parasit. polon. 1 1953 pp. 313-328 figs.

Hypocaryophyllaeus Hunter redefined p. 116, gilae sp. nov. in Gila straria, N. America, Fischthal Proc. Helminth. Soc. Wash. 20 1953 pp. 113–117 figs.

Liga Weinl. key to spp. 491, soricis sp. nov. in Sorex bendirii palmeri, S. obscurus permiliensis, Oregon, NEILAND J. Parasit. 39 1953 pp. 490–491 figs.

Ligula intestinalis (Gze) plerocercoid in Chirostoma spp., Mexico, FLORES-BARROETA Ciencia, Mex. 13 1953 p. 32 ½g.—L. catostomi Linton in coelom of Catostomus humboldtianus, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 pp. 337–338 figs.

Malika skrjabini sp. nov. in Limosa limosa melauroides, Russia, Krotov K. I. Skrjabin Anniv. Vol. 1953 pp. 335–337 figs.

Meggittina gen. nov., Anoplocephalinae, type baeri sp. nov. in "house rat" and "native granary rat", S. Rhodesia, Lynsdale J. Helminth. 27 1953 pp. 129–142 8 figs.

Mesocestoides lineatus (Gze) larva in abdom. cavity of Pilymys multiplex, Italy, PUJATTI Doriana 1 37 1953 pp. 1-7 figs.—M. variabilis Mueller larvae in Gerrhonotus, Sceloporus, Eumeces, Thamnophis and Crotalius spp., adults in Vulpes, Canis, Lynx and Didelphis spp., sp. innom. (cf. manteri) in sm. int. of Urocyon littoralis, California, Voge Amer. Midl. Nat. 49 1953 pp. 249-251 fig.

Moniezia benedeni (Moniez) cysticercoid in Zygoribatula longiporosa, Australia, ROBERTS Aust. J. Zool. 1 1953 pp. 239–241 figs.

Monoecocestus rheiphilus sp. nov. in Pterocnemia pennata, Peru and Chile, pp. 562-564 figs., sp. innom. in Tinamotis pentlandi, Peru, p. 564, Voge & Read J. Parasit. 39 1953.

Nematoparataeniidae Poche, validity and relationships, López-Neyra Rev. ibér. Parasit. 13 1953 pp. 119–184.

Oochoristica wallacei in Spilogale interruptus pp. 69–71 2 figs., pedunculata in Mephitis sp. pp. 71–73 3 figs., spp. nov., N. America, Chandler Amer. Midl. Nat. 48 1952.—O. sp. innom. in Dipodomys m. merriami, N. America, READ & MILIEMANN Univ. Calif. Publ. Zool. 59 1953 p. 70.

Ophiotaenia perspicua La Rue redescr. from Leptodera rhombifera, Panama, FLORES-BARROETA Ciencia, Mex. 13 1953 pp. 34–36 figs.

Otobothrium vermicularis, septemspinigerens and conglobatus spp. nov. in elasmobranchs, India, Khambata & Bal Proc. Indian Sci. Congr. 40 1953 p. 191 [no descriptions].

Paranoplocephala threlkeldi Parra transf. to Perutaenia, Parra Ormeño Publ. Hist. nat. Javier Prado (Zool.) No. 11, 1953 pp. 4, 10.

Paricterotaenia olgae sp. nov. in Scolopax rusticola, Russia, Krotov K. I. Skrjabin Anniv. Vol. 1953 pp. 330–332 fig.

Perutaenia gen. nov., Anoplocephalinae, diagn. p. 252, type threlkeldi sp. nov. in Lagidium peruanum, Peru, Parra J. Parasit. 39 1953 pp. 252-255 figs.—
P. gen. nov., Anoplocephalinae, type Paranoplocephala threlkeldi Parra, 1952, in Lagidium peruanum, Peru, Parra Ormeño Publ. Hist. nat. Javier Prado (Zool.) No. 11, 1953 pp. 3-5 figs.

Phyllobothrium acanthiae-vulgaris (Olss.) redescr. from Squalus acanthias, Iceland, Rees Parasitol. Cambridge 43 1953 pp. 4-8 figs.—P. salmonis Fujita in Oncorhynchus tshaveytscha, California, HADERLE Univ. Calif. Publ. Zool. 57 1953 p. 340 figs.

Platybothrium spinulifera Southw. (syn. hypoprioni Potter) transf. to Dicranobothrium, Euzet Bull. Soc. neuchâtel. Sci. nat. (3) 76 1953 p. 87.

Priapocephalus grandis Nybelin in Physeter catodon, Antarctica, REES Parasitology 43 1953 pp. 27–28.

Proteocephalus microcephalus sp. nov. in Micropterus dolomicu pp. 340-342 figs., salmonidicola Alexander in Salmo gairdnerii pp. 342-344 figs., cobraeformis sp. nov. in Ptychocheilus grandis pp. 344-345 figs., sp. innom. in Micropterus salmoides pp. 345-346 fig., California, HADERLIE Univ. Calif. Publ. Zool. 57

1953.—P. tumidocollus **sp. nov.** in Salmo gairdnerii and Salvelinus f. fontinalis, U.S.A., WAGNER Trans. Amer. micr. Soc. **72** 1953 pp. 364–369 figs.

Proterogynotaenia Fuhrm.: comparative table of spp., variabilis **sp. nov.** in Squatarola squatarola, USSR., BELOPOLSKAYA K. I. Skrjabin Anniv. Vol. 1953 pp. 55–57 fig.

Protogynella blarinae Jones in Sorex bendirii palmeri, Oregon, Neiland J. Parasit. **39** 1953 p. 487.

Raillietina (R.) demerariensis Daniels redescr. from Proechimys cayennensis trinitatus, Venezuela, STUNKARD J. Parasit. 39 1953 pp. 272–279 figs.—R. urogalli (Modeer) in Lagopus spp., Alaska, BABERO J. Parasit. 39 1953 p. 543.—R. (P.) urogalli (Modeer) redescr. from Lagopus spp., Russia, FEDYUSHIN K. I. Skrjabin Anniv. Vol. 1953 pp. 723–732 figs.

Rhabdometra nullicollis Rans. in Lagopus spp., Alaska, Babero J. Parasit. 39 1953 p. 543 fig.

Rhabdotobothrium gen. nov. [Phyllobothriidae], type dollfissi sp. nov., in spiral valve of Dasyatis pastinaca, France, EUZET Ann. Parasit. hum. comp. 28 1953 pp. 346–350 figs.

Rhinebothrium tumidulum (Rud.) redescr. from Dasyatis pastinaca, France, pp. 339–343 figs., walga (Shipl. & Hornell) redescr. from D. p., France, Syria and Rumania, pp. 343–346 figs., EUZET Ann. Parasit. hum. comp. 28 1953.

Rodentotaenia gen. nov., Choanotaeniidae, type: Choanotaenia filamentosum (Gze.), MATEVOSYAN K. I. Skrjabin Anniv. Vol. 1953 pp. 395, 397.

Schistocephalus solidus (Müller) larva in coclom of Gasterosteus aculeatus, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 p. 338 figs.

Similuncius pavlovskyi sp. nov. in Pinicola enucleator sachalinensis, Russia, Krotrov K. I. Skrjabin Anniv. Vol. 1953 pp. 337–338 figs.

Sparganum hamadryadis Teodoro probably a tetrathyridium of Mesoeestoides lineatus, Pujatti Doriana 1 40 1953 pp. 1–3 figs.

Spirometra janickii sp. nov. in Canis lutus, Lynx lynx, Poland, Furmaga Acta Parasit. polon. 1 1953 pp. 29–59 5 pls.

Taenia saginata Gze. and solium L., differentiation of eggs. Kamalova K. I. Skrjabin Anniv. Vol. 1953 pp. 276–283 figs.—T. taeniaeformis Batsch larva in Neotoma floridana osagensis, N. America, Mukhhy Amer. Midl. Nat. 48 1952 p. 216.—T. polyacantha Leuck. cysticercus descr. from Microbus seconomus operarius, Alaska, Schiller, J. Parasit. 39 1953 pp. 344–347 figs.

Tatria Kowal.: abnormal Hymenolepidid, López-Neyra G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 185–192.

Tetrabothrius wilsoni (Leip. and Atkins.) in Physeter catedon p. 29, sp. innom. in Balaenoptera musculus pp. 29–30, Antarctica, Rees Parasitology 43 1953.

Thaparea gen. nov., Dipylidiinae. gen. diag. p. 142. type magniresicula sp. nov. in Capella g. gallinage. India. Jонні G. S. Thapar Commemoration Vol., Lucknow. 1953 pp. 139–142 figs.

Thysanosoma actinioides Dies. in Antilocapara americana, New Mexico, Allen & Kyles Proc. Helminth. Soc. Wash. 20 1953 pp. 96–97.

Vigisolepis barboscolex Spasski in Sorex minutus, Poland, Solitys Acta Parasit. polon. 1 1953 pp. 383, 395, 402.

#### NEMERTINEA

Prostoma gracecuse (Böhmig), specific characters, Japan, Sudzuki Zool, Mag. Tokyo 62 1953 pp. 212–219.

## **NEMATHELMINTHES**

SUBJECT INDEX

COMPREHENSIVE AND GENERAL

Text-book.—Introduction to helminthology, Travassos 1029.

Addresses; Reviews.—Biology of bird-helminths in Russia. Levashov 566; Problems of parasitology in Australia, Mackerran & Mackerras 602; Soviet helminthology and formality in phylogenesis, Sobolev 944; Concepts in study of plant-nematodes, Steiner 974; Helminths in history, Stewart 977; Courteaun between life-histories and systematics of parasitic worms, Steward 968; List of common names for helminths. Van Volkenberg et al. 1049.

Bibliography.—Index-catalogue of medical and veterinary zoology, Doss & Hungharny 217; Bibliography of veterinary beliminthing: Venezuela, Vergam & Ungris 1059.

Taxonomy.- Classification of the superfamily Filarioidea, CHARAUD & CHOQUET 141; Classification of the subfamily Rhabditinae, DOUGHERTY 219 : Definition of the genus Longibucca. Elsea 250: Taxonomy of the genus Interchium, GOODEY 345; Systematics of the family Desmidocercidae, Gussa-ANSKAYA 370; Differentiation of infective larvae of cattle-nematodes. KEITH 492; Specific differentiation of nematode eggs in dogs, López-Neyra 582; Taxonomic note on Rhabditis pellio, New 695; Systematics of the genus Paratylenchus, Oostenbrink 718; SHER & ALLEN 903; Revision of the superfamily Aphelenchoidea, PARA-MONOV 729; Differential key to genera of the family Mermithidae, POLOZHENTZEV 765; Revision of the family Rhabdochonidae, Samov 863; Systematics of the superfamilies Rhabditoidea and Aphelenchoidea, Sobollev 945 ; Speciation in freeliving and insect-parasitic nematodes, STANGER Systematics of the family Enchelididae, Wieser 1102; Systematics of Cruzia orientalis from pigs. WOLFGANG 1117; Systematic position of Sprincerod Magazinista Wolfsans 1118; Nomenclatural note on Neocharaodes, Heinze 398; Review of the genus Corvnosons in N. American mammals, VAN CLEAVE 1044; Taxonomy of the Acanthocephala, Van CLEAVE 1045.

Technique; Methods.—New techniques for examination of helminths. Baneverr & Nevzu. 51; Method for mounting nematodes in glyocrine, Baker 52; Dipetalonema blanca as a laboratory-filariae. Ballazarde Et al. 55; Method for extracting hookworm larvae from soil. Beaver 62; Method for diagnosis of low-grade infections of trichinosis. Beck 64; Maintenance of trichinosis. Beck 64; Maintenance of

Ditylenchus sp. for teaching and research, CAIRNS 129; Method for detecting Trichinella spiralis, CAMPBELL 130; Asceptic cultivation of Ascaris lumbricoides, CAVIER & SAVEL 137; Method for identification of eggs of sheep-nematodes, Cunliffe & Crof-TON 171; Axenic cultivation of Rhabditis briggsae, Dougherty 220; DOUGHERTY & KEITH 224; In vitro culture of Rhabditis, Dougherty 221-223; New diagnostic method for ascariasis in pig, Ershov et al. 254; Method for staining cuticular structures of nematodes, Feldmesser & TAYLOR 272; Value of the Thorn test in diagnosis of helminth infections, GALLIARD ET AL. 306; Method for obtaining Ascaris ova and larvae, Guevara Pozo 365; Method for detecting Enterobius in man, HEADLEE 397; Staining method for plantnematodes, Homeyer 421; Method for quantitative estimation of Heteroderacysts, HRABÉ 423; Methods for assaying nematicides, McBeth & Bergeson 593; Preservation of Enter-obius eggs and their study by the Graham method, MAZZOTTI 642; Diagnosis of filariasis by antigens, OLIVER-GONZALEZ 705; Method for examination of helminth ova in dogs' faeces, Perez Fontana 745; In vitro culture of Ascaris lumbricoides larvae, PITTS & BALL 761; Methods for detecting plant-parasitic nematodes, RASKI 803; Methods for maintaining Litomosoides carinii, Scott & Macdonald 888; Serological methods for ontogenetic investigations of helminths, SHELSWELL 900; In vitro survival of Dictyocaulus viviparus, Soliman 950; Methods for vertical analysis of soilnematodes, Spereiter 961; Axenic cultivation of Neoaplectana glaseri, STOLL 982; Modified en face technique, TROMBA & DOUVRES 1033; Preparation of Acanthocephala for study, VAN CLEAVE 1045; Cultivation of free-living larvae of hookworms, Wein-STEIN 1089.

Obituaries.—†Dr. Tom Goodey, Leiper 563; Peters 751; †H. J. Van Cleave, Mizelle 667; Price 779.

#### STRUCTURE

Anatomy.—Morphology of Pratylenchus, SHER & ALLEN 903; Anatomy of Leptosomatum acephalatum, TIMM 1022;

Morphology of the Acanthocephala, Van Cleave 1045.

Reproductive System.—Structure of genital cone in Trichonematina, DOMSHIN 195; Structure of telamon and genital cone in trichostrongyles, SHULTZ & ANDREEVA 916.

Mouth.—Stoma in marine nematodes, Wieser 1103.

Praesoma.—Of Neoechinorhynchus cylindratus, HOLLOWAY 417.

Larval form.—Structure of cystwall in *Heterodera*, Wieser 1104.

Cytology.—Meiosis in Rhabditis elegans, DELAVAULT 192; Problem of cell-constancy in Rhaditis anomala, Wessing 1095.

Abnormal.—Triple uteri in Ascaris lumbricoides, Guevara Pozo 364; Duplicated uteri in Ascaris lumbricoides, Monaco & Mizelle 674; Double-headed form of Camallanus lacustris, PARUKHIN & KUPRIYANOVA 735.

#### PHYSIOLOGY

Constitution; Metabolism.—
Formation of tiglic and n-valeric acids in Ascaris lumbricoides, Bueding 106; Metabolism in helminths, Bueding 107; Phosphatases activity in Trichinella spiralis, Bullock 111; Phosphorylase in Ascaris lumbricoides, Cavier & Savel 138; Amino acids in Parascaris equorum, Fauré-Fremmet et al. 264; Effect of cyanide on oxygenconsumption in Ascaris lumbricoides ova, Monaco 673; Physiology of Rhabditis anomala, Wessing 1094.

Growth.—Effect of acriflavine on growth in Rhabditis elegans, DOUGHERTY & NIGON 225; Growth of Dirofilaria immitis in mosquitoes, KARTMAN 479; Growth of ascarid larvae in rodents, TINER 1026.

Vitality.—Longevity of swine lungworms in vitro, KNIGHT 508; Longevity of encapsulated ascarid larvae in mice, Sprent 964.

Environmental Effects.—Influence of environment on helminths in pond-fishes, BAUER 59; Influence of temperature on hatching of Heterodera, rostochiensis, BISHOP 79; Effect of low temperatures on viability of Aspiculuris tetraptera eggs, CHAN 142; Effects of

acclimatization on parasitic worms in Ameiurus nebulosus in Poland, CHECHINA ET AL. 150: Influence of temperature on first-stage larvae of Muellerius capillaris, Erhardová & Ryšavý 252; Effect of irradiation on trichina larvae, GOMBERG & GOULD 342; Effect of freezing on anisakine larvae in fish, GUSTAPSON 371: Ascaridia galli ova cultured in air and in water. HANSEN ET AL. 377: Influence of environment on development of Oesophagostomum venulosum and O. radiatum, KHARICH-KOVA 503; Effect of temperature on survival of golden nematode larvae, Mai & Laurz 612; Effect of diet on development of Nippostrong ylus muris, MALDONADO & ASENJO 615; Effect of hot air on helminth eggs, MIRETZKI 665; Influence of potassium-nutrition in host on development of Meloidog yne incognita, OTEIFA 720; Effect of time and depth on potato-root eelworm population, Peters 749; Reactions of Ancylostoma larvae in various drugs and chemical compounds, RITCHIE & KING Effects of temperature on viability of Trichinella spiralis larvae, SHAVER 899; Morphological changes in Heterodera marioni associated with geographical distribution, Ustinov 1042.

# REPRODUCTION AND DEVELOPMENT

Reproduction. — Multiplicationrate of Heterodera rostochiensis, FENWICK & REID 275; Reproductive habits of Rhaditis pellio, NEW 695; Reproduction and development of some murine nematodes, ROMAN 840.

Bionomics of ova and larvae.—Prepatent period of flairal infection in ducks, Chernin 151; Encystment of Tunicamermis melolonthinarum in Melolonthine beetle, Coutureer 165; Bionomics of Litomosoides carinii larvae in Bdellonyssus bacoti, Freer 289; Exsheathing of Microfilaria bancrofti, Fros & Lugui Lung 292; Effect of adult Trichonema on migration of larvae in horses, Gibson 335; Migration of Loa loa larvae in mammalian tissues, Gordon & Crewe 349; Migration routes of Dioctophyma rende larvae in mammals, Hallberg 376; Periodicity of Dirofilaria repens microfilariae in dog, Hawking 394; Migration of Ascaris Vitulorum larvae in white mice, Herlich

403: Prenatal infection of a calf with Ascaris vitulorum, HERLICH & PORTER 404; Age-resistance of Ascaris eggs. JASKOSKI & EGAN 448; Hatching responses in Heterodera, Jones & Winslow 459; Cyst-formation in Heterodera schachtii, Kampfe 472; Loss of microfilariae from mosquito-host, KARTMAN 481: Ingestion by mosquitoes of Dirofilaria immitis larvae in various liquids, KARTMAN 483: Migration-rate of Litomosoides carinii larvae in cotton-rats, Kershaw 497; Methods for differentiation of eggs of canine helminths, López-Neyra 582; Survival of Dirofilaria immitis microfilariae in rodents, Mann & Fratta 621; Hatching of Heterodera rostochiensis, MASSEY & NEAL 634; Giant larvae of Heterodera rostochiensis, ONIONS 716; Vertical migration of potato-root eelworm larvae, Peters 750; Toxic effect of sheep urine on Dictyocaulus filaria larvae, RAUF 807; Concentration of Wuchereria microfilariae in mosquitoes, REID 819; Migration of Litomosoides carinii larvae in cotton-rats, SCOTT & MACDONALD 887; Bionomics of preparasitic stages of Dictyocaulus, SOLIMAN 946-950; Variation in mema-tode egg-content of sheep-faeces, SPED-DING 960; Migration of ascarid larvae in rodents, Timer 1026; Viability of eggs and larvae of Nematodirus spathiger, TURNER 1035; Hatching responses of Heterodera larvae, Winslow 1113; Development of nematode-eggs in coastal soils, YARULIN 1134.

Life-histories.—Life-history of Passalurus ambiguus, BOECKER 84; Of Cheilospirura hamulosa, DOTZENKO 218; Of Cosmocercoides dukae, OGREN 702; Life-history note on Porrocaecum decipiens, SCOTT 886; Life-history of Heterakis spumosa, SMITH 938; Interhosts in ascarid infections, SPRENT 963; Life-history of Ascaris devosi, SPRENT 965; Life-history note on Dirofilaria immitis, TARAZONA VILAS 998; Stages in lifecycle of Heterodera weissi, TARJAN & SASSER 1001.

Development.—Development of Dirofilaria immitis in mosquitoes, Braduley 94; Early development of Contracaccum bidentatum, Geller & Babich 316; Development of Ascaridia galli ova cultured in air and in water, Hansen et al. 377; Larval development of Dirofilaria immitis in Anopheles,

KARTMAN 482; Development of Diroficeria immitis in mosquitoes, KARTMAN 484; Effect of iodine compounds on development stages of horse strongyles. LEVINE & IVENS 568; Development of Litomosoides carinii, MACDONALD & Scorr 597; Fecundation in Assaris equi. Makarov 613; Larval stages and generations in development of helminths, Markov 630; Development of Anniestens continue in abnormal host. MATSUSAKI 637; Development-rate of Haemonchus contortus, MIZELLE & BER-BERIAN 668; Development of Ostertagia circumcineta in sheep. SOMMERVILLE 952; Development of Ascaris devosi in mouse and ferret, Sprent 965; Arrested development in nematodes, Taylor & MICHEL 1002.

Sex.—Hermaphroditism in Desmodora, ALIOEN 21; Sex-determination in Research series. New 695; Sexual dimorphism in freeliving marine nematodes, Wisser 1102.

#### EVOLUTION AND GENETICS

Phylogeny.—Phylogenetic relationships and evolution of the Ascaridata, Mozgovot 677.

Host-Parasite Relations.—Hostspecificity of Heterakis spumasa, SMITH 937; Host-parasite relations of Heterakis spumasa, SMITH 938; Unusual host-relationships of Acanthocephala, VAN CIEAVE 1045.

Variation.—Variability of anal plate-patterns in *Meloidog yme*, Dropkin 229.

#### ETHOLOGY

General.—Ecology of free-living nematodes in littoral of Algeria, Dellamere Deboutteville 189, 190; Ecology of nematode-fauna of German coasts, Gerlach 327; Ecology of free-living nematodes in the Gulf of Finland, Gerlach 328; Freeliving nematodes associating with snails, Mengert 647; Ecology of terrestrial nematodes on Ischia I., Bay of Naples, Meyl 651; Terrestrial nematodes in a thermal biotope, Meyl 652; Ecology of marine nematodes, Wesser 1103; Dessication of Panagrellas silusiae, Lees 558; Biotogy of Headmannia allicana, Rathere 806; Biotogy of Headmannia allicana.

Longibucca epitation. ELSEA 250; Ecology of parasites of Californian freshwater fishes. Haderlie 373; Nemacodes associating with bark-beetles, Horson-MANN & RUHM 410; Sureptomycete on cuticle of nematodes in cockretaches. HOFFMAN 413; Bienomics of Strongyloidez, Popova 769; Bionomics of Directionallis cameli, Shumilina 917; Bionomics of ascarid larvae in brain of mice. Tiner 1026; Bionomics of Diopercular rinjectus in N. Rhine-Westphalia region. Wevzet 1098; Biomomics of Heuroders remediensis in black nightshade and tomatt. Don-CASTER 213; Birmomics of Duplewood radicioche in Helland. Kutper 535; Economies of Tylerchergymeius âusus in southwest U.S.A., REYNOLDS & EVANS 824; Biology of Prominents. Sher & ALLEN 903; Biological notes on plantnematodes in Holland, Van DER LAAN 1046.

Immunobiology. - Host-telerance. BECKER 65; Effect of water standation on resistance in mice to Trivinglia spiralis, CAMPBELL 131; Infectivity of Melovine was incognist was, acrise, Drop-KIN 230; Productivity of Trickingla AL. 246; Mineral-deficient diet as a factor in resistance of lowls to parasitism. Gaafar & Ackert 299; Immunity and resistance to nematodes in Australian ruminants, Gordon 348; Transfer of resistance to Transaction in mice, Hendricks 460; Susceptibility of mosquitoes to Direfilaria impuitis. KARTMAN 478; Effect of age of microfilariae on infectivity. Kartman 480; Review of immunology in mice to trichinizsis. Larsh 550; Infectivity of Tripically larvar in various media. Larsh et al. 551; Resistance in mice to Triphanalla spiralis. Larse & RACE 552; Immunology of early stages of ascariasis, Letana 562; Immuniny in cution-rate against Labraciated agrand. Macronald & Scott 596; Immune responses of experimental animals to mariasis, McFadzean 598; Transplantation of Distillaria insultis into dogs and cats, MANN & FRATTA 622; Resistance in rabbits to Triviagram the various times. Michel 656; Immunity in helminthiasis. Nostk 700; Immunediagnostics for Dupocault in sheep. Purhow at al. 789; Immunity against trichinesis obtained by vaccination, SHIKHOBAKOVA 907; Resistance in sheep to Haemonchus and Trichostromgylus, STEWART 975; Influence of age and nutrition on resistance in sheep to Trichostromgylus colubriformis, STEWART & GORDON 976; Infectivity of Neoaplectana after 7 years axenic culture, STOLL 981; Infectivity of cultured Neoaplectana glaseri, STOLL 983; Immunity in rats to Nippostrongylus muris, THORSON 1019; Duration of prolonged Ascaris infection, VASILROVA & GEFTER 1051; Crosstransmission of Strongylvides papillosus in ruminants, Vegors & Porter 1053; Immunity in parabiotic rats to Trichinella spiralis, Zaiman 1143; Zaiman & Rubel 1144; Zaiman Et al. 1145.

Effect on Host; Pathology.-Nematodes causing disease in cattle, Andrews, Jones & Sippel 32; Effect of repeated reinfection with *Litomosoides* carinii in cotton-rats, BERTRAM 72; Skin-reactions during Ascariasis, BRUD-NAYA 103; Eosinophilia in loaiasis, GALLIARD & LARVIERE 307; Clinical symptoms provoked by migratory larvae of Ascaris, Gerbilski 318; Precipitin-reaction in sheep during muelleriosis, Gevondyan 330; Pathology of Draschia megastoma in horses, GORSHKOV 350; Pathology of Dioctophyma renale in mink, HALLBERG 376: Rhabditis strongyloides causing dematitis in dog, HAYES 396; Pathogenecity of Aelurostrong ylus abstrusus in cats, HIER-ONYMI 408; Effect of helminths on nutrition in host, Hunter 429; Pathogenecity of Nematodirus spathiger in sheep, KATES & TURNER 487; Pathogenic interaction of Haemonchus contortus and Nematodirus spathiger in lambs, KATES & TURNER 488; Comparative pathogenecity of Nematodirus spathiger paningericative of Nemanata's spaninger and Trichostrong Just colubriformis in lambs, KATES & TURNER 489; Pathology of Acuaria hamulosa in domestic fowl, KRAHNERT 521; Pathogenecity of Thelazia in human eye, LÓPEZ-NEYRA 580; Rhabditis associated with disease in lower jaw of horse, Matwiejew & Zuliński 638; "Fog-fever" in cattle possibly associated with lungworms, MICHEL 655; Effect of Delafondia vulgaris in arteria mesenterica cranials of horse, Mosina 676; Pathogenecity of Tetrameres fissispina, Popova 770; Pathogenecity of helminths in sea-otter,

RAUSCH 809; Rhaditis dermatitis in cattle, RHODE ET AL. 826: Effect of Porrocaecum in domestic ducks, Rizhi-KOVA 836; Effect of helminths on blood-ferments of host, Semenov 890; Early ascariasis in man, Semenova 891; Dictyocaulosis in camels, Shu-MILINA 917; Human thelaziasis, Sill-MAN 924; Pathology of Strongyloidiasis in pig, Skalinski 931; Pathology of filariids in horses. Supperer 993; Pathogenecity associated with development in nematode larvae, TAYLOR & MICHEL 1002; Ascaris infection in horses in Ukraine, TCHEBO-TAROV 1003; Flocculation-reactions in rabbits infected with Trichinella spiralis, THOMAS ET AL. 1014; Effect of Nippostrongylus muris in rabbits, THOR-1020; Death in rodents associated with Ascaris larvae in nervous system, Tiner 1027; Pathology of Trichonema in colon of horse, TUINOV 1034; Effect of Ascaris lumbricoides on protein digestion in man, VENKATA-CHALAM & PATWARDHAN 1057; Pathology of helminths in domestic animals. VSELODODOV 1073; Pathogenecity of Rodentocaulus ondatrae in muskrat. Vsevolopov 1074: Two new nematodes associated with leaf-blotch in Evodia roxburghiana, India, GOODEY 344; Nematodes attacking crops in France, HOFFMANN 415; Awl-nematode causing disease in plants, PERRY 747; Leaf-nematode disease in chrysanthemums, PITTMAN 760; Nematodes harmful to agricultural crops, SKARBILOVITCH 932; Effect of Dolichodorus heterocephalus on Chinese waterchestnut in N. America, TARJAN 1000; Effects of larval polymorphid on Asellus aquaticus, MUNRO 681; Effects of acanthocephalans on alimentary canal of largemouth bass, VENARD & WARFEL 1056.

Incidence; Epidemiology.—Incidence of microfilariae in sooty grouse, ADAMS & BENDELL 10; Contamination of ponds and reservoirs from helminthological aspect, ALF 14; Food as a factor in human helminthiasis in Russia, BARCHENKO 57; Distribution of Trichostrongylus retortacjormis in wild rabbits in N. Zealand, BULL 109; Helminthiasis of cats and bears in Moscow Zoo, BURDELEV 113; Prevalence of pinworm amongst school-children at Tallahassee, Florida, CATES

133; Incidence of some nematodes in dogs, U.S.A., EHRENFORD 249; Prevalence of helminths among rural population of Fayette County, Tennessee, Eyles et al. 261; Epidemiology of nematodes in sheep in southern N.S.W., Forsyth 286; Relationship between intestinal helminthiasis and epidemiology of poliomyelitis, Gonzalez Castro- & Mañas Montalvo 343; Epidemiology of nematodes in sheep in winter-rainfall regions of Australia, Gordon 347; Epidemiology of nematodes in Australian ruminants, Gordon 348; Simultaneous Trichuris and Assaris infection in man, HARBO 380; Incidence of Amidostomum in Canada geese, HERMAN & Wehr 405; Incidence of nematodes in kittens, Michigan, HITCHCOCK 412; Thelaziasis of yaks and cattle in Mongolia, IVASHKIN 441; Helminth infections of children in Warsaw, Iwańczuk 443; Transmission of non-periodic filariasis in Samoa, Jachowsкі 444; Distribution of oxyuriasis in Czechoslovakia, Jírovec 449; Intake of Dirofilaria immitis larvae by Aëdes aegypti, Kershaw et al. 498; Epidemiology of filariasis in West Africa, KERSHAW ET AL. 499; Thelaziasis of cattle in Russia, Klesov 507; Epizootology of Muelleriasis in Russian sheep, KOPIRIN, DOBRIKOV & BURIKOVA 516; Infection-rate of filariids in mosquitoes, Kume 536; Human helminth infection in the Yemen, Kuntz et al. 539; Epizootology of trichinosis, Luka-shenko 586; Filarial and malarial infections in Anopheles, Muirhead-THOMSON 679; Incidence of Dracunculus infection in south-west Nigeria, ONABAMIRO 715; Epidemiology of ascariasis, Podyapolskaya 763; Incidence of filarial infections in Spanish Guinea, REYES PUGNAIRE 823; Epidemiology of parasitic gastro-enteritis of cattle in Australia, RIEK ET AL. 831; Endemicity of helminth infection in man in Japan, RITCHIE ET AL. 833; Incidence of nematodes in man, Thailand, Sadun 858; Intestinal nematode infections among population of Cholburi Prov., Thailand, SADUN VAJRASTHIRA 861; Incidence of Dictyocaulus filaria in the Punjab, SARWAR & RAUF 874; Epidemiology of nematodes among inhabitants of Apipe Grande I., Argentina, Schuurmans STEKHOVEN 882; Incidence of Heterakis

spumosa in wild rats, SMITH 939; Role of faeces in the transmission of trichinae to pigs, SPINDLER 962; Frequency of Molinostrongylus ornatus and Litomosa filaria in Miniopterus schreibersi, France, Théodoridés 1011; Seasonal incidence of Haemonchus infection in sheep in Alma-Atinsk Prov., Russia, ULYANOV 1039; World-incidence of Trichostrongylus infection in man. WATSON 1086; Incidence of nematodes in domestic cats, Philippines, Yutuce & Costo 1141; Distribution of Enterobius among children, ZAFFINO 1142; Seasonal fluctuations in hatching of potato-root eelworm, FENWICK & REID 274; Review of Heterodera incidence in East Midlands, ROEBUCK 839; Wind-borne dispersal of Heterodera cysts, Whitte 1099.

Control.—Effect of "papain" on trichina in rats, ALICATA 16; Effect of "Polybor-3" on Stephanurus larvae in soil, ALICATA 17; Effect of hetrazan on Onchocerca volvulus in man, BAEZ 50; Effect of vitamin B<sub>12</sub> and related compounds on Ascaridia in chicks, BRODY 97; Effects of antibiotics on helminths in cats, Brown et al. 101; Effect of diéthylcarbamazine on filariids, BRUMPT 104; Treatment of Ancylostoma in man, Brumpt & Sang 105; Effect of "Egressin" on Enterobius in man, Bumbalo et al. 112; Effect of phenothiazine on trichostrongyle larvae in cattle, CAUTHEN 135; Efficacy of phenothiazine against Ostertagia and Trichostrong ylus in cattle, CAUTHEN 136; Sulfasuxidine and bacitracin therapy of Enterobius infection, CHAN & BROWN 143; Control of Wuchereria bancrofti in British Guiana, CHARLES 146; Prophylaxis of verminous bronchopneumonia and acanthocephalan infection in pigs, Díaz 202; Effect of toluene on nematodes in dogs and cats, Enzie & Coloflazier 251; Effect of phenothiazine on Dictyocaulus in sheep, Ermolaeva 253; Effect of cortisone on Strongyloides stercoralis in dogs, Galliard & Berdonneau 304; Effect of phenothiazine on equine strongyles, GIBSON 335; Efficacy of ditrasine against Onchocerca in cattle, GNEDINA 340; Efficiency of chlorinated benzenes against nematodes in sheep, GORDON 346; Effects of anthelmintics on phases of Ascaridia galli larvae, HANSEN, PERSAUD & ACKERT 378;

Efficacy of "Systox" against Aphelenchoides, HIRSCHMANN 409; Effectiveness of phenothiazine against strongyle Ascaris infection of donkeys. IBRAGIMOV 437; Control of Mecistocirrus in cattle, IVASHKIN 440; Effect of phenothiazine on Parabronema in camels. IVASHKINA 442; Effect of hetrazan on Ascaris lumbricoides in young children. JOHRI 456; Efficacy of phenothiazine derivatives in control of horse-strongyles, Levine & Ivens 569; Control of Haemonchus larvae in sheep, LYSENKO 591: Effects of erythromycin on Syphacia and Aspiculuris in mice, McCowen et al. 595; Prophylaxis of Strong yloides ransomi in pigs, MALIGIN 616: Efficacy of phenothiazine-salt mixture against strongyles in horses. MAMASKULOVA 617; Control of filariasis in the Pacific, Manson-Bahr 623; Effect of hetrazan on Onchocerca in horses. MAZZOTTI 643: Control of nematodes in horses, MILLER 663; Effect of phenothiazine on tricho-strongyles in northern stag, Mitz-KEVICH 666; Vermifuges for helminth infections, Munssynski 682; Control of ascariasis in pig. NIKULIN 699; Control of muelleriasis in sheep by ditrasine, Ozerskaya 721; Effect of a cyanine dye on hookworms and Trichuris in man, PEREZ-SANTIAGO ET AL. 746: Control of helminths in silver-foxes on fur-farms in Russia, Petrov 753; Measures against ascariasis, Podyapolskaya 763; Control of Dictrocaulus in cattle, Popova 768; Pumpkin-seeds as anthelmintic against nematodes in cats and dogs, POTEMKINA 774; Anthelmintic treatment of polar fox, RADKEVICH & MALISHEV 794; Effects of hexylresorcinol on nematodes in children, RICCI & MENNA 827; Effect of toluene against ascarids in horses, Sincilar & Enzie 927; Inhibition of Haemonchus contortus in sheep fed on white clover, Tetley 1009; Effect of phenothiazine-salt mixture on Nematodirus and Haemonchus in lambs. TURNER & COLGLAZIER 1036; Prophylactic action of phenothiazine on nematode infection in chickens, Vor-ONTZOV 1073; Effect of cortisone on Nippostrongylus muris, WEINSTEIN 1090; Effect of benzyl aldehyde on nematodes, DRABKIN 228 ; Control of rootknot nematode of tomatoes, BROCK & GILES 96; Effects of D-D mixture against potato-root eelworm, Fenwick

ET AL. 273; Resistance of golden nematode to hot water and D-D mixture, Mai & Laurz 612; Soilfumigation with D-D mixture effective against Meloidogyne in cotton plants. RASKI ET AL. 804; Environmental changes as measures of control against sugar-beet nematode, SKARBILOVICH 934; Efficacy of chlorphenol and allied compounds against Diview, w. and Heterodera. STANILAND & STONE 971; Efficacy of D-D mixture and methyl bromide against Pratylenchus pratensis, STONE 984; Effect of methyl bromide on nematodes in celeryseedbeds, Swank & Perry 995; Control of sugar-beet mematodes. THORNE 1018.

#### HOST-DISTRIBUTION

Plantae. Cysts of new Heierodera in soil among potatoes, Peru, Core & TAYLOR 156; Heterodera restorbiensis in roots of black nightshade and tomato, Doncaster 213; Hosts of root-knot eelworm in the Gold Coast. EDWARDS 248; Nematodes from toadstools, Britain, GOODEY 345; Belowlaimus gracilis on ootton and other crops, S. Carolina, GRAHAM & HOLDE-MAN 356; Nematodes among roots of pine-seedings Mississippi Hann 401; Heterodera marioni on Centaurea cyanus and Cirsium oleraceum, Germany, Kott-HOFF 517; Radopholus similis attacking bananas, Malaya, LARTER & ALLEN 553; New Meloidog me sp. causing root-knot of mature tea in Ceylon. Loos 578; Host-preferences of tobacco cyst-nematode, Lownsbury 585: Heterodera major on wheat, Italy, MEZZETTI 653; Hosts of Din mobile radiologic in Holland, Oostenbrink 717; Ditylonchus dipsaci attacking gariic. Russia. Paramonom 728; Dolichodorus heterocephalus attacking root-systems of celery and sweet corn, Florida, PERRY 747; Leafnematodes of chrysanthernums. Australia. PITTMAN 760: Nematodes among beetroot seedlings, Russia. SKARBILOVITCH 933; Pratylenchus pratensis on roots of delphinoum. Britain. STONE 984.

Mollusca.—Nematode-parasites of snails, Germany, Mengert 647; Cosmovercoides dukae in molluscs, Namerica, Ogren 702; Hexamermis albicans in Succinea putris and Agriculsmax agrestis, Germany, Rather 806; Mol-

luscan interhosts of Protostrongylus and Varestrongylus, Pakistan, SARWAR 872.

Insecta.—Hexamermis albicans in larvae of Porthetria dispar, Russia, ARTYUKHOVSKI 37; Moniliformis moni-liformis larvae in Periplaneta americana, Mexico, CORONEL GUEVARA 161; Tunicamermis melolonthinarum in Melolonthinae, Courtrier 165; Mermithids in Simuliid larvae, France, Dosy & LAURENT 207; Oedaleus infernalis as interhost of Cheilospirura kamulosa, Russia, Dotzenko 218; Drosophila a dispersal agent for Panagrellus silusiae, LEES 558; Mosquitoes as vectors of Oswaldofilaria chlamydosauri, MACKERRAS 604; Microfilaria immitis in Ctenocephalus canis, TARAZONA VILAS 998; New variety of Gryllophila skrjabini in Gryllotalpa gryllotalpa, France, THÉO-DORIDÉS 1010; Nematodes in Gryllotalpa, Brazil, TRAVASSOS 1030.

Crustacea.—Cyclops spp. as vectors of Dracunculus medinensis, Nigeria, Ona-BAMIRO 718.

Fishes.—New Capillaria sp. in Batrachaestius baicalensis, Baical, Rizhikov & Sudarikov 835; New Rhabdochoma sp. in intestine of Barbus, Russia, Saedov 863; Porrocaecum decipiens larva in cod, smelt, plaice and celpout, Canada, Scott 886; New Capillaria sp. in intestine of Coregonus, White Sea, SHULMAN-ALBOVA 915; Redescription of Spirocamallanus spiralis from Micropogon and Achirus spp., Mexico, WINTER poson and activate spp., Mexico, Winyten 1114; New Fessisentis sp. in Lepomis gibbosus, N. America, Halley & Bullock 374; New Patternet sp. in Nanda: nanda: India. Sarkar 866; New neoechinorhynchid in Mucil reproduct. Florida, WARD 1080; New Necechinorhynchic genus from Magil cepacius, Florida, WARD 1081; Helminths in marine fishes. Senegal, CADENET 128; Parasites of freshwater fishes, Maine, DE ROTH 197; Hel-minths of the cod, DOLLFUS 210; Helminths in fishes, Wisconsin, Fisch-THAL 278, 279; Helminths of European Coregonids acclimatized in Siberia. GREZE 358; Parasites of fresh-water fishes in Washington State, GRIFFITH 359; Parasites of freshwater fishes of Caltiornia, HADERLIE 373; Helminths of Idus in Russia, RAKOVA 795; Helminths in fishes, Iceland. REES 817; Helminths of freshwater fishes, Indonesia, SACHLAN 854.

Aves.-Redescription of Rusgmidla deers from a kinglisher, Iran, CHABAUD 140; New Terramerer sp. in peacock, Moscow Zoo, CHERTROVA 152; New Desmissiontelle sp. in Ardes, Egresse and Productioner. USSR. GISHANSKAYA 370; Microfilariae d'Sturnidae in Cairo Zoo. HALFAWE 375; Amigum mum graeris in Canada goese, U.S.A., Herman & Weer 405; New Contracaman so. in penguin. Allokland Is., Johnston & MANUSON 454; Capallaria and Personaurum in a starting, KRES 522; New Cratical ma sp. from Sarvisurus religiota. Berne Zoo, Kren 523; New Strong violete sp. in Himentoeus conditius Turkmenia, KURITEVA 541; Nematodes in biris. Heard and Macquarie Is., Mawson 640; Redescription of Continuous spiration Phalamones onegotic Attorists god: in hen's egg Pinner 742; Attorists god: in hen's egg Pinner 742; Attorists god: in hows. S. India. Pujaret 783 ; Capillaria columbae in pigeons, Pakistan, Sarwar 873; Four new Miroust mare: spp. in N. American birds, Schell 878; New Toroners sp. in stomach of Arizo riverso. Russia. Segon 906; Helminia of Comu cornix. Russia. Zekenov 1147; New Grainiprotus sp. in secretary-bird. Halle Zool Gins. Hartwork 387: Redescription of Communications from cormorants. Auckland and Campbell Is. JOHNSTON & BOMONES 453: Privateriae sup. in durks in Chebra-binsk Province, Oxonoxov 704; Hei-minths of Transpare registrae. Arm-STRONG 36; Helminths of ptarmigan. Alaska BARERO 42; Helminins of Charadriffermes in Russia, Bancrot-SKAYA 68; Helminths of fowis, Chile. Bounces 88; Heimines from Chara-drifforms in Voiga-devia, Generally skaya 338; Helminths in American marriage magnitudes. N. Carolina HUNTER & QUAY 430; Review of delmintis from game-birds in Russia. Kastmov 485; Heimingis in game-birds of Gruzia. Russia. Kurasevni 540; Helminens of chickens in Mariisk Republic, Russia, Pomrya-sanskaya 766; Helminths of Diris, Czechoslowacia, Vojtechovska-May-EROVA 1072.

Amphibia. Resident types in Hyle cares. New Zeeland, Brace at al. 93; New Systematic sp. in Rose, Guatematic Caballero y C. 125; Acanthoce-

phala in amphibians of the Białowieza National Park, Poland, Grossman & Sandner 362; Larva of new Arythmorhynchus sp. encysting in frog, India, Moche & Das 671; Key to Acanthocephalus spp. from amphibians in Russia, Petrochenko 752.

Reptilia.—New Abbreviata sp. in Phaynocephalus helioscopus, Iran, Chabald 139; Four new Pharyngodon spp. in N. American reptiles, Read & Amben 812; Helminths in snapping turtle, Oklahoma, Williams 1108.

Marsupialia.—Helminths of Isoodon obesulus, Queensland, Mackerras et Al. 603; Two new Metastrongyles in Australian marsupials, Mackerras & Sandars 605.

Cetacea.—Helminths from whales in Ross Sca, Rees 818; New Corynomous sp. in the white whale, N. America, Van Cleave 1044.

Ungulata.-Two new trichostrongyles in sheep, Dagestan, U.S.S.R., ALTAEV 24; New Wehrdikmansia sp. in subcutaneous tissue of roe-deer, Austria, Bohm & Supperer 85, 86; Nematodes in beef-cattle, Kansas, Dewertset. Hansen & Ackert 198; Stephanofilaria sp. in buffaloes, Indon-esia, Djaenoedin & Tandjung Adwin-ATA 205; Nematodes in sheep in Central Kazakhstan, Russia, KARA-BAEV 474; Nematodes from Gazella subgutturosa in Kazakhstan, Russia, KARMANOVA & MURTAZAEV 476; Helminths of bison in northwest U.S.A., LOCKER 573; New Spirurid from Cervus nippon, Putyalin I., Pre-more, Russia, Lyubinov 592; Helminths of Scottish hill-cattle, PARNELL EF AL. 731; Domestic pig as host for Onchocerca sp. and Enterobius vermicularis, India, RAMANUJACHARI & ALWAR 800; Redescription of Simondsia paradoxa from domestic pigs, India, Ramandujachari & Alwar 801; Nematodes from horses in the Yakut Republic, Russia, Sapronov 862; Haemonchus contortus in mountain-sheep of Peru, SARMIENTO BENDEZU 867; New records of trichostrongyles in domestic ruminants, Pakistan, Sarwar 870; New Pneumostrongylus sp. in sheep, Pakistan. SARWAR 871; Helmenths of horse. W. Australia, Shilkin 908; Redescription of Dictyocaulus cameli. SHUMILINA 917; Strongyloides

ransomi in pigs, Russia, Skalinski 931; New Rhabditis sp. in mouth of horse, Poland, Stefański 972; Filariids of horses in Austria, Supperer 993; Redescriptions of Triodontophorus spp. from horses, Venezuela, Ungría & Vergani 1040; Nematodes in the African elephant, Vuylsteke 1075; Nematodes in Scottish hill-sheep, Wilson et al. 1109.

Rodentia.-New oxyurine nematode in Ochotona rufescence, Afghanistan, AKHTAR 11; New Dipetalonema sp. in Canadian beaver, Anderson 29; Helminths in Alaskan beavers, BABERO 43; Helminths of Oryctolagus cuniculus in New Zealand, Bull 108; New Trichostrongyle in milk-glands of Clethrinomys spp., Russia, Dushnin 231; Nematodes of rats and mice in Chernovitz, Poland, Gumenyuk 368; Protospirura muris in syrian hamster, MAUER, STAUBER & GRON 639; Helminths, including new Longistriata sp., in Osage wood-rat, N. America, MURPHY 684; New Helminthoxys sp. in Lagidium peruanum, Peru, PARRA OR-Meno 733; Dirofilaria scapiceps in Sylvilagus floridanus, Penner, Dery & Knuckles 743; Helminths in kangaroo-rats, N. America, Read & Millemann 813; Redescriptions of some murine nematodes, Roman 840; Helminths from Rhombomys opimus in Uzbekistan, Russia, Shleikher & Samsonova 909; Helminths from rodents in central and southern Rockies, Smith 935; Cotton-rat as experimental host for Heterakis spumosa, SMITH 937; Parasitic worms of muskrats in Russia, Spasski 959; Experimental infection of rabbits with Nippostrongylus muris, THORSON 1021.

Carnivora.—New Uncinaria sp. in a panda, Rome Zoo, Biocca & Bronzini 76; New Uncinaria sp. in Ailurus fulgens, Rome Zoo, Biocca & Bronzini 77; Capillaria plica in domestic cat, N. America, Chittwood & Enzie 153; Syngamus ierei and Physaloptera praeputalis in a cat, Jamaica, Guilbride 366; Nematodes of cats and dogs in Chernovitz, Poland, Gumenyuk 368; Strongyleides stercoralis in dog, Ohio, Koutz & Groves 518; Helminths of dogs in Poland, Kozlowska 520; New Protospirusa sp. in pine-marten, Kreis 522; Helminths of Mustelids in the Buryat-Mongolian Republic, Machulski 599;

Helminths in raccoons, Pacific County, Washington, MCNEIL & KROGSDALE 608; Helminths in silver-foxes on Russian fur-farms, Petrov 753; Helminths in sea-otters. Alaska, Rausch 809: Nematodes in Ursus arctos concasions, Russia, RUKHLYADEV & RUKHLYADEVA 851; Nematodes in jackal. Azerbai an Russia. Sadikhov 855; Nematodes in dogs, Tashkent, Russia, Sharafutdinova 898; New Russia, Sharaft Illiadva 636; Alew lungworm in beheat. U.S.A. Stough 985; New Capillona sp. in red fox and silver fox, Austria, Supperer 992; New Shrjabinoclava sp. in Procyon concriporus, Brazil, TEIXEIRA DE FREITAS 1008; Dirofilaria immitis in dogs. Mississippi, Ward & FRANKLIN 1082; Nematodes in domestic cat, Philippines, YUTUG & Cosio 1141; Nematodes in pinnipeds. Heard and Macquarie Is.. MAWSON 640; Redescriptions of Corpnames spp. in pinnipeds from Auck-land and Campbell Is., Johnston & EDMONDS 453; Four new Corynosoma spp. in N. American pinnipeds, VAN CLEAVE 1044; Prosthenorchis spirula in Nasia saria. Mexico. Chandler 145.

Chiroptera.—New Longibucca sp. in N. American bats, Elsea 250.

Insectivora.—Cremosoma striatum in hedgehog, France, JOYEUX & BAER 462; Nernatodes in Desmana maschata. Russia, Karpovich 477; Helminths of Hungarian Soricidae, Kobulei & Vershent 512; New Gongylomena sp. in hedgehog, Rumania, Methanu 650; New Capillaria sp. in oesophagus of short-tailed shrew, N. America, Ooren 703; Helminths of Soricidae in the Bialowieza National Park, Soltys 951.

Primates.—Helminths of monkeys in Portuguese Guinea, AZEVEDO & MEIRA 41; Experimental Necator americanus in man, BEAVER 63; Prosthemorhis spirula from primates in Houston Zoo, Texas, Chandler 145; Strongyloides in man, São Paulo, Coutenho et al. 164; Intestinal helminths of patients in a Virginia hospital. FURR ET AL. 296; Wucherenta bancrofti redescribed, Galliard & Charado 305; Gosgiosense ducienta in man, Russia, Kamalov 470; Thelazia in eye of man, Spain, López-Neyra 580; Direfilaria conjunctione in abdomen of man. Spain, López-Neyra & Araktose Adak 583; Nematodes in children of Gola tribe, Liberia, Poin-

DEXTER 764; Redescription of Oesophagostomum apiostomum from man and monkeys, Indonesia, Stang & Joe 919; Thelazia callipaeda in eye of Korean boy, Sillman 924; Intestinal helminths of man, Woodruff 1120.

General.—Parasites in animals at the London Zoo, Porter 771, 772.

# GEOGRAPHICAL DISTRIBUTION

Europe.—Some freeliving nematodes from Sweden, Allgén 20; Terrestrial nematodes from Jan Mayen, ALLGÉN 23; Nematodes in soil-fauna of Hungary, Andrássy 30; New Trillieus sp. in moss. Hungary, Andreassy 31; Occurrence of Heterodera spp. in Denmark, Bovien 92; Terrestrial nematodes from mountain-regions, Spain, GADEA 301; Terrestrial nema-todes from the Serrania de Ronda, Spain, GADEA 302; New genus of marine nematodes from the Mediterranean, GERLACH 320; Marine nematodes from Portugal, GERLACH 322; Marine nematodes from the South of France, Gerlach 323; Freeliving nematodes from German coasts, Ger-LACH 327; Free-living nematodes from the Gulf of Finland, GERLACH 328; Three new terrestrial nematodes from the eastern Alps, GUNHOLD 369; New Monhysterid associating with Gammarid Crustaceans, Kiel Bay, KENNE & GERLACH 504; Plant and soil nematodes of forest zones in Russia, Kiryanova 505; Four new species of freeliving nematodes from White Russia, MERZHEEVSKAYA 648; New freeliving nematodes from White Russia, Merzheevskaya 649; Terrestrial nematodes from Ischia Is., Bay of Naples Meyl 651; New Paratrenehus sp. in Holland. Oostenbrink 718; Gordlids from the Romagna, Italy, SCIACCHITANO 885; Nematodes in small mammals from Inner Hebrides. THOMAS 1016; Nematodes in com-post. Germany. Weingärtner 1088.

Africa.—Nematodes in subterraneous littoral of Tunisia, Delamare Deboutteville 188; Nematodes in littoral fauna of Algeria. Delamare Deboutteville 189, 190; Root-knot eclworm in the Gold Coast. Edwards 248; Free-living nematodes from Spanish Morocco, Gadea 303; Marine nematodes from Tunisia and Algeria, GERLACH 324; Nematodes in littoral fauna of Madagascar, GERLACH 326.

Asia.—Interhosts of Spirocerca lupi in S. India, Pujatti 782.

N. America.—Parasites of freshwater fishes of California, HADERLE 373; Helminths of small mammals in central and southern Rockies, Sulth 935; Plant-parasitic nematodes of Rhode Is., Tarjan 999; Check-list of Acanthocephala from N. American mammals, Van Cleave 1045.

S. America.—New Desmodora sp. from Falkland Is., Allgén 21.

Australasia.—Acanthocephala from Campbell and Auckland Is., JOHNSTON & EDMONDS 453; Parasitic nematodes from Campbell and Auckland Is., JOHNSTON & MAWSON 454; Parasitic nematodes collected by Australian Nat. Antarct. Res. Exped., Mawson 640; New freeliving nematodes from the Australian coasts, Mawson 641.

Southern Ocean.—Three Pelagonema spp. from the Southern Ocean, Allgén 22.

## SYSTEMATIC INDEX

## NEMATHELMINTHES NEMATODA

Abbreviata baltazardi sp. nov. in int. of Phrynocephalus helioscopus, Iran, Cha-BAUD Ann. Parasit. hum. comp. 28 1953 pp. 305-311 figs.

Acrobeles soósi sp. nov., Hungary, Andrássy Zool. Anz. 150 1953 pp. 32– 33 figs.

Acrobeloides bütschlii var. conilabiatus var. nov., Ischia I., Italy, MEYL Z. Morph. Ökol. Tiere 42 1953 p. 81 fig.

Adoncholaimus lepidus (De Man) pp. 17-18 fig., thalassophygas (De Man) pp. 18-19 fig., Finland, GERLACH Acta zool. fenn. 73 1953.

Aegiaospirina bibulbosa (Schulz), littoral, Madagascar, Gerlach Mém. Int. Sci., Madagascar 8A 1953 pp. 79– 80 figs.

Agamospirura sp. innom. encapsulated in Desmana moschata, Russia, KARPOVICH K. I. Skrjabin Anniv. Vol. 1953 pp. 296–299 figs.

Alaimus elegans de Man, Jan Mayen, Allgén Ann. Mag. nat. Hist. (12) 6 1953 p. 669 fig.

Alloionema appendiculata Schn. redescr. from Arion spp., Germany, Menorert Z. Morph. Okol. 41 1953 pp. 323-329, 323-327, figs.—A. procesum sp. nov., Germany, Weingärtner S.B. physmed. Soz. Erlangen 76 1953 pp. 102-104 figs.

Amira buta sp. mov. in African elephant, Belgian Congo. VUNISTEKE Rev. Zool. Bot. afr. 48 1953 pp. 230-231 figs.

Angiostoma limacis Duj. transf. to Limaconema, Mengerr Z. Morphol. Ökol. Tiere 41 1953 pp. 339, 340.

Angiostrongylus swicis sp. nov. in Sorex minutus, Poland, Soltys Acta Parasit. polon. 1 1953 pp. 365–366, 390, 397, figs.

Anguillulina costata (de Man), Hungary, Andrassy Zool. Anz. 150 1953 p. 33.—A. intermedia (de Man), Jan Mayen, Alloén Ann. Mag. Nat. Hist. (12) 6 1953 p. 676 fig.

Anticomopsis gibbonensis sp. nov., N. S. Wales, Mawson Trans. roy. Soc. S. Austr. **76** 1953 pp. 34–35 figs.

Aphelenchoidea Fuchs, systematic review, Paramonov K. I. Skrjabin Anniv. Vol. 1953 pp. 488-496 figs.— A. Fuchs, systematics, Sobolev K. I. Skrjabin Anniv. Vol. 1953 pp. 680-684.

Aphelenchoides minimus sp. nov., Ischia I., Italy, Meyr. Z. Morph. Okol. 42 1953 pp. 83-84 figs.—A. sphaerocephalus sp. nov. in leaves of Evodia roxburghiana, India, Goodey G. S. Thapar Commenoration Vol., Lucknow, 1953 pp. 99–100 figs.

Aphelenchoididae **fam. nov.**, Aphelenchoidea, Paramonov K. I. Skrjabin Anniv. Vol. 1953 p. 495.

Ascaridia rodhaini Gedlst. in African elephant, Belgian Congo, VUYISTEKE Rev. Zool. Bot. afr. 48 1953 p. 235 figs.

Ascaris lumbricoides L., immature, in Rattus norvegicus, France, Roman Mém. Mus. Hist. nat. Paris Zool. 2 1951 pp. 140-143 figs.

Aspicularis tetraptera (Nitzsch) redescr. from Mus muculus, France, Roman Mém. Mus. Hist. nat. Paris Zool. 2 1951 pp. 100–108 figs.

Bulylairus longisettas Allgén, Finland, Gerlach Acta zool, fenn. 73 1953 pp. 25-26 fig.

Binema arada Trav. redesor. from Gryllotalpa sp., Brazil, Travassos G. S. Thapar Commemoration Vol. Lucknow, 1953 pp. 280-282 ågs.

Brimialis utilizati Lucker in Neutras furnissus magentii, N. America, Murphy Amer. Midi. Nat. 48 1962 p. 215.

Buildaritis occidentalis Smedley in Saine gairderii, California, Harasara Univ. Calif. Publ. Zool. 57 1953 p. 353 figs.

Caballonema longicapsulatum (Abuladze) redescr. from horses, Yakut Republic, Russia, Saponov K. I. Skrjabin Anniv. Vol. 1953 pp. 638–641 figs.

(Comerhabditis) Osche, 1952, to generic rank, DOUGHERTY G. S. Tnapar Commemoration Vol., Lucknew, 1953 p. 71.

Communic bisease Basir reciesor, from Gristaine sp., Brazil, Travasses G. S. Thapar Commemoration Vol., Lucknow, 1955 pp. 282-283 figs.

Capilloria gastrica (Baylis) in Rottus norcegicus pp. 157-170 figs., bacillata Eberth) in Apodemus sylvatious pp. 170-176 figs., annalese (Duj.) in R. norvegicus pp. 176-183 figs., mais-spiceries Dies. in Clebricas ps glaseoiss. Marcus agresis pp. 183-192 figs., comparative table of spp., p. 193, France, Roman Mem. Mus. Hist. nat. Paris Zool. 2 1951.— C. blarines sp. nov. in oesophagus of Blows t. browner, sp. innem. in oesophagus of Procum loar p. 136. U.S.A. OGREN J. Parasit. 39 1953 pp. 135-138 figs.—C. hiteri sp. nov. in frontal sinus of Valtes raites and V. CHARLES. AUSTIA, SUPPERER Z. Parasitenk. 16 1953 pp. 51-55 figs.-C. bandlersis sp. nov. in int. of Barracharattus banaleuris, Baicai, Rinnikov & SUDARIKOV K. I. Skrjabin Anniv. Vol. 1953 pp. 603-606 fig.—C. amegani sp. Boy. in int. of Company laurens Minister White Sea, SHULKAN-ALBOVA K. I. Skrjabin Anniv. Vol. 1953 pp. 781-782 fig.—C. resophaginals Softys in Sover minutes. Nermas formers and N. enomolas pp. 359-361 fig., katori Ruchladiewa, 1946 (syn. pennions Sottys. 1952) in S. minutus pp. 361-362, capillaris (v. Linst.) in S. minutus, M. fodiens pp. 362-363, Poland. Sourres Acta Parasit. polon. 1 1953.—C. proprints Harwood. male deser. from Carpines separates. U.S.A., Winnams Trans. Amer. micr. Soc. 72 1958 pp. 177-178 figs.

Catalairus klatti sp. nov., Sweden Amoun Zool, Anz. 151 1953 pp. 96-91 fig.

Certaintus buchuri pp. 78-79 figs. themsettle pp. 78-80 figs., spp. novel Ischia I., Flaiv. Mary Z. Morph-Okel. Tiere 42 1955.

Chatterens virioum sp. mov., Tunisia, Germach Vie et Milieu 4 1953 pp. 229-230 figs.

Challesinas hamiles Dies, latva nat. in Oceanes informats, experim, in Terrix japones, Michona sp., Promotome factors, Gampander, solutions and Demons terrarisems, Russia, Dovzenko C.R. Acad. Sci. URSS N.S. 88 3 1953 pp. 583-584.

Characocided theory sp. nov. in int. of Grallenies sp. Brazil. Travasses G. S. Thapar Commemoration Vol.. Lucknow. 1953 pp. 278-280 figs.

Cherichaldinis Osche, 1952, a subgen, of Rhaddinis, Dougherry G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 71.

Circonaspirina pellita sp. nov., Algeria. Gerlach Vie et Milieu 4 1953 pp. 232-234 fgs.—C. massgastationsis sp. nov., litteral. Madagascar, Gerlach Mem. Inst. Sci. Madagascar 8A 1953 p. 79 figs.

Correction subgen. nov., Pelodera, type Rhobalus coordena Louekari, Devighery G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 70.

Contracteum encloses sp. nov. in Encloses cristains type-host and Megadytes entipola, Auckland I.s., Joenston & Mawson Dom. Mus. Rec. 2 1955 p. 6" figs.—C. herris sp. nov. in Pressells against type-host. Encloses cristains. E. commissions. Actionomies paragratica, Heard I. Mawson Parasitology 43 1953 pp. 292-294 figs.

Cosmocenicius sp. innom. in Phalacteomat oriensi. Auckland Is., Johnston

& Mawson Dom. Mus. Rec. 2 1953 p. 69 figs.

Cosmocercinae Railliet, key to genera, Mengert Z. Morph. Ökol. Tiere 41 1953 p. 339.

Cosmocercoides dukae (Holl) redescr. from Polygyra fosteri, Retinella sp., Ashmunella rhyssa edentata and Deroceras sp., N. America, OGREN Trans. Amer. micr. Soc. 72 1953 pp. 87-91 figs.

Crenosoma skrjabini Pologentsev in Sorex minutus, Poland, Soltys Acta Parasit. polon. 1 1953 pp. 363-365

Criconema longula sp. nov. p. 37, fig., elegantula sp. nov. pp. 37-38 fig. eastern Alps, Gunhold Zool. Anz. 150

Cruzia orientalis Maplestone transf. to Pseudocruzia, WOLFGANG Canad. J. Zool. 31 1953 p. 16.

Cruznema Artigas a subgen. of Pelodera, Dougherty G. S. Thapar subgen. of Commemoration Vol., Lucknow, 1953 p. 70.

(Curviditis) subgen. nov., Rhabditis, type Leptodera curvicaudata Schneider, DOUGHERTY G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 71.

Cyathostoma sphenisci Baudet redescr. from Phalacrocorax bougainvillii, Peru, PARRA ORMEÑO Publ. Hist. nat. Javier Prado Zool. No. 14 1953 pp. 1-6 1 pl.—C. sarcidiornis sp. nov. in trachea of Sarcidiornis melanota, Berne Zoo, KREIS Zbl. Bakt. Abt. I. Orig. 159 1953 pp. 371-377 figs.

Cyclozone Dogiel defined p. 632, acipenserina Dog. redescr. from Acipenser and Huro spp., Russia, Saidov K. I. Skrjabin Anniv. Vol. 1953 pp. 632-635

(Cylindridera) subgen. nov., Pelodera, type Rhabditis cylindrica Cobb, Dough-ERTY G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 70.

Cynura (cf. uniformis Cobb), littoral, Madagascar, GERLACH Mém. Inst. Sci. Madagascar 8A 1953 pp. 80-81

Cystidicola stigmatura (Leidy) in swimbladder of Oncorhynchus kisutch, Salmo clarkii, California, Haderlie Univ. Calif. Publ. Zool. 57 1953 pp. 352-353 figs.

Deraiophoronema Romanov., valid, type Filaria evansi Lewis, CHABAUD & CHOQUET Ann. Parasit, hum, comp. 28 1953 p. 187.

Desmidocerca Skrj. defined p. 190. aerophila Skrj. redescr. from Ardea cinerea and Phalacrocorax carbo, USSR., GUSH-ANSKAYA K. I. Skrjabin Anniv. Vol. 1953 pp. 190–191 fig.

Desmidocercella (D. subgen. nov.) numidica (Seurat), morphological note, p. 191, (D.) leiperi Singh redescr. from Ardeola grayii pp. 194-195 fig., (D.) lubimovi sp. nom. nov. pro Pharyngosetaria marcinowskyi Lubimov, 1937, nec Skrj. 1923, in Ardea cinerea, Egretta alba, Phalacrocorax carbo pp. 196-199 fig., (Skrjabinocercella) incognita Ssolonitzin in Phalacrocorax carbo, P. pygmaeus pp. 200–201 fig., (S.) skrjabini Gush. in P. carbo, P. pygmaeus pp. 201-202 figs., butoridi (Oschm. & Belouss) n. comb. in Butorides striatus pp. 202–203 fig., Gushanskaya K. I. Skrjabin Anniv. Vol. 1953.—D. australis sp. nov. in trachea and bronchi of Phalacrocorax atriceps nivalis, Heard I., Mawson Parasitology 43 1953 p. 296 figs.

Desmidocercidae Cram, systematics, Gushanskaya K. I. Skrjabin Anniv. Vol. 1953 pp. 188–204 figs.

Desmodora greenpatchi sp. nov., Falkland Is., Allgén Zool. Anz. 151 1953 pp. 95-98 fig.

Dictyocaulus cameli Boev. redescr. from camel, Russia, Shumilina K. I. Skrjabin Anniv. Vol. 1953 pp. 793-800

Didelphonema gen. nov., Spiruridae, type: Spirocerca longispiculata Hill, 1939, in Didelphis marsupialis, WOLF-GANG Canad. J. Zool. 31 1953 pp. 519-

Dipetalonema sprenti sp. nov. in peritoneal cavity of Castor canadensis, Canada, Anderson Parasitology 43 1953 pp. 215–221 figs.—D. sp. nov. innom. in subcut. tissue of Isoodon obesulus, Queensland, MACKERRAS ET AL. Proc. Roy. Soc. Qd. 63 1953 p. 62.

Diplogaster isolae sp. nov., Ischia I., Italy, Meyl Z. Morph. Okol. Tiere 42 1953 pp. 174-175 figs.

Diplopeltula intermedia sp. nov., France, Gerlach Vie et Milieu 4 1953 pp. 104-105 figs.

Discolaimus albarossicus sp. nov. among potato-roots, Minsk, Merz-Heevskaya Sborn Nauch. Trud., Minsk 2 1951 p. 118.

Discomyctus Thorne, key to spp., brevicaudatus sp. nov., Rhode I., TARJAN Proc. Helminth. Soc. Washington 20 1953 pp. 52-54 figs.

Ditylenchus drepanocercus sp. nov. in leaves of Evodia roxburghiana, India, Goodey G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 97–98 figs.

Dorylaimopsis punctatus Ditlevsen, Sweden, Allgén Zool. Anz. **151** 1953 pp. 93–94 fig.

Dorylaimus carteri lugdunensis (de Man), Jan Mayen, Alloën Ann. Mag. Nat. Hist. (12) 6 1953 p. 678 fig.—D. holsatieus Schn., Hungary, Andrassy Zool. Anz. 150 1953 p. 30 fig.—D. brunettii pp. 89–90 figs., buchneri pp. 92–93 figs., spp. nov., Ischia I., Italy, Meyl Z. Morph. Ökol. Tiere 42 1953.—D. goffarti pp. 186–190 figs., thermophilus pp. 191–194 figs., parathermophilus pp. 194–196 figs., spp. nov., Ischia I., Italy, Meyl Z. Morph. Ökol. Tiere 42 1953.—D. planipedius sp. nov., White Russia, Merzheevskaya Sborn. Nauch. Trud. Minsk 1 1950 p. 162.

Drepanonema simplex sp. nov., France, Gerlach Vie et Milieu 4 1953 pp. 101–104 figs.

Elaeophora böhmi sp. nov. in bloodvessels of horse, Austria, Supperer Wien. tierärztl. Mschr. 40 1953 pp. 205-210 figs.

Eleutherolaimus stenosoma (De Man), Finland, Gerlach Acta zool. fenn. 73 1953 pp. 26–27 fig.

Enchelidium Ehrenbg., validity, Wieser Zool. Anz. 150 1953 p. 158.

Enoplolaimus litoralis Schulz pp. 84–86 figs., robustus sp. nov. pp. 86–88 figs., Portugal, Gerlach Vie et Milieu 4 1953.—E. balgensis Skwarra, Finland, Gerlach Acta zool. fenn. 73 1953 pp. 15–16 fig.

Enoplus communis var. meridionalis Steiner, S. Australia, Mawson Trans. roy. Soc. S. Austr. 76 1953 pp. 36-37 figs.

Eurystomatina trichurum sp. nov., Sweden, Allgén Zool. Anz. 151 1953 pp. 91–92 fig. Eurystomina filispiculum sp. nov., France, Gerlach Vie et Milieu 4 1953 pp. 97–99 figs.

Filaria (s. l.) sp. innom in bloodvessel of Mirounga leonina, Heard I., Mawson Parasitology 43 1953 pp. 296-297 figs.

Filarioidea, classification, differential keys to families and genera, CHAUBAUD & CHOQUET Ann. Parasit. hum. comp. 28 1953 pp. 172–192.

(Filochona) subgen. nov., Rhabdochona, to incl. sulaki sp. nov. (type), ovifilamenta Weller and ovifilamentosa (Bychow.-Pavlovsk.), Sanov K. I. Skrjabin Anniv, Vol. 1953 pp. 627– 632.

Halichoanolaimus fennicus sp. nov., Finland, Gerlach Acta zool. fenn. 73 1953 pp. 22–24 fig.—H. filipjevi sp. nov., Sweden, Allgén Zool. Anz. 151 1953 pp. 92–93 fig.

Harveyjohnstonia gen. nov., Cyatholaiminae, type kartanum sp. nov., S. Australia, Mawson Trans. roy. Soc. S. Austr. 76 1953 pp. 39–40 figs.

Helminthoxys velizi sp. nov. in int. of Lagidium peruanum, Peru, Parra Ormeño Publ. Hist. nat. Javier Prado (Zool.) No. 11 1953 pp. 6-8 figs.

Heterakis spumosa Schn. redescr. from Rattus norvegicus, France, Roman Mém. Mus. Hist. nat. Paris Zool. 2 1951 pp. 136-140 figs.

Heterodera weissi Steiner, stages in life-cycle, Tarjan & Sasser Proc. Helminth. Soc. Washington 20 1953 pp. 62-64 figs.—H. leptonepia sp. nov., Peru, Cobb & Taylor Proc. Helminth. Soc. Washington 20 1953, pp. 13-15 figs.

Hexamermis albicans (v. Sieb.) in larva of Porthetria dispar (Lepidopt.), Russia, Artyukhovski K. I. Skrjabin Anniv. Vol. 1953 pp. 34–36 figs.—H. albicans (v. Sieb.), redescription and biology, RATHKE Veröff, Uberseemus. Bremen 2A 1953 pp. 161–210 figs.

Hoplolaimus sp. innom., Hungary, Andrássy Zool, Anz. **150** 1953 pp. 33– 34 figs.

Gammarinema gen. nov., Monhysteridae, diagn. p. 193, type: gammari sp. nov. associating with gammarids in Kiel Bay, Kinne & Gerlach Zool. Anz. 151 1953 pp. 192–203 figs.

Gongylonema neoplasticum Fib. & Ditl. redescr. from Dipodomys spp., California, READ & MILLEMANN Univ. Calif. Publ. Zool. 59 1953 p. 68.—G. nitsulescui sp. nov. in duodenal mucus of Erinaceus europaeus romanicus, Rumania, Méthanu Ann. Parasit. hum. comp. 28 1953 pp. 46–59 figs.

Grammocephalus clathratus (Baird) in African elephant, Belgian Congo, VUYLSTEKE Rev. Zool. Bot. afr. 48 1953 pp. 232–233 figs.

Gryllophila skrjabini var. ovipolita var. nov. in Gryllotalpa gryllotalpa, France, ThéodoriDés Ann. Parasit. hum. comp. 28 1953 pp. 300–304 figs.

Iotonchinae **subfam. nov.**, Allantonematidae, Goodey J. Helminth. **27** 1953 p. 92.

Iotonchium Cobb, diagnosis, p. 92, figurgrum (Bütschli, 1873) n. comb. redescr. from fungi, Entoloma rhodipolium, Pleurotus corticatus, P. ostreatus, pp. 83–88 fig. 1, bifurcatum sp. nov. from E. rhodiplum, pp. 88–91 fig. 2, Britain, GOODEY J. Helminth. 27 1953.

Kraspedonema gen. nov. [Cyatholaimidae] type: octogomiata sp. nov., France, Gerlach Vie et Milieu 4 1953 pp. 99-101 figs.

Lauratonema gen. nov., Lauratonematidae, type: reductum sp. nov., Sicily, pp. 43-48 figs., adriaticum sp. nov., Adriatic, pp. 48-50 figs., Gerlach Zool. Anz. 151 1953.—L. reductum Gerlach, Portugal, Gerlach Vie et Milieu 4 1953 p. 84.

Lauratonematidae fam. nov., Enoploidea, Gerlach Zool. Anz. 151 1953 pp. 50-52.

Leiperenia leiperi Khal. in African elephant, Belgian Congo, VUYLSTEKE Rev. Zool. Bot. afr. 48 1953 pp. 233–235 figs.

Leptolaimus lyngei Allgén, 1940, transf. to Rhynchonema, GERLAGH Acta zool. fenn. 73 1953 p. 28.

Leptosomatum elongatum var. acephalatum Chitw. raised to specific rank, redescribed, Timm Amer, Midl. Nat. 49 1953 pp. 229-248 figs.

Limaconema gen. nov., Cosmocercinae, type: Angiostoma limacis Duj. in Arion spp., pp. 333, 340–342, figs., stammeri sp. nov. in Limax spp. pp. 330–331, 342–345, figs., dentifera sp.

nov. in Limax and Arion, pp. 331, 345-347, figs., Germany, Mengert Z. Morphol, Ökol. 41 1953.

Longibucca Chitwood, diagn. p. 65, eptesica sp. nov. in Eptesicus fuscus fuscus (type-host), Myotis lucifugus and Pipistrellus subflavus, N. America, Elsea Proc. Helminth, Soc. Wash. 20 1953 pp. 65–72 figs.

Longidorella parva Thorne redescr., Rhode I., Tarjan Proc. Helminth. Soc. Washington **20** 1953 pp. 50-52 figs.

Longidorus tardicauda, striola, spp. nov., White Russia, MERZHEEVSKAYA Sborn. Nauch. Trud. Minsk. 1 1950 p. 162; 2 1951 p. 113.

Longistriata (L.) wolgaensis (Schulz) redescr. from Clethrionomys glareolus pp. 148–150 figs. 1–2, depressa (Duj.) redescr. from Sorex araneus pp. 152–155 figs. 3–4, codrus sp. nov. in S. araneus pp. 156–157 figs. 5–6, trus sp. nov. in S. a., pp. 158–159 fig. 7, didas sp. nov. in S. a., pp. 159–162 figs. 8–9, Inner Hebrides, Thomas J. Helminth. 27 1953.—L. neotoma sp. nov. in Neotoma floridana osagensis, N. America, Murphy Amer. Midl. Nat. 48 1952: 213–215 figs.

Lynxrufus gen. nov., Metastrongyloidea, type: *vilson* sp. nov. in lungs of *Lynx r. rufus*, U.S.A., Stough J. Tenn. Acad. Sci. **28** 1953 p. 189.

Marfadyenia gen. nov., Chromadoridae, type filicaudata sp. nov., Jan Mayen, Alloém Ann. Mag. Nat. Hist. (12) 6 1953 p. 675 fig.

Mammolongistriata gen. nov., Trichostrongylidae, type: mammovitae sp. nov. in milk-glands of Clethrionomys rufocanus arsenjevi and C. rutilus hintoni, Ussuri, Dubinin Bull. Acad. Sci. Moscow 58 1953 pp. 51–56 figs.

Marshallagia Orloff, key to spp., p. 23, schikhobalovi sp. nov. in stom. of Ovis aries, Russia, Altaev K. I. Skrjabin Anniv. Vol. 1953 pp. 21-23 figs.

Marsupostrongylus gen. nov., Metastrongylidae, defined p. 71, type: bronchialus sp. nov. in lungs of Isoodon obesulus, Queensland, Mackerras & Sandars Proc. roy. Soc. Qd. 63 1953 pp. 71–73 figs.

Mastophorus Diesing, constitution, key to spp., dipodomis sp. nov. in stom.

of Dipodomys and Perognathus spp., N. America, Read & Millemann Univ. Calif. Publ. Zool. 59 1953 pp. 61–66 figs.

Meloidogyne Goeldi, variability of anal plate-patterns, DROPKIN Proc. Helminth. Soc. Washington 20 1953 pp. 32–39 4 figs.—M. brevicauda sp. nov. on roots of tea, Ceylon, Loos Proc. Helminth. Soc. Wash. 20 1953 pp. 83–91 figs.

Mermithidae Braun, key to genera, list of spp., POLOZHENTZEV K. I. Skrjabin Anniv. Vol. 1953 pp. 532–542.

Mesacanthion gracilisetosus Allg., N. S. Wales, Mawson Trans. roy. Soc. S. Austr. 76 1953 p. 36.—M. longispiculum sp. nov., Tunisia, Gerlach Vie et Milieu 4 1953 pp. 228–229 figs.

(Mesorhabditis) Osche, 1952, to generic rank, DOUGHERTY G. S. Thapar Commemoration Vol., Lucknow 1953 p. 72.

Metabronema salvelini Fujita in Salmo gairdnerii, Oncorhynchus kisutch, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 p. 352 figs.

Metalinhomoeus microsetosus sp. nov., Sweden, Allgén Zool. Anz. 151 1953 pp. 94–95 fig.

Metoncholaimus pristiurus (Z. Strassen), S. Australia, Mawson Trans. roy. Soc. S. Austr. 76 1953 p. 37.

Micoletzkyia elegans Ditl., Sweden, ALLGÉN Zool. Anz. 151 1953 pp. 88-89 fig.

Microfilaria lagopodis Haaland, 1928, in blood of Lagopus lagopus, Alaska, BABERO J. Parasit. 39 1953 pp. 540– 541.

Microlaimus globiceps De Man p. 24, fig., honestus De Man p. 24, fig., Finland, Gerlach Acta 200l. fenn. 73

Microtetrameres bubo in proventriculus of Bubo virginianus, pp. 228–230 figs., aquila in prov. of Aquila chrysaëtos pp. 230–232 figs., accipiter in prov. of Accipiter gentilis pp. 232–234 figs., corax in prov. of Corvus corax, 3rd stage larva in Blatella germanica pp. 234–235, figs., spp. nov., U.S.A., SCHELL Trans. Amer. Micr. Soc. 72 1953.

Monhystera agilis de Man, Jan Mayen, Allgén Ann. Mag. nat. Hist. (12) 6 1953 pp. 684-685 fig.—M. thermophila sp. nov., Ischia I., Italy, MEYL Z. Morph. Ökol. 42 1953 pp. 181-183 figs.—M. aenariensis sp. nov., Ischia I., Italy, MEYL Z. Morph. Ökol. Tiere 42 1953 pp. 86-87 figs.

Mononchus papillatus Bastian, Jan Mayen, Alloén Ann. Mag. nat. Hist. (12) 6 1953 pp. 681-682 fig.—M. sexcristatus sp. nov., White Russia, Merzheevskaya Sborn. Nauch. Trud. Minsk. 1 1950 p. 162; 2 1951 p. 112.

Murshidia africana (Lane) p. 224 figs., linstowi Khal. pp. 224-226 figs., longicaudata Nev.-Lem. pp. 226-227 figs., neveu-lemairei (Witenb.) var. africana var. nov. pp. 227-229 figs., memphisia (Khal.) pp. 229-230 figs., in African elephant, Vuylsteke Rev. Zool. Bot. afr. 48 1953.

Myolaimus heterurus Cobb. Germany, Weingärtner S. B. phys-med. Soz. Erlangen **76** 1953 pp. 104–105 figs.

Nematospiroides dubius Baylis redescr. from Apodemus sylvaticus, France, Roman Mém. Mus. Hist. nat. Paris Zool. 2 1951 pp. 83-100 figs.

Neoaplectanidae **fam. nov.,** Rhabditoidea, Sobolev K. I. Skrjabin Anniv. Vol. 1953 p. 678.

Neoaplectaninae **subfam. nov.**, Neoaplectanidae, to incl. Neoaplectana Steiner and Steinernema Travassos, SOBOLOV K. I. Skrjabin Anniv. Vol. 1953 pp. 678–679.

Oesophagostomum apiostomum (Willach) redescr. from man and monkeys, Indonesia, Stang & Joe Docum. Med. geogr. trop. 5 1953 pp. 123–127 figs.

Onchocerca cervicalis R. & H. and reticulata Dies. redescr. from horse, Austria, Supperer Wien. tierärztl. Mschr. 40 1953 pp. 196–199 figs.

Oncholaimus conicauda Filijev, Finland, Gerlach Acta zool. fenn. **73** 1953 pp. 19-21 fig.

Oswaldofilariinae subfam. nov., Dipetalonematidae, to incl. Conispiculum, Piratuba and Oswaldofilaria, CHABAUD & CHOQUET Ann. Parasit. hum. comp. 28 1953 p. 183.

Parabronema congolense sp. nov. in int. of African elephant, Belgian Congo, VUYLSTEKE Rev. Zool. Bot. afr. 48 1953 pp. 235, 238, figs.

Parachromagasteriella arctica sp. nov., Jan Mayen, Allgén Ann. Mag. nat. Hist. (12) 6 1953 pp. 682-683 fig.

Paracyatholaimoides gen. nov., [Cyatholaimidae] type: multispiralis sp. nov., Portugal, Gerlacht Vie et Milieu 4 1953 pp. 90–91 figs.

Paracyatholaimus intermedius (De Man), Finland, GERLACH Acta zool. fenn. 73 1953 pp. 21–22 fig.

Parafilaroides hydrurgae sp. nov. in respiratory tract of Hydrurga leptonyx, Heard I., MAWSON Parasitology 43 1953 p. 294 figs.

Parahistiocephalus gen. nov., Schistorophidae, defined p. 62, type: parvialatus sp. nov. under stom.-lining of Arenaria interpres, USSR., BELOPOLS-KAYA K. I. Skrjabin Anniv. Vol. 1953 pp. 62–63 fig.

Paratylenchus Micoletz, systematic note, goodeyi sp. nov., Netherlands, Oostenbrink Tijdschr. Plantenz. 59 1953 pp. 207–216 figs.

Pelagonema obtusicaudatum Filipj., S. America and S. Georgia, pp. 317–319 fig., tenue Kreis, S. Georgia, pp. 319–320 fig., longicaudatum sp. nov., Falkland Is., pp. 320–321, fig., ALLGÉN Zool. Anz. 151 1953.

(Pellioditis) subgen. nov., Rhabditis, type Pelodera pellio Schneider, Dougherry G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 71.

Pelodera Schneider, subgeneric groups, DOUGHERTY G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 70.

(Petrowimeres) subgen. nov., Tetrameres, type pavonis sp. nov., CHERT-KOVA K. I. Skrjabin Anniv. Vol. 1953 pp. 737, 739.

Phanodermopsis succicum sp. nov., Sweden, Allgén Zool. Anz. 151 1953 pp. 87–88 fig.

Pharyngodon giganticus in Sceloporus graciosus vandenburgianus, California, p. 366 figs., cnemidophoru in Cnemidophorus t. tesselatus, California, pp. 366–367 figs., californiasis in Coleonyx variegatus, California, p. 367 figs., cubensis in Tarentola americana, Cuba, p. 368, figs., spp. nov., Read & Amrein J. Parasit. 39 1953.

Pharyngosetaria Lubimov a syn. of Desmidocercella Y. & M., Gushanskaya K. I. Skrjabin Anniv. Vol. 1953 p. 191.

Philonema oncorhynchi Kiutunen-Ekbaum in Salmo gairdnerii, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 p. 354 figs.

Physaloptera kotlani sp. nov. in gutwall of Crocidura leucodon and Sorex minutus, Hungary, Kobulei & Versheni Acta Vet. Budapest 3 1953 pp. 189–205 figs.

Pikaeuris gen. nov., Oxyurinae, type pikaeuris sp. nov. in int. of Ochotona rufescence, Afghanistan, Aktar Trans. Amer. micr. Soc. 72 1953 pp. 82–86 figs.

Plectostrongylus gen. nov., Metastrongylidae, defined p. 74, fragilis sp. nov. in lungs of Antechinus flaviceps, Queensland, Mackerras & Sandars Proc. roy. Soc. Qd. 63 1953 pp. 74–75 figs.

Plectus longicaudatus Bütschli, Jan Mayen, Allgén Ann. Mag. Nat. Hist. (12) 6 1953 pp. 671–672 fg.— P. vindobonensis sp. nov., eastern Alps, Gunhold Zool. Anz. 150 1953 pp. 35– 36 fig.

Pneumostrongylus ovis sp. nov. in sheep and goats, Pakistan, Sarwar Proc. Pakistan sci. Conf. 5th Med. & Vet. Sci. 1953 p. 14.

Pontonema hackingi sp. nov., N. S. Wales, Mawson Trans. roy. Soc. S. Austr. 76 1953 pp. 37-38 figs.

Pratylenchus Filipjev, revision, key to spp., miryus p. 449 figs., thornei pp. 454–455 figs., goodgyi pp. 455–456 figs., spp. nov., California, SHER & ALLEN Univ. Calif. Publ. Zool. 57 1953 pp. 441–469 4 pls.—P. tumidicipes sp. nov. among roots of rye and wheat, White Russia, Merzheevskaya Sborn. Nauch. Trud., Minsk 2 1951 p. 118.

Procamacolaimus gen. nov., [Camacolaimidae] type: acer sp. nov., Portugal, Gerlach Vie et Milieu 4 1953 pp. 92–93 figs.—P. tubifer sp. nov., littoral, Madagascar, Gerlach Mém. Inst. Sci. Madagascar 8A 1953 pp. 82–83 figs.

Prochromadorella tenuicaudata sp. nov., Tunisia, Gerlach Vie et Milieu 4 1953 pp. 234–235 figs. Precriconema coembranifer Micol., Hungary, Andrássy Zool. Anz. **150** 1953 p. 34.

(Protorhabditis) Osche, 1952, to generic rank, Dougherry G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 72.

Protospirura maris (Grael.) in Cricetus auratus, MAUER, STAUBER & GROON J. Parasit. 39 1953 pp. 227-228.—
P. bestiarum sp. nov. in faeces of Martes martes, compared with maris and numidica. Kreis Z. Parasiteris. 16 1958 pp. 51-55 figs.

Pseudoruzio gen. nov., Kathlariidae. type: Grucio orientalis Maniestone in domestic pigs. India. Wouraung Canad. J. Zool. 31 1953 pp. 16-19 figs.

Ptengonema gen. nov., Ceramonematidae. diag. p. 385. type: alamar sp. nov., Tunisia, p. 296 figs. Gerlale Vie et Milieu 4 1953.

Pregarginema gen. nov., Spiraridae.
type: corri sp. nov. in int. of Cornes
Siza rapper terminam. Purvaire I..
Premore, Russia, Lyusmov K. I.
Skrjabin Anniv. Vol. 1953 pp. 375-378
figs.

Quilonia apiensis (Gedlst.) pp. 216-218 figs., cremelata sp. nov. in storm. pp. 218-221 figs. armore Lame p. 221 ugando var. busa var. nov. pp. 111-113 figs. lovedentar Nev.-Lem. p. 222 fig., in African elephant. Vuvustere Rev. Zool. Bot. afr. 48 1953.

Rhabitiella Cobb a subgen. of Rhabitie, Dougherty G. S. Thapar Commemoration Vol., Lucknew. 1988 p. 71.

genericalle sp. nov. in gums of a horse. Poland. Stranska Acta Parasi: poloco. 1 1955 pp. 825-896 ing.—R. cellie Busschili. navonomic noce. Naw Parasisticogy 43 1989 pp. 94-101.—R. increments sp. nov., Ischia I. Italy. May Z. Morphi. Olacl. 42 1956 pp. 76-77 figs.—R. ischigen sp. nov., Ischia I. Italy. Mayor Z. Morphi. Olacl. 42 1956 pp. 76-77 figs.—R. ischigen sp. nov., Ischia I. Italy. Mayor Z. Morphi. Olacl. 42 1956 pp. 826-826. Sec. 1986 pp. 169 figs.—R. Therefore the control of the control o

Rhabditeidea Trav., systematics. Sossetav K. I. Skryabin Annov. Vol. 1953 pp. 676–680.

Rhabdoonna Railliet of uncl. subgenera Rhabdoonna subgen. nov., type: demants Doj. and Floretons subgen. nov. type: mast sp. nov. in int. of Borne traditionistic automat. Russia, pp. 617-631 figs. Samon K. I. Skriabin Anniv. Vol. 1950 pp. 616-651.

Rhabitechemidae Skri., revision. Samov K. I. Skrjabin Anniv. Vol. 1953 pp. 622-635 figs.

Rhabhodenavia laticaula Dish., Sweden, Allein Zool. Anz. 151 1953 pp. 89-31. fig.

Rhymmones lunger Aligen a comb. Finland, Geschaue Assa sood fenn. 73 1955 pp. 18-30 figs.

Partitions attrodomic Tener reciesco, from Decodemy: Sob. California, Rhab & Minizemann Univ. Calif. Publ. Zool. 59 1955 pp. 67-68 fig.

Raspondies denne Des, recessor, from under ginnard-bridge of dised author, Iran Chanava Ann. Parass. Iran camp. 28 1858 pp. 863-871 fee.

Sources Angles Stess, in Provinces paletiness. Heard L. Mawson Parastrology 43 1969 p. 194 fig.

Sirundins paratina Colobold redescr. of male from domestic pigs. India. RAMANUJATHAR & ALWAR Indian Ver. J. 29 1953 pp. 361-362 figs.

Serudinaga: Kassimori, kev to spp. p. 11. dagonatia: Alt., 1981. melesce. From int. of the orac. U.S.S.R., Annav. K. I. Serudina Annav. Vol. 1980 pp. 18–20 figs.

Skrjabimoarcella, subgen. nov., Desmideercella, to incl. inegnita Sselon. type ama skrjabini Gush., Gushanskava K. I. Skrjabin Anniv. Vol. 1953 p. 199.

Strictional thatari sp. nov. in stem. of Proper convicous, Brazil. Texatira de Freitas G. S. Thapar Commenciation Vol., Lucknow 1953. pp. 94-94 figs.

France, Gerlach Vie et Milleu 4 1953 pp. 105-107 figs.

Seirocarialistus reiralis Baylis redescr. from Micropogon ectenes and Achinus sp., Mexico, Wixter Ciencia, Mex. 13 (95) pp. 13 - 140 figs.

Spinocera phonic Wohlgang a syn. of improvements Hill, mansi to Disciplinational Wohlgang Canad. J. Zool. 31 1933 p. 519.

Spiromoura guatemalana sp. nov. in int. of Rama sp., Guatemala, Carallero v C. Anal. Esc. nat. cienc. biol. 7 1953 pp. 145-150 figs.

Spirophera terremone Molin, from Cervas rames and C. obbissenae, transf. to Pragarginema, Lycaneov K. I. Skrjabin Anniv. Vol. 1953 p. 378.

Splendide flarinae subfam. nov., Dipetalenematicae. key to genera. Charauto & Choquet Ann. Parasit. Imm. comp. 28 1953 pp. 188-191.

Sugrephorus paradelias Joinnet appua, Emissaus redescr. from Processivi papua, Emissaus, E. obrysosophus, pp. 294-295 fig., handi sp. nov. in Grandius sasminus, Priscanaides georgicus pp. 295-296 figs. Heard I., Mawson Paradiology 43 1953.

Streptocara circohamata (v. Linst.) in Philippedera colessos, Audaland Is., Johnston & Mawson Dom. Mus. Rec. 2 1956 pp. 68–70 figs.

Strongybride: natri Sandgr. in Rattus. Asoderma, Mirrotuc and Clethronomy. France, development. Ronax Mem. Mus. Hist. nat. Paris Zool. 2 1951 pp. 59-88 figs.—8. tarimenuo sp. nov. in int. of Himotopus condidus, Turkmenia. Kurattava K. I. Skrjabin Anniv. Vol. 1958 pp. 347-348 figs.

Symbolocostomella joinstoni sp. nov., N. S. Wales, p. 36 fig., longuolle Bast., S. Australia, pp. 38-39 fig. Mawson Trans. roy. Soc. S. Austr. 76 1953. Syngamus loxodontis Vuylsteke in African elephant, Belgian Congo, VUVISTEKE Rev. Zool. Bot. afr. 48 1933 p. 233 figs.

Synhimantus rhopalocephalus Soltys in Sorex minutus, S. macropygmaeus and Neomys fodiens, Poland, Soltys Acta Parasit. polon. 1 1953 358.

Synonchiella annulata sp. nov., littoral, Madagascar, Gerlach Mém. Inst. Sci. Madagascar & 1953 pp. 75-78 figs.

Synonchium depressum sp. nov., Tunisia and Algeria, Gerlach Vie et Milieu 4 1953 pp. 231-232 figs.

Syphacia obvelata (Rud.) redescr. from Mus musculus, Apodemus sylvaticus, pp. 108–119 figs., stroma v. Linst. redescr. from A. sylvaticus pp. 119–127 figs., payivis Mapiest. & Bhaduri redescr. from Rattus rattus pp. 127–131 figs., frederici Roman redescr. from A. sympticus, M. musculus and R. rattus, pp. 131–135. France. Roman Mém. Mus. Hist. nat. Paris Zool. 2 1953.

(Telorhabditis) Osche, 1952, a syn. of Rhabditivides Goodey, 1929, DOUGHERTY G. S. Thapar Commemoration Vol., Lucknow, 1953 p. 71.

Teratocephalus crassidens de Man, Jan Mayen, Allgén Ann. Mag. nat. Hist. (12) 6 1953 p. 673 fig.

(Teratorhabditis) Osche, 1952, to generic rank, DOUGHERTY G. S. Thapar Comemmoration Vol., Lucknow. 1953, p. 72.

Tetrameres Crepl., key to subgenera, p. 739, (Petrovimeres) pavonis sp. nov. in glandular stomach of Pavo cristatus, Moscow Zoo, Chertkova K. I. Skrjabin Anniv. Vol. 1953 pp. 737–739 fig.—T. ardeae sp. nov. in glandular stomach of Ardea cinerea, Ribinsk reservoir, Russia, Shign K. I. Skrjabin Anniv. Vol. 1953 pp. 758–760 fig.

Theristus scanicus Allgén, Finland, GERLACH Acta zool. fenn. 73 1953 pp. 27-28 fig.—T. monstrosus sp. nov., France, GERLACH Vie et Milieu 4 1953 pp. 107-109 figs.

Thounchus inermis sp. nov., Portugal, GERLACH Vie et Milieu 4 1953 pp. 89-90 figs.

Thoracostoma australe sp. nov., N. S. Wales, Mawson Trans. roy. Soc. S. Austr. 76 1953 p. 36 figs.

Trichosomoides crassicauda (Bellingham) in Rattus norvegicus, France, ROMAN Mém. Mus. Hist. nat. Paris Zool. 2 1951 pp. 192-206 figs.

Trichostrong ylus retortaeformis (Zed.) in Clethrionomys glareoli, Inner Hebrides, Тномаs J. Helminth. 27 1953 p. 148.

Trichuris muris (Schrank) redescrfrom Rattus novvegicus, Mus musculus,
Apodemus sylvaticus, France, ROMAN
Mem. Mus, Hist. nat. Paris Zool. 2
1951 pp. 144–157 figs.—T. muris
(Schrank) in Clethrionomys glareolus,
Inner Hebrides, THOMAS J. Helminth.
27 1953 p. 147.—T. muris (Schrank),
note, in Neotoma floridana osagensis, N.
America, MURPHY Amer. Midl. Nat.
48 1952 p. 215.

Trilobus imberbis **sp. n.** in moss, Hungary, Andrassy Ann. hist.-nat. Mus. hung. N.S. 4 1953 pp. 71–73 fig.

Triodontophorus serratus (Lss.) pp-680–689 figs., brevicauda Boul. pp. 689–698 figs., minor (Lss.) pp. 698–703 figs., tenuicollis Boul. pp. 703–708 figs., redescriptions, Ungria & Vergani Bol. Invest. vet., Caracas 4 1952.

Trypanoxyuris Vevers compared with Enterobius, pp. 66-67, deserti sp. nov. in caecum of Dipodomys spp., California, p. 66 figs., Read & MILLEMANN Univ. Calif. Publ. Zool. 59 1953.

Tylenchus fungorum Butschli transf. to Iotonchium, Goodey J. Helminth. 27 1953 p. 83.

Uncinaria (Fröl.): list of spp. p. 5, thapari Biocca & Bronzini, 1955, in Adiurus fulgens, Rome Zoo, pp. 1–4 figs., Biocca & Bronzini G. S. Thapar Commemoration Volume, Lucknow, 1953.—U. thapari sp. nov. in Allurus fulgens, Rome Zoo, Biocca & Bronzini R.C. Accad. Lincei (8) 14 1953 pp. 824—827 figs.

Viktorocara charadrii sp. nov. under lining of stomach of Arenaria interpres, USSR., Belopolskaya K. I. Skrjabin Anniv. Vol. 1953 pp. 61-62 fig.

Wehrdikmansia rugosicauda sp. nov. in subcutaneous tissue of Capreolus capreolus, Austria, Bohm & SUPPERER Anz. Akad. Wiss. Wien 90 1953 pp. 231–232.

Wuchereria bancrofti Cobbold redescr. from Tonkin and Tahiti, GALLIARD & СнаваиD Ann. Parasit. hum. comp. 28 1953 pp. 237–238 fig. Xenocyatholaimus gen. nov., Cyatholaimidae, delamarei sp. nov., littoral, Madagascar, Gerlach Mém. Inst. Sci. Madagascar 8A 1953 pp. 74-75 figs.

Xiphinema italiae sp. nov., Ischia I., Italy, Meyl Z. Morph. Ökol. Tiere 42 1953 pp. 93–94 figs.

#### **NEMATOMORPHA**

Neochordodes Heinze, nec Carvalho, renamed Pantachordodes, Heinze Z. Parasitenk. 16 1953 p. 92.

Pantachordodes gen. nom. nov. pro Neochordodes Heinze, 1952, nec Carvalho, Heinze Z. Parasitenk. 16 1953 p. 92.

#### ACANTHOCEPHALA

Acanthocephalus bufonis (Shipley) in Bufo viridis pp. 508-509 figs., caucasicus sp. nov. in Rana macrocnemis, Bufo viridis pp. 510-511 figs., ranae (Schrank) in Bombina, Rana, Bufo spp., pp. 512-513, bufonicola Kostylew in Bufo bufo p. 516, Russia, Ретпосненко К. I. Skrjabin Anniv. Vol. 1953.

Arythmorhynchus tigrinus sp. nov. larva encysting in mesenteries of Rana tigrina, India, Moghe & Das G. S. Thapar Commemoration Vol., Lucknow, 1953 pp. 211–216 figs.

Bolbosoma Porta defined p. 97, balanae Gmelin redescr. from "whale" pp. 100-102 figs., vasculosum (Rud.) redescr. from Mesoplodon bidens pp. 102-103 figs., N. America, VAN CLEAVE Illinois biol. Monogr. 23 1953.

Corynosoma Lühe, defined p. 60, strumosum (Rud.) redescr. pp. 72–76 figs., semerme (Forssell) redescr. pp. 76–78 figs., semerme (Forssell) redescr. pp. 76–80 figs., seductum (v. Linst.) redescr. pp. 78–80 figs., sulidum Van Cleave redescr. pp. 82–84 figs., villosum Van Cleave pp. 84–86 figs., sullosum Van Cleave pp. 84–86 figs., sameroni Van Cleave pp. 86–88 figs., hadveni Van Cleave pp. 86–91 figs., falcatum Van Cleave redescr. pp. 91–92 figs., N. American mammals, VAN CLEAVE Illinois biol. Monogr. 23 1953.—C. Lühe: analysis of spp. in N. American mammals, validum in Adobenus divergens, Erignathus barbatus, pp. 7–8 figs., villosum in Eumetopias jubata pp. 8–9 figs., cameroni in Delphinapterus leucas pp. 9–10 figs., hadweni in Halichoerus

gryptus pp. 10-11 figs., faleatum in H. gryptus pp. 11-12 figs., N. America, Van Cleave J. Parasit. 39 1953.—C. bullosum (v. Linst.) in Miraunga leonina p. 55, semerme (Forssell) redescr. from Otaria hookeri pp. 55-58 figs., australe Johnst. redescr. from O. hookeri pp. 58-59 figs., clanatum Gosse redescr. from Phalacrocorax colensoi pp. 59-60 figs., sp. innom. in Otaria forsteri and Hydrurga leoninyx pp. 60-51. Auckland and Campbeel. Is., Johnston & Enwones Don. Mus. Rec. 2 1953.

Echinopardalis Trav. defined p. 121, macrusae Messer sedesor, from Lynx ryfus, N. America, VAN CLEAVE Illinois biol. Monogr. 23 1953 pp. 121–122 figs.

Echinorhynchus lateralis Leichy in Salmo olarkii. Omoorhynchus cisusch. California. Haderie Univ. Calif. Publ. Zoel. 57 1965 p. 356 figs.—E. zad. Zoega. in Müller, measurements, in Brosme brosme, Plationary, Janu. Gadus oldanii. Ireland, Rees Parasitol. Cambridge 43 1953 p. 197.

Fessisentidae diagn. emend., HALEV & BULLOCK Amer. Midl. Nat. **50** 1953 p. 204.

Fessisentis cancleacei sp. nov. in Legomus girbassus. N. America, Haley & Bullock Amer. Midl. Nat. 50 1953 pp. 292-295 figs.

Floridosentis gen. nov., Neocchinorhynohidae, wpe: elimeatus sp. nov. in Mugii cebiaius. Florida. Ward J. Tenn. Acad. Sci. 28 1953 p. 189.— F. gen. nov., Neocchinornynchidae. diagn. p. 392. type: elimeatus sp. nov. in Mugii zebiaiu. Florida. Ward J. Parasin. 39 1953 pp. 392-394 figs.

Gardioriyacius fraundi sp. nov. in Sagutarius sergentarius. Halle Zool. Gans. Harrowiczi Wiss. Z. Martin-Luther Univ. Halle-Wittemb. 2 1953 pp. 917-919 figs.

Hamanniella Trav. defined p. 114. tortuosa Leidy redeser from Didelphis virginiana pp. 114–115 figs., minida Van Cleave redescr. from D. virginias pp. 115–117 figs., N. America, Van Creave Illinois biol. Monogr. 23 1953.

Macracanthorivnehus Trav. defined p. 167. irrudinaeeus Palas redescr. from Sus serofix. Tunias striatus. Seiurus niger, Seauspus aquaticus pp. 167-111 figs.. ingens v. Linst. redescr. from Procyon

lotor pp. 111-112 figs., N. America, Van Cleave Illinois biol. Monogr. 23

Mediorhynchus orientalis sp. nov. in int. of Charadrius dubius caronicus, USSR., BELOPOLSKAYA K. I. Skrjabin Anniv. Vol. 1953 pp. 64–65 fig.

Moniliformis Trav., systematics, defined, pp. 123–127, moniliformis (Bremser) redescr. from Ratus norregicus, R. ratus, Scalopus aquaticus, pp. 127–129 figs., clarki (Ward) redescr. from Sciurus, Citellus, Scalopus, Tamias, Mehitis, Peromyscus, Eutamias, Pitymys, Geomys spp., pp. 129–131 figs., N. America, Van Cleave Illinois biol. Monogr. 23 1953.—M. moniliformis (Brems.) larva in Periplaneta americana, Mexico, Coronel Guevara Thesis. Mexico, 1953 27 pp., figs.—M. dabius Meyer redescr. from Ratus norvegicus, development, France, Roman Menn. Mus. Hist. nat. Paris Zool. 2 1951 pp. 51–58 figs.

Neoechinorhynchus cristatus Lynch in Catostomus tahoensis, C. humboldtianus, California, HADERITE Univ. Calif. Publ. Zool. 57 1953 p. 355 figs.

Octospinifer torosus Van Cleave & Haderlie in Catostomus occidentalis, C. tahoensis, California, HADERLIE Unit Calif. Publ. Zooł. 57 1953 p. 356 figs.

Oncicola Trav. defined p. 117, canis (Kaupp) redescr. from Caris familiaris, C. latrans, Lynx rufus, Felis domestica, N. America, VAN CLEAVE Illinois biol. Monogr. 23 1953 pp. 118–119 figs.

Pachysentidae a syn. of Oligacanthorhynchidae, VAN CLEAVE Illinois biol. Monogr. 23 1953 p. 28.

Pachysentis Meyer, transf. to Oligacanthorhynchidae p. 119, defined p. 120, canicola Meyer redescr. from Urucyon cinereoargentatus, Mephitis mesomelas, Conepatus mesoleucas, Spilogale leucoparia, N. America, Van Cleave Illinois biol. Monogr. 23 1953 pp. 120– 121 figs.

Pallisentis nandai sp. nov. in Nandus nandus, India, SARKAR Proc. Indian Sci. Congr. 40 3 1953 pp. 192–193.

Travassasia Meyer a syn. of Hamanniella, VAN CLEAVE Illinois biol. Monogr. 23 1953 pp. 113, 114.

# CHAETOGNATHA ECHINODERIDA GASTROTRICHA ROTIFERA

## SUBJECT INDEX

#### GENERAL

Taxonomy.—Systematic note on Sagitta serrato-dentata, Furnestin 294.

Technique.—Pure cultures of Hydatina senta, BAZIRE 60.

#### STRUCTURE

Anatomy.—Morphology of Sagitta serrato-dentata, Furnestin 294.

Reproductive System.—Female complex in Pterosagitta draco, GHIRAR-

Toes.—Reduction in toes of Bdellurid rotifers, Donney 215.

Cytology.—Germinal determination in Spadella cephaloptera, GHIRAR-DELLI 331, 334.

### DEVELOPMENT AND REPRODUCTION

#### ETHOLOGY

Reproduction.—Pterosagitta draco, Ghirardelli 333; Copulation in Spadella cephaloptera, Ghirardelli 332.

Ecology.—Biology of Sagitta serratodentata, Furnestin 294; Ecology of chaetognaths in Indian coastal waters, George 317; Distribution of Sagitta enflata in the Inland Sea of Japan, Kado 467; Distribution of chaetognaths over continental shelf of N. Carolina, Pierce 758; Commensals of Conchilus unicornis colonies, de Graaf 186; Dynamics of rotifers in a Minnesota pond, Dineen 203; Ecological notes on rotifers in N. Wales, Galliford 308; Ecology of rotifers in Cambridgeshire, Gray 357; Mutual association of Proales and Cladocera, Viastov 1065; Ecological notes on some rotifers in Korea, Yamamoto 1131.

# GEOGRAPHICAL DISTRIBUTION

Europe.—Chaetognaths in continuous plankton-records from North Sea, RAE 793; Gastrotricha from the Mediterranean, Gerlach 319; Rotifers from N. Wales, Galliford 308; Rotifers from Cambridgeshire, Gray 357; Rotifers in sedimentary reservoirs of Brno, Czechoslovakia, Kuriček & Marvan 531; Rotifers in plankton of Oak Mere, Cheshire, Lind & Galliford 572; Rotifers in aquaria, Germany, Ruhmann 846.

Africa.—Sagitta serrato-dentata from Morocco, Furnestin 294; Chaeto-gnaths in the Bay of Algiers, Rose & Hamon 844.

Asia.—Chaetognaths from Israel, FURNESTIN 295; Chaetognaths in plankton of coastal waters of Malabar, GEORGE 317; Chaetognaths of the Inland Sea of Japan, KADO 467; New Trichocerca sp. from the East Indies, DONNER 214; Rotifers in zooplankton of Israeli fish-ponds, FISCHER 277; Rotifers from Nikko mountain district, Japan, YAMAMOTO 1130; Rotifers from Korea, YAMAMOTO 11310;

N. America.—Chaetognaths from N. Carolina, Pierce 758; Rotifers of a Minnesota pond, Dineen 203; Plankton-rotifers of Lake Amatitan, Guatemala, Peckham & Dineen 737.

S. America.—Echinoderida from Chile, Lang 548.

Australasia.—Rotifers from Western Australia, BÉRZINŠ 73; Marine and freshwater rotifers from New Zealand, RUSSELL 852; Rotifers from Chatham Is., RUSSELL 853.

Pacific Ocean.—New Turbanella sp. from the Pacific, Remane 822.

## SYSTEMATIC INDEX

#### CHAETOGNATHA

Sagitta serrato-dentata Krohn, morphology, biology and systematics, Morocco, Furnestin Bull. Inst. oceanogr. Monaco No. 1025 1953 pp. 1–39 figs.

#### **ECHINODERIDA**

Pycnophyes chilensis sp. nov., Chile, Lang Lunds Univ. Arssk. N.F. (2) 49 1953 4 pp. 3-6 figs.

Trachydemus anomalus **sp. nov.,** Chile, Lang Lunds Univ. Årssk. N.F. (2) **49** 4 1953 pp. 6–8 figs.

#### GAATROTRICHA

Chaetonotus aculifer sp. nov., Mediterranean, Gerlach Zool. Anz. 150 1953 pp. 208–210 figs.

Tetrachyroderma papii sp. nov., Mediterranean, Gerlach Zool. Anz. 150 1953 pp. 205–206 figs.

Turbanella italica sp. nov., Mediterranean, Gerlach Zool. Anz. 150 1953 pp. 203–205 figs.—T. palaciosi sp. nov., Pacific, Remane Zool. Anz. 151 1953 pp. 272–276 fig.

Xenotrichula beauchampi Lévi, Mediterranean, Gerlach Zool. Anz. 150 1953 pp. 206–208 figs.

#### ROTIFERA

Brachionus calyciflorus Pall., cyclomorphic form, N. Zealand, Russell Trans, roy, Soc. N.Z. 81 1953 pp. 73–74.

Cephalodella gisléni **sp. nov.,** Western Australia, BĒRZIŅS Lunds Univ. Årsskr. N.F. (2) **49** 8 1953 pp. 4–6 figs.

Euchlanis alata Voronkov p. 156 figs., triquetra Ehr. p. 156 figs., Korea, YAMAMOTO Pacif. Sci. 7 1953.

Keratella procurva (Thorpe) Western Australia, Bērziņš Lunds Univ. Ārsskr. N.F. (2) 49 8 1953 pp. 7–8 fig.—K. crassa Ahlstr. in marine habitat, N. Zealand. Russell Trans. Roy. Soc. N.Z. 81 1953 pp. 74–75.—K. cruciformis var, cichwaldi Levander, p. 156 figs., serrulata (Ehr.) p. 157 fig., Korea, YAMAMOTO Pacif. Sci. 7 1953.

Lecane cylesi sp. nov., Chatham Is., Russell Rec. Canterbury [N.Z.] Mus. 6 1953 pp. 239–240 figs.

Ploesoma triacanthum (Bergendl.) Korea, Yamamoto Pacif. Sci. 7 1953 p. 156 fig.

Proales similis exoculis var. nov., Western Australia, BĒRZIŅŠ Lunds Univ. Ārsskr. N.F. (2) 49 8 1953 pp, 9-10 figs. Synchaeta Ehrenb., taxonomic note, Russell Trans. roy. Soc. N.Z. 81 1953 p. 73.

Testudinella bidentata (Ternitz), Korea, YAMAMOTO Pacif. Sci. 7 1953 p. 156 figs.

Trichocerca pusilla (Jennings), Western Australia, Bērzīnš Lunds Univ. Ārsskr. N.F. (2) **49** 8 1953 p. 11 fig.—T. (Diurella) ruttneri **sp. nov.**, Easy Indies, DONNER Öst. zool. **Z. 4** 1953 pp. 19–22 fig.

# ANNELIDA, GEPHYREA, CONODONTA, SCOLECODONTA

#### GENERAL

Technique; Methods.—Method for preparation of chlorocruoroporphyrin from polychaetes, Kennedy 496; Method for rearing Nereis grubei to maturity, Reish 821.

Taxonomy.—Nomenclatural note on Lumbricus terrestris, Graff 355; Cytology and systematics in Lumbricidae, OMODEO 710; Systematic note on Helodrilus, OMODEO 713; Systematic characters in family Branchiobdellidae, HOLT 420; Systematics of the genus Erpobdella, PAWLOWSKI 736; The genus Ophelia reviewed, TEBBLE 1005; Systematic relationships of the Priapulida, Lane 547.

Collections.—Type-specimens of polychaetes in Oceanographical Museum, Monaco, Belloc 67.

#### STRUCTURE

Head.—Cephalic region of Pisione puzae, Siewing 920.

Elytra.—Structure of elytrum in polynoids, Nicol 697.

Cuticle.—Structure of cuticle in Hirudo medicinalis, FREYTAG 291.

Nervous system.—Cephalic nervous system in *Haemopis sanguisuga*, MANN 620; Stomatogastric nervous system in *Arenicola*, WHITEAR 1100.

Segmentation.—In leeches, MANN 620.

Histology; Cytology.—Synapsis in polychaetes, Bullock 110; Cerebral organ of earthworms, Habl 425; Calciferous glands of earthworms, Joshi & Kelkar 461; Cytoplasm of germ-cells in Tubifex, Lehmann & Wahil 560; Polyploidy in Lumbricidae Omodeo 710; Polyploid mutations in earth-worms, Omodeo 711; Polyploidy in Lumbricids, Omodeo 712; Extrusions of germ-cells in Lumbricus terrestris, Srivastava 966; Nucleolar material in oocyte of Lumbricus, Srivastava 967; Cytoplasmic components of oocyte of Lumbricus, Srivastava 968; Chromatophores in Protoelepsis tesselata, Vavrouskova 1052.

#### PHYSIOLOGY

Constitution; Metabolism.—
Amine oxidase in earthworms, Blacshko & Himmo 80; Histochemistry of
the clitellum in Lumbricids, Defretin
& Demailly 185; Riboflavin in
leeches, Guiseppina 339; Respiratory
metabolism in tropical earthworms,
Mendes & Valente 646; Phosphagen
in Lumbricus terrestris, Thoai et al.
1013.

Neuro-physiology. — Neurosecretion in Perinereis cultrifera, Bobin & Durchon 82; Neurosecretion in sipunculids, Gabe 300; Electrical stimulation of ventral nerve-cord in earthworms, Masul 635; Innervation of elytrum in polynoids, NICOL 697; Electrical stimulation of ventral nervecord in earthworms, Sone 953; Responses in nerve of Pheretima, NIKI, Sone & Hosoi 698.

Alimentation.—Feeding-habits of Nereids, Beklemishev 66; Feeding-habits of Nereis diversicolor, Harley 385.

Pigmentation.—In leeches, VAV-ROUSKOVA 1052.

Luminescence.—In *Polycirrus*, Bon-HOMME **90**; In polynoids, NICOL **697**.

Growth.—In Eisenia foetida, Moment 672; Sinistral tube in Spirorbis, Bock 83.

Movement.—Irrigation patterns of Arenicola marina, Wells 1091.

Environmental Effects.—Effect of benzyl aldehyde on oligochaetes, Drab-KIN 228; Effect of radiation on Aulophorus furcatus, FOULKES 287; Effects of radioactive strontium on polychaetes, FRETTER 290; Effect of temperature on encystment of Dinophilus, JACERSTEN 445; Chemotaxis in earthworms, MANGOLD 618; Effects of salinity on distribution of Neanthes light in Salinas River estuary, California, SMITH 940; Effect of stimulation on protoplasmic cortex in Chaetopterus egg. WILSON & HELLBRUNN 1112.

# REPRODUCTION AND DEVELOPMENT

Gametogenesis.—Oogenesis in Phascolosoma vulgare, Gouse 351; Spermatogenesis in Lumbricus terrestris, Rawson 310.

Reproduction.—Epigamic budding in Syllis prolifera, Abelioos 8; Epitoky and stolonization in polychaetes, Durchon 241-243; Reproduction in Erpobdella, Klekowska 506; Asexual reproduction in Pygospio elegans, Rasmussen 805.

Embryology.—Activation in Chaetopterus egg, Goldstein 341; Embryology of Priapulus, Lang 547; Embryology of Hirudo medicinalis, Shumkina 918.

Development.—Morphogenesis in Hydroides norvegica, ABELOOS 7; Lifehistory of Dinophilus, JAGERSTEN 445; Schizogenesis in earthworms, MACAGNO 594; Life-history of Erpobdella octoculata, MANN 619; Phases in development of Lumbricids, Michon 657; Post-embryonic development in Lumbricids, Michon 658; Development in Pontoscolex corethrurus, VANNUCCI 1048; Early development of Halicryptus spinulosus, ZHINKIN & KORSAKOVA 1149.

Regeneration; Reconstitution.—
Regeneration in Clymene oerstedii, Abeloos 6; Compensative regeneration in Hydroides norvegica, Abeloos 7; Anterior regeneration in Salmacina incrustans, CRESP 169; Regeneration and budding in salmacine polychaetes, CRESP 170; Regeneration in Saccocirrus and Polygordius, Dawydoff 177; Migration of neoblasts in caudal regeneration of Lumbriculus variegatus, Dubois 233; Effect of radiation on caudal regeneration in Lumbriculus variegatus, Dubois

234; Cephalic regeneration in Aulophorus furcatus, Foulkes 287; Regeneration in the Aeolosomatidae, Herlant-Meews 402; Regeneration in earthworms, Hubl 426; Regeneration in Sabellid and Serpulid polychaetes, La Greca 544; Anterior regeneration in Sabella and Hydroides, La Greca 545.

Sex.—Phenotypic sex-determination in polychaetes, HAUENSCHILD 390, 391.

#### EVOLUTION AND PHYLOGENY

Speciation.—Subspecific populaions of Ophryotrocha puerilis, BACCI & LA GRECA 47.

#### **ETHOLOGY**

Ecology.—Ecology of Oligochaetes in subterraneous littoral of Tunisia, Delamare-Deboutteville 188; Ecology of oligochaetes in littoral of Algeria, Delamare Deboutteville 189, 190; Ecology of polychaete larvae in Indian coastal waters, George 317; Ecology of terrestrial Oligochaetes, Graff 353; Ecology of marine annelids in macrobenthos of English Channel, Holme 418; Ecology of Pomatoceros coeruleus at Taylor's Mistake, Bank's Peninsula, N.Z., Knox 510; Ecology of polychaetes on sandy coasts of the Basse-Normandie, Lafon 543; Ecology of earthworms in Schleswig-Holstein, Tischler 1028; Ecological notes on Pontoscolex corethrurus, Vannucci 1048.

Bionomics.—Settlement of Spirorbis larvae, KNIGHT-JONES 509; Settlement of Ophelia larvae, WILSON 1110, 1111; Biological notes on freshwater leeches, MUNTZ 683; Biological notes on polychaetes, I. of Man, SOUTHWARD 956; Biology of Mercierolla enigmatica, TEBBLE 1007; Vertical distribution of earthworms, WILCKE 1105.

Commensalism; Parasitism.—Commensalism in polychaetes, DAVEN-PORT 174, 175; Bacteria of the medicinal leech, Büsing, Döll & FREYTAG 115; Gregarines in Pheretima peguana, DISSANAIKE 204; Hirudinea from cod, Dollfus 210; New bacterium in intestine of earthworms, KHAMBATA & BHAT 502; Hammothoë lumulata associating with an ophiuran,

MILLOT 664; Placobdella ceylanica as a vector of trypanosomes, Pujatti 787.

Breeding-habits.—Sexual behaviour of Ophryotrocha puerilis, BACCI 46; Swarming of Nereis succinea, BERKELEY & BERKELEY 71; Spawning in Arenirola marina, DUNCAN 240; Swarming in polychaetes, FAUVEL 266; Sexual behaviour of terrestrial leeches, HARRISON 386.

Economics.—Mercierella enigmatica encrustation in Lake Tunis, Heldt 399; Relation of earthworms to solfertility in New Zealand, Lee 554; Control of Mercierella growth, Tebble 1006.

# GEOGRAPHICAL DISTRIBUTION

Europe.—New archiannelids from the Mediterranean, GERLACH 321; Archiannelida from the Mediterranean coast of France, GERLACH 325: Two new Archiannelids from Roscoff, Lévi 567; New Mesonerilla sp. from Naples, WILKE 1107; Annelids in plankton in Gulf of Marseilles, Casanova 132; New Lumbrinereis sp. from Scotland, CLARK 154; Polychaetes in sea-water storage tanks at Port Erin, JUDGES & SOUTHWARD 464; Fabricia sabella at Ostend, LEFEVERE 559; Polychaetes in Santander Bay, Spain, MARTIN & CREHUET 631; Polychaetes in fauna of I. of Man, Southward 956; Serpulidae from the Norwegian coast, Wesenberg-Lund 1092; Lumbricids from Spurn Peninsula, Yorkshire, BUTLER 116; Diurodrilus benazzi new to marine fauna of France, DELAMARE-DEBOUTTEVILLE 191; Lumbricids in fauna of Germany, GRAFF 354; Oligochaetes in brackish waters of Bas-Escaut, Belgium, Konietzko 515; Oligochaeta in littoral fauna of the Rhone at Lyon, LAFON 542; Lumbricids from the Italian Alps, OMODEO 713; Lumbricids from the Dolomites, OMODEO 714; Eisenia rosea var. macedonica described from Britain, Roots 843; Lumbricids of Schleswig-Holstein, Tischler 1028; Allolobo-phora antipae tuberculata in Germany, WILCKE 1106; Annelids from the Romagna, Italy, Sciacchitano 885; Geographical distribution of the genus Erpobdella in Poland, PAWŁOWSKI 736.

Africa.—Errant polychaetes from S. Africa, DAY 178; New Ophelia sp. from S. Africa, TEBLE 1005; Leeches from marine fishes, Senegal, CADENET 128; New marine annelid from S.

Asia.—Arenicola from Karachi, BHATA & SOOF 75; Polychaete larvae in plankton of coastal waters of Malabar, George 317.

Africa, TEBBLE 1004.

N. America.—New Hypaniola sp-from Massachusetts, Pettibone 754; Scale-bearing polychaetes from Pacific coast of U.S.A., Pettibone 755; Redescription of Manayunkia speciosa from Lake Erie, Pettibone 756; Two new Ophelia spp. from California, Tebble 1005; Polychaetes from E. Greenland, Wesenberg-Lund 1093; New Polydora sp. from California, Woodwick 1121; Lumbricids from Arkansas, Causey 134; Earthworms in the Arnold Arboretum, Boston, Gates 310, 311; Criodrilus lacum in Namerica, McKey-Fender & MacNab 606; Leeches from freshwater fishes, Maine, de Roth 197; Leeches on freshwater fishes of California, Haddense 373.

West Indies.—Polychaetes and sipunculids from the Bahamas, Andrew & Andrew 33; Polychaetes from the West Indies and Atlantic Ocean, FAUVEL 270.

Australasia.—Polychaetes in fauna of wharf-piles at Port Nicholson, N.Z., RALPH & HURLEY 796; Distribution of endemic earthworms in New Zealand, Lee 555; Earthworms from the Kermadec Is., Lee 556; New Piscicolid leech from New Zealand, RICHARDSON 828.

S. Atlantic Ocean.—New Nereis sp. from Gough I., Reish 820.

Pacific Ocean.—Polychaetes from Tahiti and the Tuamotu, FAUVEL 267; New Bonelliid from the Gilbert Is., FISHER 283.

**Southern Ocean.**—Polychaetes from Kerguelen, FAUVEL **268**, **269**.

Geological.—†Fossil annelids from Lower Cretaceous, Alexander I Land, Cox 167; †Fossil annelids in Triassic of Connecticut Valley, Lull 587; †Fossil annelids in the Vorobyev horizon, Lyashenko 589; †New fossil worm from Tremadocian of Shrop-shire, Whittard 1101.

General.—Geographical distribution of *Pontoscolex corethrurus*, VANNUCCI

## SYSTEMATIC INDEX

#### ANNELIDA

#### ARCHIANNELIDA

Diurodrilus dohrni sp. nov., Mediterranean, Gerlach Kieler Meeresforsch. 9 1953 p. 250 figs.

Mesonerilla intermedia sp nov., Naples, Wilke Zool, Anz. 150 1953 pp. 211–215 figs.—M. roscovita sp. nov., Roscoff, Lévi Arch. Zool. exp. gén. 90 1953 Notes et Revue pp. 65–68 figs.

Nerillidium mediterraneum Remane redescr. from Gulf of Naples, Gerlach Kieler Meeresforsch. 9 1953 pp. 250–251 figs.—N. simplex sp. nov., Roscoff, Lévi Arch. Zool. exp. gén. 90 1953 Notes et Revue pp. 68–69 figs.

Protodrilus pardii sp. nov., Mediterranean, Gerlach Kieler Meeresforsch. 9 1953 pp. 248–249 figs.

Saccocirrus parvus sp. nov., Mediterranean, Gerlach Kieler Meeresforsch. 9 1953 pp. 249–250 figs.

#### **POLYCHAETA**

Antinoë lactea sp. nov., S. Africa, DAY Ann. Natal Mus. 12 1953 pp. 403–405 figs.

Aphrodita L. defined p. 67, japonica Marenz. pp. 68–70 figs., negligens Moore pp. 70–72 figs., Pacific coast of U.S.A., Pettibone 755.

Aphroditidae, characters, pp. 66-67 Pettibone 755.

Aphroditoidea, key to families, Pettibone 755 p. 7.

Arctonoë Chamberl. defined p. 56, vittata (Grube) pp. 57-61 figs., pulchra (Johns.) pp. 61-64 figs., fragilis (Baird) pp. 64-66 figs., Pacific coast of America, Pettibone 755.

Autolytus tuberculatus (Schmarda), morphol. note, S. Africa, Day Ann. Natal Mus. 12 1953 p. 421.

Bhawania goodei Webster (syn. cryptocephala Gravier), systematic note, DAY Ann. Natal Mus. 12 1953 p. 407.

Ceratonereis keiskama sp. nov., S. Africa, DAY Ann. Natal Mus. 12 1953 pp. 426-428 figs.

Demonax leucaspis Kinbg., some redescr., W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 p. 17.

Enipo Malmgr. defined p. 21, gracilis Verrill, redescr., Pacific coast of U.S.A., pp. 22–23 figs., canadensis (McInt.) redescr., Puget Sound, pp. 23–24 figs., Pettibone 755.

Eucranta mollis (Grube) redescr., Kerguelen, FAUVEL Bull. Inst. océanogr. Monaco No. 1026 1953 pp.

Eulalia viridis (Müll.) var. capensis Schmarda, morphol. note p. 410, sp. innom. near trilineata St. Joseph, p. 410, ? macroceros Gr. descr. p. 411, S. Africa, DAY Ann. Natal Mus. 12 1953.

(Nicidon) cincta Kinbg., Eunice morphol. note, S. Africa, Day Ann. Natal Mus. 12 1953 p. 433.—E. aphroditoïs (Pall.) and guanica (Treadw.) redescr. from W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 pp. 11-13.

Eunoë Malmgr. defined p. 45, oestedi Malmgr. redesc. pp. 46-48 figs., depressa Moore redescr. pp. 48-49 figs., Pacific coast of U.S.A., Pettibone 755

Euthalenessa oculata (Peters) typespecimen examined, synonyms: den-drolepis (Clap.) and insignis Ehlers, DAY Ann. Natal Mus. 12 1953 p. 407.

Exogone clavator Ehlers p. 418 figs., verugera (Clap.) redescr. pp. 418-419, S. Africa, Day Ann. Natal Mus. 12 1953.—E. anomalochaeta Benham, some redescr., Kerguelen, FAUVEL Bull. Inst. océanogr. Monaco No. 1026 1953 pp. 6-7.

Fabricia sabella (Ehr.) redescr., Belgium, Lefevere Bull. Mus. Hist. nat. Belg. 29 1953 pp. 1-4 fig.

Flabelligera infundibularis Johnson, redescr. from E. Greenland, WESENBERG-LUND Medd. Grønl. Copenhagen 122 1953 pp. 63-65 fig.

Gattyana McInt. defined p. 39, ciliata Moore redescr. pp. 40-41 figs., cirrosa (Pallas) redescr. 41-43 figs., treadwelli Pettibone redescr. pp. 43-44 figs., iphionelloides (Johns.) redescr. pp. 44-45 figs., Pacific coast of U.S.A., PETTIBONE 755.

Goniadopsis incerta Fauvel, descr. from S. Africa, DAY Ann. Natal Mus. 12 1953 p. 430.

Halosydna Kinb, defined p. 16. brevisetosa Kinb. redescr., Pacific coast of N. America, pp. 17-20 figs., Petti-BONE 755.

Harmothoë Kinb. defined p. 28, multisetosa (Moore), redescr., pp. 29-31 figs., extenuata (Grube) redescr. pp. 31-32, imbricata (L.) redescr. pp. 32-36, hartmanae Pettibone redescr. pp. 36-37 figs., Pacific coast of U.S.A., Pettibone 755.—H. imbricata (L.), variation, p. 19, vesiculosa Ditl., valid, p. 25, E. Greenland, Wesenberg-Lund Medd. Grønl. Copenhagen 122 1953.—H. ernesti Aug. redescr. from W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 pp. 3-4.—H. fraser-thomsoni McInt., morphol. note, S. Africa, p. 400, sp. innom., S. Africa, p. 401 figs., saldanha sp. nov., S. Africa, pp. 401–403 figs., DAY Ann. Natal Mus. 12 1953.

Hermadion Kinb. defined p. 20, truncata (Moore) redescr., Pacific coast of N. America, pp. 20-21 figs., Petti-BONE 755.

Hermenia verruculosa Grube, some redescr., W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 p. 4.

Hesperonoë Chamberlin defined p. 37, complanata (Johns.) redescr., Puget Sound, pp. 37-39 figs., Pettibone 755.

Hololepida Moore defined p. 49, magna Moore redescr. pp. 49-50 figs., Pacific coast of U.S.A., Pettibone 755.

Hypaniola Annenkova redefined p. 384, grayi sp. nov., Massachusetts, PETTIBONE J. Wash. Acad. Sci. 43 1953 pp. 384-386 figs.

Hypsicomus loangoensis (Aug.) redescr. from W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 p. 18.

Lepidasthenia Malmgr. defined p. 50, longicirrata Berk. redescr. pp. 51-53 figs., berkeleyae Pettibone redescr. pp. 53-54 figs., Pacific coast of U.S.A., PETTIBONE 755.

Lepidonotus Leach, defined, p. 14, caelorus Moore redescr., Pacific coast of U.S.A., pp. 15-16 figs., Pettibone

755; L. natalensis Day syn. of tenuise-tosus (Gravier), Day Ann. Natal Mus. 12 1953 p. 400.

Lumbrinereis tetraura Schmarda, synonymy, pp. 435–436, cavifrons Grube redescr. p. 437 figs., hartmani sp. nov. pp. 437–439 figs., S. Africa, DAY Ann. Natal Mus. 12 1953.—L. cluthensis sp. nov., Firth of Clyde, CLARK Ann. Mag. nat. Hist. (12) 6 1953 pp. 945–949 fig.

Malmgrenia McInt. defined p. 24, lumulata (Delle Chiaje), redescr., Pacific coast of U.S.A., pp. 25–28 figs., PETTIBONE 755.

Manayunkia speciosa Leidy redescr., Lake Erie, Pettibone Biol. Bull. Woods Hole 105 1953 pp. 149-153 fig.

Marphysa depressa (Schmarda) redescr. pp. 434-435 figs., purcellana Willey, valid, p. 435, S. Africa, DAY Ann. Natal Mus. 12 1953.

Myrianida phyllocera Augener, redescr., pp. 421–422, pulchella **sp. nov.** pp. 422–424 figs., S. Africa, Day Ann. Natal Mus. **12** 1953.

Nephthys sphoerocirrata Wesenb.-Lund, morphol. note, p. 431, capensis sp. nov. pp. 431-432 figs., S. Africa, Day Ann. Natal Mus. 12 1953.

Nereis monroi sp. nom. nov. pro callaona of Monro, 1936, Gough I., Reish Ann. Mag. nat. Hist. (12) 6 1953 pp. 609-612 figs.—N. (Neanthes) willeyi Day, synonymy, DAY Ann. Natal Mus. 12 1953 pp. 424-425.

Nicolsa bilobata Gr. var. antillensis Aug., some redescr., W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 pp. 15-16.

Notophyllum splendens (Schmarda) redescr. from S. Africa, DAY Ann. Natal Mus. 12 1953 pp. 408–409 figs.

Ophelia Sav., reviewed, differential key to spp., africana sp. nov., S. Africa, pp. 365–366 fig., pulchella sp. nov., California, pp. 366–367, assimilis sp. nov., California, p. 367, Tebble Ann. Mag. nat. Hist. (12) 6 1953 pp. 361–368.

Ophryotrocha puerilis Clap. & Mecz., subspecific populations, Bacci & La Greca Nature, Lond. 171 4364 1953 p. 1115. Parmenis capensis Willey syn. of Harmothoë aequiseta (Kinberg), reticulata McInt. syn. of Harmothoë dictyophora Grube, DAY Ann. Natal Mus. 12 1953 p. 400.

Peisidice Johns. defined p. 78, aspera Johns., Pacific coast of U.S.A., pp. 78– 80 figs., Pettibone 755.

Perinereis diversidentata Treadwell a syn. of Pseudonereis variegata Gr., DAY Ann. Natal Mus. 12 1953 pp. 425-426.

Pholoë Johnst. defined p. 76, minuta (Fabr.) pp. 77–78 figs., Pacific coast of U.S.A., Pettibone 755.

Phyllodoce sp. innom., S. Africa, DAY Ann. Natal Mus, 12 1953 p. 409.

Pionosyllis ehlersiaeformis Augener redescr. pp. 415-416 fig., magnidens sp. nov. pp. 416-418 figs., spp. innom. p. 418 figs., S. Africa, Day Ann. Natal Mus. 12 1953.

Pisione puzae sp. nov., Mediterranean, Siewing Zool. Anz. 150 1953 pp. 298-313.

Polydora nuchalis **sp. nov.,** California, Woodwick J. Wash. Acad. Sci. **43** 1953 pp. 381–383 fig.

Polyeunoa McInt. defined p. 54, tuta (Grube) redescr. pp. 54–56 figs. Pacific coast of America, Реттіволе 755

Polynoë erythrotaenia (Schmarda), systematic note, p. 406, scolopendrina Sav., synonymy, p. 400, Day Ann. Natal Mus. 12 1953.

Polynoidae, characters, Pettibone 755 pp. 7-13.

Polyodontidae, characters, p. 78, Pettibone 755.

Pomatoceros caeruleus Schmarda, some redescr., W. Indies, FAUVEL Bull. Inst. oceanogr. Monaco No. 1033 1953 p. 19.

Sigalion oculatum Peters transf. to Euthalenessa, DAY Ann. Natal Mus. 12 1953 p. 407.

Sigalionidae, characters p. 72, Petti-BONE 755.

Spermosyllis capensis sp. nov., S. Africa, DAY Ann. Natal Mus. 12 1953 p. 419 figs.

Sphaerosyllis hystrix Clap. var. capensis var. nov. p. 420 figs., sublaevis Ehlers, morphol. note, pp. 420–421, S. Africa, DAY Ann. Natal Mus. 12 1953. Spiophanes tcherniai Fauvel redescr., Kerguelen, FAUVEL Bull. Inst. occanogr. Monaco No. 1026 1953 pp. 10-11.

Spirorbis echinatus sp. nov., Norway, Wesenberg-Lund K. norske vidensk. Selsk. Skr. 1952 6 1953 pp. 11-12 figs.

Sthenelais Kinbg. defined p. 73, fusca Johns. pp. 73–75 figs., verruculosa Johns. pp. 75–76 figs., Pacific coast of U.S.A., PETTIBONE 755.

Syllis sp. innom., S. Africa, DAY Ann. Natal Mus. 12 1953 p. 413.

Trypanosyllis gemmulifera Augener, morphol. note, pp. 413–414, crosslandi Potts, type-specimens re-examined, p. 414, S. Africa, DAY Ann. Natal Mus, 12 1953.

#### **OLIGOCHAETA**

Acanthodrilus kermadecensis sp. nov., Kermadec Is., N.Z., Lee Trans. roy. Soc. N.Z. 81 1953 pp. 49-51 figs.

Allolobophora antipae tuberculata (Cern.), Germany, WILCKE Zool, Anz. 151 1953 pp. 104–106 figs.

Criodrilus lacuum Hoffm., N. America, McKey-Fender & MacNab Wasmann J. Biol. 11 1953 pp. 373-378.

Eisenia rosea var. macedonica (Rosa), Britain, Roots Trans. Herts. nat. Hist. Soc. 24 1953 pp. 43-44 fig.

Helodrilus Hoffm., systematic note, Ormodeo Mem. Mus. Civ. Stor. Nat. Verona 4 1953 pp. 75–78.

Lumbricus terrestris L., nomenclature, GRAFF Zool. Anz. 151 1953 pp. 324-326.

Pontoscolex corethrurus (Müll.) geographical distribution, Vannucci Dusenia 4 1953 pp. 287–300 figs.

#### HIRUDINEA

Austrobdella sp. innom. on skin of Ptychocheilus grandis, California, HAD-ERLIE Univ. Calif. Publ. Zool. 57 1953 p. 357. Bdellamaris gen. nov., Piscicolidae, type: epiatreti sp. nov. on Epiatretus cirrhatus, New Zealand, RICHARDSON Trans. Roy. Soc. N.Z. 81 1953 pp. 283–291 figs.

Branchellion parkeri Richards., redescr. from Callorhynchus milii, New Zealand, RICHARDSON Trans. Roy. Soc. N.Z. 81 1953 pp. 283, 291–293 figs.

Erpobdella Blainv., systematics and distribution in Poland, Pawlowski Prace Łodz. Tow. Nauk. (111) No. 8 1948 pp. 1–54 figs.

Rlinobdella sp. innom. on skin of Ameiurus nebulosus, Ictalurus catus, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 p. 357 fig.

Piscicola salmositica Meyer on Salmo gairdnerii, Oncorhynchus tshawytscha, California, HADERLIE Univ. Calif. Publ. Zool. 57 1953 p. 357 fig.

Pontobdella (?) sp. innom. in rock-crevice, New Zealand, RICHARDSON Trans. Roy. Soc. N.Z. 81 1953 pp. 293-294 fig.

#### **GEPHYREA**

Achaetobonellia gen. nov., Boneliidae' defined p. 258, type: maculata sp' nov., Gilbert Is., Fisher J. Wash' Acad. Sci. 43 1953 pp. 258–259 fig.

Priapulida, systematic relationships, LANG Ark. Zool. 5 1953 pp. 329-344.

#### INCERTAE SEDIS

Fauveliella gen. nov., defined p. 938, type pulchra sp. nov., S. Africa, TEBBLE Ann. Mag. nat. Hist. (12) 6 1953 pp. 938-944 figs.

†Palaeoscolecidae **fam. nov.,** Whittard Quart. J. Geol. Soc. **109** 1953 p. 125.

†Palaeoscolex gen. nov. type: piscatorum sp. nov., Tremadocian, Britain, WHITTARD Quart. J. Geol. Soc. 109 1953 pp. 125–135 2 pls.

